

平成 27 年科学分析支援センター機器使用研究業績

教育学部

Matsuoka K, Kase A, Matsuo T, Ashida Y. Competitive solubilization of cholesterol/cholesteryl oleate and seven species of sterol/stanol in model intestinal solution system. *J Oleo Sci. Japan Oil Chemists' Society*; 2015;64(7):783–91.

理学部 基礎化学科

Toda T, Nakata N, Matsuo T, Ishii A. Extremely active α -olefin polymerization and copolymerization with ethylene catalyzed by a dMAO-activated zirconium(IV) dichloro complex having an [OSSO]-type ligand. *RSC Adv. Royal Society of Chemistry*; 2015;5(108):88826–31.

Nakata N, Sekizawa N, Ishii A. Cationic dinuclear platinum and palladium complexes with bridging hydrogermylene and hydrido ligands. *Chem Commun (Cambridge, United Kingdom). Royal Society of Chemistry*; 2015;51(50):10111–4.

Nakata N, Ishii A. Precise polymerization of α -olefins using a mixed donor-type ligand containing oxygen and sulfur atoms. *Kobunshi Ronbunshu. Kobunshi Gakkai*; 2015;72(5):285–94.

Ishii A, Makishima Y, Nakata N. Red and Near-Infrared Photoluminescence of D- π -A-Type Compounds Based on a 1,4-Diaryl-1-thio-1,3-butadiene Conjugated System in a Dibenzobarrelene Skeleton. *J Org Chem. American Chemical Society*; 2015;80(22):11598–604.

Annaka T, Nakata N, Ishii A. Synthesis, Structures, and Temperature-Dependent Photoluminescence of 1,4-Diphenyl-1-telluro-1,3-butadiene Incorporated in a Dibenzobarrelene Skeleton and Derivatives. *Organometallics. American Chemical Society*; 2015;34(7):1272–8.

Annaka T, Nakata N, Ishii A. Synthesis and photophysical properties of extended π -conjugative and push-pull-type 1,4-diaryl-1-thio-1,3-butadienes incorporated in a dibenzobarrelene skeleton. *Bull Chem Soc Jpn. Chemical Society of Japan*; 2015;88(4):554–61.

Nakata N, Furukawa N, Kobayashi H, Suzuki I, Ishii A. Palladium(0)-mediated C-S and O-H bonds cleavage reaction in 2-hydroxybenzyl phenyl sulfide: formations of oxyphosphorane and 1,2-oxapalladacycle. *Heterocycles. Japan Institute of Heterocyclic Chemistry*; 2015;90(1):144–9.

Kuwabara T, Saito M. Synthesis of a Stannole Dianion Complex Bearing a $\mu\text{-}\eta^1;\eta^1$ -Coordination Mode: Different Electronic State of Stannole Dianion Ligands Depending on Their Hapticity. *Organometallics*. American Chemical Society; 2015;34(17):4202–4.

Kuwabara T, Nakada M, Guo JD, Nagase S, Saito M. Diverse coordination modes in tin analogues of a cyclopentadienyl anion depending on the substituents on the tin atom. *Dalton Trans. Royal Society of Chemistry*; 2015;44(37):16266–71.

Naganuma T, Singh H, Nakabayashi S. Feedback effect on pitting corrosion dynamics. *J Solid State Electrochem. Springer*; 2015;19(11):3219–28.

Hasegawa T, Nakatani K, Fujihara T, Yamada H. Aroma of Turmeric: Dependence on the Combination of Groups of Several Odor Constituents. *Nat Prod Commun*. 2015;10(6):1047–50.

Hashimoto M, Hasegawa T, Fujihara T, Yamada H. The aroma profile of galangal containing cinnamic acid derivatives as main components. *Natural Volatiles & Essential Oils special*; 2015;2015:29.

Toriya R, Hasegawa T, Fujihara T, Shimizu K, Inagami M. Aroma profiles of common Japanese trees: Japanese cypress, camphor tree, Japanese cedar, and hiba arborvitae. *Natural Volatiles & Essential Oils special*; 2015;2015:54.

嶋田湧太, 早川有果, 長谷川登志夫, 藤原隆司, 原口健司, 高橋淳, 中島健太, “ 碾茶と煎茶の香気比較 ”, 茶業研究報告 *Tea Research Journal* (別冊), 120, 61, (2015)

Yago T, Wakasa M. A practical approach to calculate the time evolutions of magnetic field effects on photochemical reactions in nano-structured materials. *Phys Chem Chem Phys. Royal Society of Chemistry*; 2015;17(15):9737–47.

Yago T, Wakasa M. A practical approach to calculate the time evolutions of magnetic field effects on photochemical reactions in nano-structured materials [Erratum to document cited in CA162:466855]. *Phys Chem Chem Phys. Royal Society of Chemistry*; 2015;17(18):12366.

Yago T, Takashino A, Wakasa M. Time-Resolved Detection of Magnetic Field Effects on Radical Pairs in Micelles: Two-Step Two-Laser Fluorescence Spectroscopy of Transient Radicals. *J Phys Chem C. American Chemical Society*; 2015;119(34):20217–23.

Wakasa M, Kaise M, Yago T, Katoh R, Wakikawa Y, Ikoma T. What Can Be Learned from Magnetic Field Effects on Singlet Fission: Role of Exchange Interaction in Excited Triplet Pairs. *J Phys Chem C. American Chemical Society*; 2015;119(46):25840–4.

Murata R, Yago T, Wakasa M. Photocyclization Reactions of Diarylethenes via the Excited Triplet State. *J Phys Chem A*. American Chemical Society; 2015;119(45):11138–45.

Yamamoto M, Dutta S, Aikawa S, Nakaharai S, Wakabayashi K, Fuhrer MS, et al. Self-Limiting Layer-by-Layer Oxidation of Atomically Thin WSe₂. *Nano Lett*. American Chemical Society; 2015;15(3):2067–73.

Guo H, Yang T, Yamamoto M, Zhou L, Ishikawa R, Ueno K, et al. Double resonance Raman modes in monolayer and few-layer MoTe₂. *Phys Rev B Condens Matter Mater Phys*. American Physical Society; 2015;91(20):205415/1–205415/8.

Fukushima KU and K. Changes in structure and chemical composition of α -MoTe₂ and β -MoTe₂ during heating in vacuum conditions. *Appl Phys Express* [Internet]. 2015;8(9):95201.

Nakata N. Development of highly effective and selective polymerization reactions of ethylene using post metallocene catalysts. *Petrotech* (Tokyo, Japan). Sekiyu Gakkai; 2015;38(7):518–21.

理学部 分子生物学科

Inaba M, Maruyama T, Yoshimi Y, Kotake T, Matsuoka K, Koyama T, et al. L-Fucose-containing arabinogalactan-protein in radish leaves. *Carbohydr Res*. Elsevier Ltd.; 2015;415:1–11.

Hayakawa Y, Duan Z, Yadake M, Tsukano J, Yamaoka Y, Inatsugi R, et al. Epigenetic floral homeotic mutation in pD991-AP3-derived T-DNA-tagged lines for CTP:Phosphorylcholine cytidyltransferase (CCT) Genes: The homeotic mutation of the *cct1-1* allele is enhanced by the *cct2* allele and alleviated by CCT1 overexpression. *J Plant Biol* (New York, NY, United States). Springer; 2015;58(3):183–92.

Kadowaki T, Nishiyama Y, Hisabori T, Hihara Y. Identification of OmpR-family response regulators interacting with thioredoxin in the cyanobacterium *Synechocystis* sp. PCC 6803. *PLoS One*. Public Library of Science; 2015;10(3):e0119107/1–e0119107/21.

Nishijima Y, Kanesaki Y, Yoshikawa H, Ogawa T, Sonoike K, Nishiyama Y, et al. Analysis of spontaneous suppressor mutants from the photomixotrophically grown *pmgA*-disrupted mutant in the cyanobacterium *Synechocystis* sp. PCC 6803. *Photosynth Res*. Springer; 2015;126(2-3):465–75.

Nagano T, Yutthanasirikul R, Hihara Y, Hisabori T, Kanamori T, Takeuchi N, et al. Oxidation of translation factor EF-G transiently retards the translational elongation cycle in *Escherichia coli*. *J Biochem*. Oxford University Press; 2015;158(2):165–72.

Kusama Y, Inoue S, Jimbo H, Takaichi S, Sonoike K, Hihara Y, et al. Zeaxanthin and Echinenone Protect the Repair of Photosystem II from Inhibition by Singlet Oxygen in *Synechocystis* sp. PCC 6803. *Plant Cell Physiol*. 2015;56(5):906–16.

Takezawa D, Watanabe N, Ghosh TK, Saruhashi M, Suzuki A, Ishiyama K, et al. Epoxycarotenoid-mediated synthesis of abscisic acid in *Physcomitrella patens* implicating conserved mechanisms for acclimation to hyperosmosis in embryophytes. *New Phytol.* Wiley-Blackwell; 2015;206(1):209–19.

Saruhashi M, Ghosh TK, Arai K, Ishizaki Y, Hagiwara K, Komatsu K, et al. Plant Raf-like kinase integrates abscisic acid and hyperosmotic stress signaling upstream of SNF1-related protein kinase2. *Proc Natl Acad Sci U S A.* National Academy of Sciences; 2015;112(46):E6388–96

Goswami C, Tanaka T, Jogahara T, Sakai T, Sakata I. Motilin stimulates pepsinogen secretion in *Suncus murinus*. *Biochem Biophys Res Commun.* Elsevier B.V.; 2015;462(3):263–8.

Suzuki M, Sakata I, Sakai T, Tomioka H, Nishigaki K, Tramier M, et al. A high-throughput direct fluorescence resonance energy transfer-based assay for analyzing apoptotic proteases using flow cytometry and fluorescence lifetime measurements. *Anal Biochem.* Elsevier B.V.; 2015;491:10–7.

Mondal A, Takehara A, Aizawa S, Tanaka T, Fujitsuka N, Hattori T, et al. Rikkunshito induces gastric relaxation via the β -adrenergic pathway in *Suncus murinus*. *Neurogastroenterol Motil.* Wiley-Blackwell; 2015;27(6):875–84.

Kyi-Tha-Thu C, Okoshi K, Ito H, Matsuda K-I, Kawata M, Tsukahara S. Sex differences in cells expressing green fluorescent protein under the control of the estrogen receptor- α promoter in the hypothalamus of mice. *Neurosci Res (Shannon, Ireland).* Elsevier Ireland Ltd.; 2015;101:44–52.

Maejima S, Ohishi N, Yamaguchi S, Tsukahara S. A neural connection between the central part of the medial preoptic nucleus and the bed nucleus of the stria terminalis to regulate sexual behavior in male rats. *Neurosci Lett.* Elsevier Ireland Ltd.; 2015;606:66–71.

M.N. Islam, Yoshio Arai and Wakako Araki, Use of ultrasonic back-reflection intensity for predicting the onset of crack growth due to low-cycle fatigue in stainless steel under block loading, *Ultrasonics*, 56, 354-360 (2015)

Matsuo R, Shinozuka N, Suzuki H, Ikeno J, Takasawa A, Miki N. Internal processing layer formed single crystal material and its manufacturing method. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Saitama University .; 2015. p. 12pp.*

Shinozuka N, Matsuo R, Suzuki H, Ikeno J, Miki N, Koyama E. Internally modified single crystal substrate and laser modification process thereof. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Saitama University .; 2015. p. 15pp.*

Suzuki H, Shinozuka N, Matsuo R, Ikeno J, Miki N, Koyama E. Manufacturing method of internal processing layer forming the single crystal member. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Saitama University .; 2015. p. 12pp.*

Suzuki H, Matsuo R, Shinozuka N, Ikeno J, Miki N, Koyama E. Manufacturing method of internal processing layer in the semiconductor single crystal. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Saitama University .; 2015. p. 12pp.*

Matsuo R, Suzuki H, Shinozuka N, Miki N, Koyama E, Ikeno J. Substrate processing apparatus and substrate processing method capable of forming reforming layer efficiently. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Lastech Co., Ltd.; Saitama University .; 2015. p. 16pp.*

Matsuo R, Suzuki H, Shinozuka N, Ikeno J. Substrate processing method including forming processed layer using laser condensing device, and substrate given by the method. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Saitama University .; 2015. p. 16pp.*

Matsuo R, Suzuki H, Shinozuka N, Miki N, Koyama E, Ikeno J. Substrate surface-reforming process and apparatus by irradiation of pulsed laser. *Jpn. Kokai Tokkyo Koho. Shin-Etsu Polymer Co., Ltd., Japan; Lastech Co., Ltd.; Saitama University .; 2015. p. 12pp.*

Lin L, Zhang G, Kodama K, Yasutake M, Hirose T. A benign initiating system for cationic polymerization of isobutyl vinyl ether: Silver salt/aryl(alkyl) halide/Lewis base. *J Polym Sci Part A Polym Chem*. John Wiley & Sons, Inc.; 2015;53(17):2050–8.

Hirose T, Miyazaki Y, Watabe M, Akimoto S, Tachikawa T, Kodama K, et al. Trialkylsilylethynyl-substituted triphenylenes and hexabenzocoronenes: highly soluble liquid crystalline materials and their hole transport abilities. *Tetrahedron*. Elsevier Ltd.; 2015;71(29):4714–21.

Kinoshita H, Kizu R, Inoue G, Fujimoto M, Saito M, Ichikawa J, et al. Platinum-catalyzed allylation of carbon electrophiles with alkenylsilanes. *Tetrahedron Lett*. Elsevier Ltd.; 2015;56(5):713–6.

Yamaguchi S. Development of single-channel heterodyne-detected sum frequency generation spectroscopy and its application to the water/vapor interface. *J Chem Phys*. American Institute of Physics; 2015;143(3):034202/1–034202/7.

Kakiage M, Shiomi S, Yanase I, Kobayashi H. Low-Temperature Synthesis of Calcium Hexaboride Powder via Transient Boron Carbide Formation. *J Am Ceram Soc*. Wiley-Blackwell; 2015;98(9):2724–7.

Hirose T, Miyazaki Y, Watabe M, Akimoto S, Tachikawa T, Kodama K, et al. Trialkylsilylethynyl-substituted triphenylenes and hexabenzocoronenes: highly soluble liquid crystalline materials and their hole transport abilities. *Tetrahedron*. Elsevier Ltd.; 2015;71(29):4714–21.

Kakiage M, Iwase K, Kobayashi H. Effect of citric acid addition on disaggregation of crystalline hydroxyapatite nanoparticles under calcium-rich conditions. *Mater Lett*. Elsevier B.V.; 2015;156:39–41.

Kinoshita H, Kizu R, Inoue G, Fujimoto M, Saito M, Ichikawa J, et al. Platinum-catalyzed allylation of carbon electrophiles with alkenylsilanes. *Tetrahedron Lett*. Elsevier Ltd.; 2015;56(5):713–6.

Nagashima S, Sasaki T, Kamiguchi S, Chihara T. Synthesis of Common-sized Heterocyclic Compounds by Intramolecular Cyclization over Halide Cluster Catalysts. *Chem Lett*. Chemical Society of Japan; 2015;44:764–766.

Julkarnain M, Fukuda T, Kamata N, Arakawa Y. A direct evidence of allocating yellow luminescence band in undoped GaN by two-wavelength excited photoluminescence. *Appl Phys Lett*. American Institute of Physics; 2015;107(21):212102/1–212102/4.

Suzuki K, Toda A, Liao Y, Fukuda T, Kamata N, Honda Z. Improved Crystallinity of Poly(3-hexylthiophene-2,5-diyl):[6,6]-Phenyl-C61 Butyric Acid Methyl Ester Film by Pulsed Electrospray Deposition. *Mol Cryst Liq Cryst*. Taylor & Francis, Inc.; 2015;621(1):124–8.

Kamishima K, Tajima R, Watanabe K, Kakizaki K, Fujimori A, Sakai M, et al. Crystallographic and magnetic properties of Cu₂U-type hexaferrite. *J Magn Magn Mater*. Elsevier B.V.; 2015;375:54–60.

Sakai M, Takao H, Matsunaga T, Tanaka Y, Arai T, Haruyama S, et al. Hall resistivity and transverse magnetoresistivity generated in simultaneous presence of spin-polarized current and external magnetic field in a nonmagnetic bipolar conductor YH₂. *Jpn J Appl Phys*. IOP Publishing Ltd.; 2015;54(1):013001/1–013001/11, 11 pp.

Kamishima K, Mashiko T, Kakizaki K, Sakai M, Watanabe K, Abe H. Synthesis and magnetic characterization of Sr-based Ni₂X-type hexaferrite. *AIP Adv*. American Institute of Physics; 2015;5(10):107132/1–107132/10.

Liu Q, Ohki T, Liu D, Sugawara H, Ishikawa R, Ueno K, et al. Efficient organic/polycrystalline silicon hybrid solar cells. *Nano Energy*. Elsevier Ltd.; 2015;11:260–6.

Liu Q, Ishikawa R, Funada S, Ohki T, Ueno K, Shirai H. Highly Efficient Solution-Processed Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate)/Crystalline-Silicon Heterojunction Solar Cells with Improved Light-Induced Stability. *Adv Energy Mater*. Wiley-Blackwell; 2015;5(17):n/a.

Nemoto N, Kobayashi S, Yoshikawa Y. Liposome-binding peptide, and its production method. *Jpn. Kokai Tokkyo Koho*. Saitama University, Japan .; 2015. p. 20pp.

Inaba M, Maruyama T, Yoshimi Y, Kotake T, Matsuoka K, Koyama T, et al. L-Fucose-containing arabinogalactan-protein in radish leaves. *Carbohydr Res*. Elsevier Ltd.; 2015;415:1–11.

Matsuoka K, Ishimaru T, Suzuki M, Hatano T. Water-soluble porphyrin derivative-containing polymer and preparation methods thereof. *Jpn. Kokai Tokkyo Koho*. Saitama University, Japan .; 2015. p. 27pp.

Kimura T, Kasuya MCZ, Hatanaka K, Matsuoka K. Effect of Aglycon Structure on Saccharide Elongation by Cells. *Chem Biodivers*. Verlag Helvetica Chimica Acta; 2015;12(2):239–47.

Ishimaru T, Fukuda T, Kamata N. Metallophthalocyanines and nanoparticle thereof. Jpn. Kokai Tokkyo Koho. Saitama University, Japan .; 2015. p. 54pp.

Ishimaru Y, Shimoyama N, Fujihara T, Watanabe K, Setsune J. Synthesis and Antiaromatic Properties of Highly Planar Dithiaamethyrin. Chem - An Asian J. Wiley-VCH Verlag GmbH & Co. KGaA; 2015;10(2):329–33.

Ishimaru Y, Shimoyama N, Shiba H, Fujihara T. p-nitrophenyl[36]trithianonaphyrin(1.0.0.1.0.0.1.0.0) with a weak antiaromatic character. X-Ray Struct Anal Online [Internet]. Japan Society for Analytical Chemistry; 2015;31(3):21–2.

Fujimori A, Ohmura K, Honda N, Kakizaki K. Creation of High-Density and Low-Defect Single-Layer Film of Magnetic Nanoparticles by the Method of Interfacial Molecular Films. Langmuir. American Chemical Society; 2015;31(10):3254–61.

Honda Z, Abe T, Ohara M, Hagiwara M. Method for manufacturing of metal nitrides of carbon composite material and method of manufacturing of metal nitride and carbon materials by controlling nitrogen amount. Jpn. Kokai Tokkyo Koho. Saitama University, Japan .; 2015. p. 27pp.

Abdullah Al Mamun M, Soutome Y, Meng Q, Fujimori A. Flexible transparent fluorinated nanohybrid with innovative heat-resistance property-new technology proposal for fabrication of transparent materials using “crystalline” polymer. J Polym Sci Part B Polym Phys. John Wiley & Sons, Inc.; 2015;53(23):1674–90.

Fujimori A, Kasahara Y, Honda N, Akasaka S. The Role of Modifying Molecular Chains in the Formation of Organized Molecular Films of Organo-Modified Nanodiamond: Construction of a Highly Ordered Low Defect Particle Layer and Evaluation of Desorption Behavior of Organic Chains. Langmuir. American Chemical Society; 2015;31(9):2895–904.

Fujimori A, Kikkawa T, Meng Q, Shibasaki Y. Control of Fine Structure in “Polymer Nanosphere Multilayered Organization” and Enhancement of Its Optical Property. Langmuir. American Chemical Society; 2015;31(33):9177–87.

Fujimori A, Miura S, Kikkawa T, Shibasaki Y. Fine structural analysis, formation of interfacial particle films, and accurate estimation of orientation in polyguanamine derivatives with a high refractive index. J Polym Sci Part B Polym Phys. John Wiley & Sons, Inc.; 2015;53(14):999–1009.

Fujimori A, Yamato R, Kikkawa T, Tatewaki Y. Morphological transition of a conductive molecular organization with non-covalent from nanonetwork to nanofiber. J Colloid Interface Sci. Elsevier B.V.; 2015;448:180–8.

Mamun MA Al, Soutome Y, Kasahara Y, Meng Q, Akasaka S, Fujimori A. Fabrication of Transparent Nanohybrids with Heat Resistance Using High-Density Amorphous Formation and Uniform Dispersion of Nanodiamond. *ACS Appl Mater Interfaces*. American Chemical Society; 2015;7(32):17792–801.

Meng Q, Honda N, Uchida S, Hashimoto K, Shibata H, Fujimori A. Creation of giant two-dimensional crystal of zinc oxide nanodisk by method of single-particle layer of organo-modified inorganic fine particles. *J Colloid Interface Sci*. Elsevier B.V.; 2015;453:90–9.

藤森厚裕(2015), 日本油化学会『界面活性剤評価・試験法改訂第2版』第2章2節「表面・界面物性」3項(不溶性膜の性質), b. “累積分子膜”, p. 116-122, 日本印刷(株)

藤森厚裕(2015), “結晶性高分子透明化技術の新提案”, *Material Stage*, 技術情報協会, 15(2), 39-42

藤森厚裕 (2015) , “高分子学会とコロイド・界面化学部会の立ち位置に関する「個人的見解」”, *Colloid Interf. Comm.*, 40(3), 7.

Fukuda T, Sato A. Fluorene bilayer for polymer organic light-emitting diode using efficient ionization method for atomized droplet. *Org Electron*. Elsevier B.V.; 2015;26:1–7.

Kurabayashi T, Yamaki T, Fukuda T, Kamata N. Improved Photobleaching for (1,10-phenanthroline)tris[4,4,4-trifluoro-1-(2-thienyl)-1,3-butanedionato]europium(III) Particle Embedded in Sol-Gel Derived Glass Film. *Mol Cryst Liq Cryst*. Taylor & Francis, Inc.; 2015;621(1):136–41.

工学部 環境共生学科

Homma R, Hasegawa Y, Terakado H, Morita H, Komine T. Simultaneous measurement of the Seebeck coefficient and thermal diffusivity for bulk thermoelectric materials. *Jpn J Appl Phys*. IOP Publishing Ltd.; 2015;54(2):026602/1–026602/8, 8 pp.

関口 和彦, “促進酸化手法の併用と分解生成物の抑制“, *空気清浄*, 53(3), 193-202 (2015)

Chen Q, Endo T, Wang Q. Characterization of bamboo after ionic liquid-H₂O pretreatment for the pyrolysis process. *BioResources* [Internet]. North Carolina State University, Dep. of Wood and Paper Science; 2015;10(2):2797–808.

Chen Q, Wang Q. Pyrolysis study of bamboo *Phyllostachys edulis* pretreated with ionic liquids mixtures. *Huagong Xuebao* (Chinese Ed. *Huaxue Gongye Chubanshe*; 2015;66(5):1874–82.

A. Sarkar, R. C. Das, Md H. Rashid, M. Ali, M. S. Islam, T. Asaeda and Qingyue Wang, Biocontrol Potentiality of Isolated *Trichoderma* spp. against *Pestalozzia theae* Saw. in Tea, *Acta Phytopathologica et Entomologica Hungarica*, 50(29), 179-186, 2015

Qingyue Wang*, Qiyu Chen and Takumi Endo, Thermal decomposition of bamboo *Phyllostachys edulis* pretreated with ionic liquids-water mixtures, *Green and Sustainable Chemistry*, Vol. 5, 55~62 , 2015

Gokul Chandra Biswas, Animesh Sarkar, Md H. Rashid, Monirul Hassan Shohan, Mirajul Islam, Qingyue Wang, Assessment of the irrigation feasibility of low-cost filtered municipal wastewater for red amaranth (*Amaranthus tricolor* L cv. Surma), *International Soil and Water Conservation Research*, Vo.1.3, 239-252, 2015

Animesh Sarkar, Takashi Asaeda, Qingyue Wang and Md H. Rashid, Arbuscular mycorrhizal influences on growth, nutrient uptake, and use efficiency of *Miscanthus sacchariflorus* growing on nutrient-deficient river bank soilOriginal Research Article, *Flora - Morphology, Distribution, Functional Ecology of Plants*, Vol. 212, 46-54, 2015

Senlin Lu, Dingyu Liu, Wenchao Zhang , Pinwei Liu, Yi Fei, Yan Gua, MinghongWua, Shang Yu, Shinich Yonemochi, Xiaoju Wang and Qingyue Wang*, Studies on physico-chemical characterization of PM2.5 in Shanghai subway microenvironment, *Atmospheric Research*, Vol. 153, 543-552, 2015

Wang Q., T. Watanabe, R. Ogawa, P. Aparu & K. Sugiyama, Study on catalytic pyrolysis and efficient gasification of cellulose as biomass samples, *Energy and Sustainability VI, WIT Transactions on Ecology and The Environment*, Vol.195, 27-38, 2015

Wang Q., H. Takahashi, Y. Takahashi, H. Kurokawa, K. Sekiguchi & K. Sugiyama, Characterization of liquefied waste bamboo and white-rotted wood, *Energy and Sustainability VI, WIT Transactions on Ecology and The Environment*, Vol.195, 63-74, 2015

Wang Q., G. Otsuka, Y. Takai, S. Dong, K. Sekiguchi, Study on airborne behavior of cedar pollen and its allergen released from cedar forests in Kanto plain, Japan, *The Sustainable City X, WIT Transactions on Ecology and The Environment*, Vol.194, 2015

科学分析支援センター

Ohno K, Nagasawa A, Fujihara T. Dinuclear nickel(II) complexes with 2,5-diamino-1,4-benzoquinonediimine ligands as precatalysts for the polymerization of styrene: electronic and steric substituent effects. *Dalton Trans.* 2015;44(1):368–76.

Narita F, Takura A, Fujihara T. Crystal structure of 2-(4-tert-butyl-phen-yl)-3-hydroxy-4H-chromen-4-one. *Acta Crystallogr Sect E, Crystallogr Commun.* 2015;71(Pt 7):824–6.

Kusano Y, Ohno K, Fujihara T. Crystal structure of 4,4'-dimethoxy-2,2'-bipyridine. *Acta Crystallogr Sect E Crystallogr Commun. International Union of Crystallography;* 2015;71(8):o623–4.

Ishimaru Y, Shimoyama N, Shiba H, Fujihara T. p-nitrophenyl[36]trithianonaphyrin(1.0.0.1.0.0.1.0.0) with a weak antiaromatic character. *X-Ray Struct Anal Online [Internet]. Japan Society for Analytical Chemistry;* 2015;31(3):21–2. Available from: http://www.jsac.or.jp/xraystruct/pdf/31/31_021.pdf

Ishimaru Y, Shimoyama N, Fujihara T, Watanabe K, Setsune J. Synthesis and Antiaromatic Properties of Highly Planar Dithiaamethyrin. *Chem - An Asian J. Wiley-VCH Verlag GmbH & Co. KGaA;* 2015;10(2):329–33.

Lin L, Zhang G, Kodama K, Yasutake M, Hirose T. A benign initiating system for cationic polymerization of isobutyl vinyl ether: Silver salt/aryl(alkyl) halide/Lewis base. *J Polym Sci Part A Polym Chem. John Wiley & Sons, Inc.;* 2015;53(17):2050–8.