

2020 年科学分析支援センター機器使用研究業績

教育学部

Goto Y, Nema Y, Matsuoka K. Removal of zwitterionic rhodamine B using foam separation. *J Oleo Sci* [Internet]. 2020;69(6):563–7.

Goto Y, Nema Y, Matsuoka K. Foam Separation of Dyes Using Anionic, Cationic, and Amphoteric Surfactants. *J Oleo Sci* [Internet]. 2020;69(6):549–55.

理学部 基礎化学科

Ikeda Y, Ueno K. Low-temperature growth of crystalline tungsten disulfide thin films by using organic liquid precursors. *Jpn J Appl Phys.* 2020;59(SC):SCCC04.

Saito M. The expanding world of aromatic compounds. *Kagaku to Kyoiku.* 2020;68(6):262–5.

Saito M, Hamada J, Furukawa S, Hada M, Dostal L, Ruzicka A. Transition-Metal Capping to Suppress Back-Donation to Enhance Donor Ability. *Organometallics.* 2020;39(23):4191–4.

Suda Y, Furukawa S, Saito M. Stereoselective Thermal Isomerization of Triphosphasumanenes, Utilized for Stereocontrolled Synthesis. *Chem Lett* [Internet]. 2020;49(4):419–22.

"Hybrid Molecular Junctions using Au–S and Au– π Bindings", S. Fujii, M. Iwane, S. Furukawa, T. Tada, T. Nishino, M. Saito and M. Kiguchi, *J. Phys. Chem. C*, 124, 9261-9268 (2020).

Ishii A, Ebina R, Shibata M, Hayashi Y, Nakata N. Synthesis and photophysical properties of conjugated thioketone, thioketone S-oxide (Sulfine), and related compounds incorporated in a dibenzobarrelene skeleton. *J Sulfur Chem.* 2020;41(3):238–57.

Nakata N, Aoyama M, Takahashi S, Kato N, Ishii A. Synthesis, Structure, and Dynamic Behavior of Hydrido(dihydrosilyl) Platinum(II) Complex Having Me3P Ligands. *Chem Lett* [Internet]. 2020;49(9):1043–6.

Akihiko Ishii,* Chiharu Kikushima, Yuki Hayashi, Nobuhiko Ohtsuka, Norio Nakata, Atsuya Muranaka, Yusuke Tanaka, Masanobu Uchiyama, *Bull. Chem. Soc. Jpn.* 2020, 93, 1430–1442. 1-Phosphino-1,3-butadiene Derivatives Incorporated with Dibenzobarrelene Skeleton: Synthesis and Photophysical Properties.

理学部 分子生物学科

Ito K, Fukuoka K, Nishigaki N, Hara K, Yoshimi Y, Kuki H, et al. Structural features conserved in subclass of type II arabinogalactan. *Plant Biotechnol (Tokyo, Japan)* [Internet]. 2020;37(4):459–63.

Lopez-Hernandez F, Tryfona T, Yu XL, Harris MOB, Kotake T, Dupree P, et al. Calcium Binding by Arabinogalactan Polysaccharides Is Important for Normal Plant Development. *Plant Cell*. 2020;32(10):3346–69.

Matsuyama K, Sunagawa N, Kishine N, Fujimoto Z, Kotake T, Tsumuraya Y, et al. Unique active-site and subsite features in the arabinogalactan-degrading GH43 exo- β -1,3-galactanase from *Phanerochaete chrysosporium*. *J Biol Chem*. 2020;295(52):18539–52.

Wakabayashi K, Soga K, Hoson T, Kotake T, Yamazaki T, Ishioka N, et al. Microgravity Affects the Level of Matrix Polysaccharide 1,3:1,4- β -Glucans in Cell Walls of Rice Shoots by Increasing the Expression Level of a Gene Involved in Their Breakdown. *Astrobiology*. 2020;20(7):820–9.

Izuhara T, Kaihatsu I, Nishiyama Y, Jimbo H, Takaichi S. Elevated Levels of Specific Carotenoids During Acclimation to Strong Light Protect the Repair of Photosystem II in *Synechocystis* sp. PCC 6803. *Front Plant Sci*. 2020;11:1030.

Yuasa K, Shikata T, Ichikawa T, Tamura Y, Nishiyama Y. Nutrient deficiency stimulates the production of superoxide in the noxious red-tide-forming raphidophyte *Chattonella antiqua*. *Harmful Algae*. 2020;99:101938.

Yuasa K, Shikata T, Kitatsuji S, Yamasaki Y, Nishiyama Y. Extracellular secretion of superoxide is regulated by photosynthetic electron transport in the noxious red-tide-forming raphidophyte *Chattonella antiqua*. *J Photochem Photobiol B Biol*. 2020;205:111839.

理学部 生体制御学科

Inomata C, Yuikawa T, Nakayama-Sadakiyo Y, Kobayashi K, Ikeda M, Chiba M, et al. Involvement of an Oct4-related PouV gene, *pou5f3/pou2*, in neurogenesis in the early neural plate of zebrafish embryos. *Dev Biol (Amsterdam, Netherlands)*. 2020;457(1):30–42.

Inomata C, Yuikawa T, Nakayama-Sadakiyo Y, Kobayashi K, Ikeda M, Chiba M, et al. Involvement of an Oct4-related PouV gene, *pou5f3/pou2*, in neurogenesis in the early neural plate of zebrafish embryos. *Dev Biol (Amsterdam, Netherlands)*. 2020;457(1):30–42.

Endo M, Yokoi T, Hatazawa S, Kojima Y, Takahama S, Yoshihara R, et al. The *msh1* gene is responsible for short life span mutant natural death and functions to maintain mitochondrial DNA integrity. *Fungal Genet Biol*. 2020;144:103465.

Kuwabara K, Yoshihara R, Hatakeyama S, Tanaka S. Analysis of localization of cell-cycle regulators in *Neurospora crassa*. *Fungal Biol.* 2020;124(7):613–8.

Endo M, Yokoi T, Hatazawa S, Kojima Y, Takahama S, Yoshihara R, et al. The *msh1* gene is responsible for short life span mutant natural death and functions to maintain mitochondrial DNA integrity. *Fungal Genet Biol.* 2020;144:103465.

Kuwabara K, Yoshihara R, Hatakeyama S, Tanaka S. Analysis of localization of cell-cycle regulators in *Neurospora crassa*. *Fungal Biol.* 2020;124(7):613–8.

Yoshihara R, Mitomi Y, Okada M, Shibata H, Tanokami M, Nakajima Y, et al. Effects of *Arabidopsis* Ku80 deletion on the integration of the left border of T-DNA into plant chromosomal DNA via *Agrobacterium tumefaciens*. *Genes Genet Syst.* 2020;95(4):173–82.

Morishita M, Koiso R, Tsukahara S. Actions of Peripubertal Gonadal Steroids in the Formation of Sexually Dimorphic Brain Regions in Mice. *Endocrinology.* 2020;161(6).

Okino E, Morita S, Hoshikawa Y, Tsukahara S. The glutamatergic system in the preoptic area is involved in the retention of maternal behavior in maternally experienced female rats. *Psychoneuroendocrinology.* 2020;120:104792.

Tsukahara S, Morishita M. Sexually Dimorphic Formation of the Preoptic Area and the Bed Nucleus of the Stria Terminalis by Neuroestrogens. *Front Neurosci.* 2020;14:797.

Sekiya H, Yokota N, Takemi S, Nakayama K, Okada H, Sakai T, et al. The inhibitory effect of somatostatin on gastric motility in *Suncus murinus*. *J Smooth Muscle Res [Internet].* 2020;56:69–81.

Takakura N, Takemi S, Kumaki S, Matsumoto M, Sakai T, Iwatsuki K, et al. Generation and characterization of *Suncus murinus* intestinal organoid: a useful tool for studying motilin secretion. *Cell Biol Int.* 2020;44(1):62–9.

Sekiya H, Yokota N, Takemi S, Nakayama K, Okada H, Sakai T, et al. The inhibitory effect of somatostatin on gastric motility in *Suncus murinus*. *J Smooth Muscle Res [Internet].* 2020;56:69–81.

Takakura N, Takemi S, Kumaki S, Matsumoto M, Sakai T, Iwatsuki K, et al. Generation and characterization of *Suncus murinus* intestinal organoid: a useful tool for studying motilin secretion. *Cell Biol Int.* 2020;44(1):62–9.

工学部 応用化学科

Uchida S, Kinoshita H, Miura K. Diisobutylaluminum Hydride Promoted Selectivity-Switchable Synthesis of Benzothiophene Oxides and Benzothiophenes via an Al-Li-Dimetalated Intermediate. *Org Lett.* 2020;22(8):3123–7.

Uchida S, Kinoshita H, Miura K. Diisobutylaluminum Hydride Promoted Selectivity-Switchable Synthesis of Benzothiophene Oxides and Benzothiophenes via an Al-Li-Dimetalated Intermediate. *Org Lett.* 2020;22(8):3123–7.

Kodama K, Yi M, Shitara H, Hirose T. Chirality switching in the enantioseparation of 2-hydroxy-4-phenylbutyric acid: Role of solvents in selective crystallization of the diastereomeric salt. *Tetrahedron Lett.* 2020;61(16):151773.

Zhao Y, Wang X, Kaneyama R, Kodama K, Hirose T. Efficient Pyrazole Moiety-Containing Ligands for Cu-Catalyzed O-Arylation of Phenols, *ChemistrySelect* 2020; 5(14): 4152–4159.

Kishi R, Ogihara H, Yoshida-Hirahara M, Shibamura K, Yamanaka I, Kurokawa H. Green Synthesis of Methyl Formate via Electrolysis of Pure Methanol. *ACS Sustain Chem Eng.* 2020;8(31):11532–40.

Ogihara H, Imai N, Kurokawa H. Decomposition and coupling of methane over Pd-Au/Al₂O₃ catalysts to form CO_x-free hydrogen and C₂ hydrocarbons. *Int J Hydrogen Energy.* 2020;45(58):33612–22.

Ogihara H, Tajima H, Kurokawa H. Pyrolysis of mixtures of methane and ethane: activation of methane with the aid of radicals generated from ethane. *React Chem Eng.* 2020;5(1):145–53.

Ogihara H, Usui N, Yoshida-Hirahara M, Kurokawa H. Coating of Silica Nanolayers on Carbon Nanofibers via the Precursor Accumulation Method. *Langmuir.* 2020;36(11):2829–36.

Tajima H, Ogihara H, Yoshida-Hirahara M, Kurokawa H. Methane conversion on cobalt-added liquid-metal indium catalysts. *New J Chem.* 2020;44(40):17198–202.

Tasaki-Handa Y, Tsuda S, Shibukawa M, Saito S. Transmetalation in a Ce(III)-phosphoester Crystalline Coordination Polymer with an Exceptionally High Selectivity for Yb(III) and Lu(III). *Chem - An Asian J.* 2020;15(17):2653–9.

工学部 機能材料工学科

Matsuoka K. Evaluation of carbohydrate-protein interactions using intermolecular FRET. *Kagaku Kogyo.* 2020;71(8):472–7.

Matsuoka K. Intermolecular FRET can be applied for evaluation of carbohydrate-protein interactions. *Bio Ind [Internet].* 2020;37(11):36–45. Available from: http://www.cmcbooks.co.jp/products/detail.php?product_id=5433

Matsuoka K, Matsushita T, Hatano T, Nemoto N, Arai H, Nomura H. Preparation of anti-human midkine monoclonal antibody for cancer immunodiagnosis. Jpn. Kokai Tokkyo Koho. Saitama University, Japan; Immuno Probe Co., Ltd. ; 2020. p. 21pp.

Matsuoka K, Suzuki Y, Koyama T, Matsushita T, Hatano K. Fluorogenic glycopolymers available for determining the affinity of lectins by intermolecular FRET. *Bioorg Med Chem Lett.* 2020;30(8):127024.

Matsuoka K, Yamashita S, Koyama T, Matsushita T, Hatano K. Verification of suitable ratio of carbohydrate residues in a glycopolymer having GlcNAc moieties for determining the affinity for wheat germ agglutinin. *J Mol Struct.* 2020;1217:128404.

Matsushita T, Danyel MN, Koyama T, Hatano K, Matsuoka K. Neuraminidase-triggered activation of prodrug-type substrate of 4-nitroaniline. *Bioorg Med Chem Lett.* 2020;30(2):126883.

Ishikawa R, Ueno K, Shirai H. Improved efficiency of methylammonium-free perovskite thin film solar cells by fluorinated ammonium iodide treatment. *Org Electron.* 2020;78:105596.

Karim E, Islam S, Nasuno Y, Kuddus A, Ishikawa R, Shirai H. Solution-processed TiO₂ as a hole blocking layer in PEDOT:PSS/n-Si heterojunction solar cells. *EPJ Photovoltaics [Internet].* 2020;11:7.

Karim ME, Nasuno Y, Kuddus A, Ukai T, Kurosu S, Tokuda M, et al. Effect of thermally annealed atomic-layer-deposited AlO_x/chemical tunnel oxide stack layer at the PEDOT:PSS/n-type Si interface to improve its junction quality. *J Appl Phys (Melville, NY, United States).* 2020;128(4):45305.

Yoshizumi T, Fujii D, Kitsunai S, Igarashi K, Sakai M, Nakamura O, et al. Magneto-transport properties in fcc ytterbium. *Phys Lett A.* 2020;384(26):126661.

Nomoto N, Fujihara T, Kamata N, Sawada Y, Kida T, Hagiwara M, et al. Large magnetic anisotropy in a quasi-1D ferromagnetic complex Co(sba)(H₂O)₂•H₂O (sba = 4-sulfobenzoate). *J Solid State Chem.* 2020;290:121527.

Nomoto N, Fujihara T, Kamata N, Sawada Y, Kida T, Hagiwara M, et al. Large magnetic anisotropy in a quasi-1D ferromagnetic complex Co(sba)(H₂O)₂•H₂O (sba = 4-sulfobenzoate). *J Solid State Chem.* 2020;290:121527.

Saho T, Fujihara T, Kakizaki K, Kamishima K. Flux growth and magnetic properties of single crystals of hexagonal ferrite structures and a long-range-order structure. *J Magn Soc Japan [Internet].* 2020;44(4):91–5.

Yasuda N, Kittaka S, Kono Y, Sakakibara T, Kakizaki K, Kamishima K. Synthesis and magnetic properties of M₂+Ti₄+ substituted Ba₁₂Fe₂₈Ti₁₅O₈₄. *J Magn Soc Japan [Internet].* 2020;44(3):70–4.

Abiko Y, Hayasaki T, Hirayama S, Almarasy AA, Kawabata Y, Fujimori A. Formation, Structure, and Function of Hydrogenated and Fluorinated Long-Chain Phosphonate-Modified Single-Walled Carbon Nanotubes with Bidentate Bonds. *ChemistrySelect*. 2020;5(22):6594–607.

Fukushi K, Maruyama H, Shibasaki Y, Fujimori A. Polyguanamine Derivative-Based Supramolecular Assemblies with Multiple Hydrogen Bonding and Their Metal-Scavenging Abilities. *Langmuir*. 2020;36(14):3770–81.

Fukushi K, Yamaguchi J, Shibasaki Y, Fujimori A. Tracking and Recovery of Metal Desorption from Organized Films of Polyguanamine Derivatives having Cyclic Moieties. *ChemistrySelect*. 2020;5(43):13418–28.

Hirayama S, Hayasaki T, Almarasy AA, Yabu H, Tokita M, Fujimori A. Influence of uniaxial orientation of fluorinated polymer/phosphonate-modified needle-like nanofiller composite by drawing. *Polym Compos*. 2020;41(8):3062–73.

Hirayama S, Hayasaki T, Okano R, Fujimori A. Preparation of Polymer-Based Nanocomposites Composed of Sustainable Organo-Modified Needle-like Nanoparticles and Their Particle Dispersion States in the Matrix. *Polym Eng Sci*. 2020;60(3):541–52.

Machida H, Ohashi T, Akasaka S, Fujimori A. Formation of organized films with fluorocarbon-modified inorganic nanoparticles and their nanodispersion behavior in solvent. *J Fluor Chem*. 2020;230:109433.

Maruyama H, Fukushi K, Okano R, Satou E, Yajima T, Fujimori A. Systematic elucidation of crystal structure of fluorinated gemini-type diamide derivatives having different lengths with thixotropic induced-ability to solvents. *J Fluor Chem*. 2020;233:109505.

Maruyama H, Mashiyama Y, Kimura Y, Yajima T, Fujimori A. Verification of interfacial monolayer conformation of weakly hydrophilic diamide derivatives possessing a fluorocarbon-sandwiched hydrocarbon. *Colloids Surfaces, A Physicochem Eng Asp*. 2020;606:125389.

Ohashi T, Kikuchi N, Fujimori A. Creation of Highly Ordered “Nano-Mille-Feuille” Hard/Soft Nanoparticle Multilayers with Interparticle Cross-Linking by Diacetylene-Containing Chains. *Langmuir*. 2020;36(20):5596–607.

Shibata H, Iizuka Y, Kawai T, Watai Y, Amano M, Hashimoto K, et al. Preparation of Hexagonal Plate-like ZnO Single-crystal Particles in the Presence of Anionic Amphiphiles. *J Oleo Sci*. 2020;69(7):783–7.

H. Sasaki, T. Kotaki, A. Fujimori, T. Tsukamoto, E. Suzuki, Y. Oishi, Y. Shibasaki*, Excellent Performance of Aromatic Polyguanamines Induced by Multiple Hydrogen Bondable Tetraazacalix[2]arene[2]-triazine Ring in their Main Chain. *RSC Adv*. 10:1361-1370 2020

H. Machida, N. Kikuchi, T. Ohashi, A. Fujimori*, Analysis of Soft and Hard Nanoparticle Alternating Multilayers for The Development of Theory for Long-Period Stacking Order Structure Prepared by Langmuir-Blodgett Method. *Thin Solid Films*, 709:138235 2020

Y. Abiko, T. Hayasaki, S. Hirayama, AA. Almarasy, A. Fujimori*, "Fabrication of Organo-Modified Carbon Nanotube with Excellent Heat Resistance and Preparation of Its Polymer-Based Nanocomposite by Simple Melt Compounding.", *Polym. Bull.*, 2021, 78, 1585-1607. (DOI: 10.1007/s00289-020-03180-w)

工学部 建設工学科

Saito T, Spadini L, Saito H, Martins JMF, Oxarango L, Takemura T, et al. Analysis of groundwater and redox conditions. *Sci Total Environ.* 2020;722:137783.

工学部 環境共生学科

Sarkar JK, Wang Q. Different pyrolysis process conditions of South Asian waste coconut shell and characterization of gas, bio-char, and bio-oil. *Energies (Basel, Switzerland)* [Internet]. 2020;13(8):1970.

Sarkar JK, Wang Q. Characterization of pyrolysis products and kinetic analysis of waste jute stick biomass. *Processes* [Internet]. 2020;8(7):837.

Wang Q, Kim BC, Hoshino T, Kosuga K. Combustion furnace using alternating current with excellent removal efficiency of exhaust gas treatment device. *Jpn. Kokai Tokkyo Koho. Saitama University, Japan; Koike Sanso Kogyo Co., Ltd. .; 2020. p. 10pp.*

Wang Q, Tuohedi N. Polyurethane foams and bio-polyols from liquefied cotton stalk agricultural waste. *Sustainability* [Internet]. 2020;12(10):4214.

Wang Q, Wang W. Size characteristics and health risks of inorganic species in PM1.1 and PM2.0 of Shanghai, China, in spring, 2017. *Environ Sci Pollut Res.* 2020;27(13):14690–701.

Wang W, Zhang W, Dong S, Yonemachi S, Lu S, Wang Q. Characterization, pollution sources, and health risk of ionic and elemental constituents in PM2.5 of Wuhan, Central China. *Atmosphere (Basel)* [Internet]. 2020;11(7):760.

Otsuka M, Arisaka T, Hasegawa Y. Evaluation of a thermoelectric material using duo-frequency impedance spectroscopy method. *Mater Sci Eng B Adv Funct Solid-State Mater.* 2020;261:114620.

Shinozaki R, Hirabayashi S, Hasegawa Y. Dimensionless figure of merit of constantan estimated using impedance spectroscopy. *Appl Phys Express* [Internet]. 2020;13(10):106501.

戦略的研究部門 グリーン環境領域

Suzuki K, Inoue H, Matsuoka S, Tero R, Hirano-Iwata A, Tozawa Y. Establishment of a cell-free translation system from rice callus extracts. *Biosci Biotechnol Biochem.* 2020;84(10):2028–36.

Akira Nozawa, Daisuke Ito, Mohamed Ibrahim, Herbert Santos, Takafumi Tsuboi, Yuzuru Tozawa. Characterization of mitochondrial carrier proteins of malaria parasite *Plasmodium falciparum* based on in vitro translation and reconstitution. *Parasitology International* 79:102160. (2020)

Daniel Moog, Akira Nozawa, Yuzuru Tozawa, Ryoma Kamikawa. Substrate specificity of plastid phosphate transporters in a non-photosynthetic diatom and its implication in evolution of red alga-derived complex plastids. *Sci Rep* 10: 1167 (2020)

科学分析支援センター

Nomoto N, Fujihara T, Kamata N, Sawada Y, Kida T, Hagiwara M, et al. Large magnetic anisotropy in a quasi-1D ferromagnetic complex $\text{Co}(\text{sba})(\text{H}_2\text{O})_2 \cdot \text{H}_2\text{O}$ (sba = 4-sulfobenzoate). *J Solid State Chem.* 2020;290:121527.

Ohno K, Komuro M, Sugaya T, Nagasawa A, Fujihara T. Luminescence of mononuclear Pt(II) complexes with glycolate: external stimuli-induced excimer emission changes to oligomer emissions. *Dalt Trans.* 2020;49(6):1873–82.

Yoshihara R, Mitomi Y, Okada M, Shibata H, Tanokami M, Nakajima Y, et al. Effects of *Arabidopsis* Ku80 deletion on the integration of the left border of T-DNA into plant chromosomal DNA via *Agrobacterium tumefaciens*. *Genes Genet Syst.* 2020;95(4):173–82.