

## 《センターより》

# 平成 23 年科学分析支援センター機器使用研究実績

## 理学部 物理学科

Kosaka M, Shida Y, Imanari A, Katano S, Ohoyama K, Onodera H. Spontaneous strain in ferroquadrupolar phase of TmAu<sub>2</sub>. *Journal of Physics: Conference Series*. **2011**;273: 012137/1–012137/4.

## 理学部 基礎化学科

Fukuda T, Takagi K, Asano T, Honda Z, Kamata N, Ueno K, Shirai H, Ju J, Yamagata Y, Tajima Y. Bulk heterojunction organic photovoltaic cell fabricated by the electrospray deposition method using mixed organic solvent. *Physica Status Solidi RRL: Rapid Research Letters*. **2011**;5(7):229–31.

Gohdo M, Takamasu T, Wakasa M. Photochemical primary process of photo-Fries rearrangement reaction of 1-naphthyl acetate as studied by MFE probe. *Physical chemistry chemical physics : PCCP*. **2011**;13(2):755–61.

Hasegawa T, Akutsu K, Kishi Y, Nakamura K. Constituents of the green tea seeds of Camellia sinensis. *Natural product communications*. **2011**;6(3):371–4.

Hasegawa T, Toriyama T, Ohshima N, Tajima Y, Mimura I, Hirota K, Nagasaki Y, Yamada H. Isolation of new constituents with a formyl group from the heartwood of Santalum album L. *Flavour and Fragrance Journal*. **2011**;26(2):98–100.

Toshio Hasegawa, Yasuhiro Kishi, Yuri Kato, Kensuke Akutsu, Daisuke Jingu, Atsushi Takahashi. Eri Tanaka, Kenta Nakajima, Tatsuo Matsumoto. Comparison between Aroma Profiles of Green Tea Leaves and Black Tea Leaves Derived from ‘Sayamakaori’. *Proceedings of ICOS 2010*, **2011**.

Toshio Hasegawa, Akiko Kikuchi, Hideo Yamada. Stereochemical Structure and Thermal Change of Frankincense Constituents in Hexane Extract. *J. Ess. Oil Res. 2011 ISEO Abstracts*, **2011**, 8.

Ino T, Hayashi T, Ueno K, Shirai H. Atmospheric-pressure argon plasma etching of spin-coated 3,4-polyethylenedioxythiophene:polystyrenesulfonic acid (PEDOT:PSS) films for copper phthalocyanine (CuPc)/C60 heterojunction thin-film solar cells. *Thin Solid Films*. **2011**;519(20):6834–9.

Ishii A, Asajima K, Toda T, Nakata N. Synthesis of titanium(IV) and zirconium(IV) complexes with an [OSO]-type bis(phenolate) ligand bearing a trans-Cyclohexane-1,2-diyl ring and 1-hexene polymerization. *Organometallics*. **2011**;30(11):2947–56.

Ishii A, Asami S, Fujiwara Y, Ono A, Nakata N. Syntheses, structures, and complexation of cis- and trans-cycloheptane-1,2-diyl-fused crown thioethers ([12]ansS4). *Heteroatom Chemistry*. **2011**;22(3-4): 388–96.

Ishii A, Toda T, Nakata N, Matsuo T. Coordination chemistry and organic synthesis utilizing cycloalkane-1,2-dithiol. *Phosphorus, Sulfur and Silicon and the Related Elements*. **2011**;186(5):1169–74.

Ishii A, Yamaguchi Y, Nakata N. Fluorescent 3-methylene-2,3-dihydrochalcogenophenes incorporated in a rigid dibenzobarrelene skeleton. *Organic letters*. **2011**;13(14):3702–5.

Kato M, Hida K, Fujihara T, Nagasawa A. Ferromagnetic Spin Ladder System: Stack of Chlorido-Bridged Dinuclear Copper(II) Complexes with 2-Methylisothiazol-3(2H)-one. *European Journal of Inorganic Chemistry*. **2011**;(4):495–502.

Kato M, Izuka S, Fujihara T, Nagasawa A, Kawai S, Tanaka T, Takayanagi T. Electronic structure calculation study of metal complexes with a phytosiderophore mugineic acid. *Inorganica Chimica Acta*. **2011**;370(1):304–10.

Kato S, Ishikawa R, Kubo Y, Shirai H, Ueno K. Efficient organic photovoltaic cells using hole-transporting MoO<sub>3</sub> buffer layers converted from solution-processed MoS<sub>2</sub> films. *Japanese Journal of Applied Physics*. **2011**;50(7, Pt. 1):071604/1–071604/5.

Kuwabara T, Saito M. 1,1'-Di-tert-butyl-2,2',3,3',4,4',5,5'-octa-ethyl-1,1'-bis-tannole. *Acta crystallographica. Section E, Structure reports online*. **2011**;67(Pt 7):m949.

Machiguchi T, Hasegawa T, Saitoh H, Yamabe S, Yamazaki S. Solid-state thiotropolone: an extremely rapid intramolecular proton transfer. *The Journal of organic chemistry*. **2011**;76(13):5457–60.

Murata R, Yago T, Wakasa M. Cyclization reaction of diarylethene through the triplet excited state. *Bulletin of the Chemical Society of Japan*. **2011**;84(12):1336–8.

Nakata N, Fukazawa S, Kato N, Ishii A. Palladium(II) Hydrido Complexes Having a Primary Silyl or Germyl Ligand: Synthesis, Crystal Structures, and Dynamic Behavior. *Organometallics*. **2011**;30(17): 4490–3.

Nakata N, Toda T, Ishii A. Recent advances in the chemistry of Group 4 metal complexes incorporating [OSO]-type bis(phenolato) ligands as post-metallocene catalysts. *Polymer Chemistry*. **2011**;2(8):1597–610.

Nakata N, Toda T, Matsuo T, Ishii A, Titanium Complexes Supported by an [OSO]-Type Bis(phenolato) Ligand Based on trans-Cyclooctanediylyl Platform: Synthesis, Structures, and 1-Hexene Polymerization. *Inorg. Chem.* **2011**; 51(30): 274–281.

Saito M, Kuwabara T, Ishimura K, Nagase S. Synthesis of a novel lithocene that has aromatic-like nature with nonaromatic rings. *Chemistry, an Asian journal*. **2011**;6(11):2907–10.

Tanaka M, Yago T, Sakaguchi Y, Takamasu T, Wakasa M. Magnetic field effects on hydrogen abstraction of thiobenzophenone as a probe of microviscosity. *The journal of physical chemistry. B.* **2011**;115(9):1936–43.

Tanikawa T, Saito M, Guo JD, Nagase S. Synthesis, structures and optical properties of trisilasumanene and its related compounds. *Organic & biomolecular chemistry*. **2011**;9(6):1731–5.

Toda T, Nakata N, Matsuo T, Ishii A. Synthesis and structures of dialkyl zirconium complexes with an [OSO]-type bis(phenolate) ligand bearing a trans-1,2-cyclooctanediylibis(thio) unit. *Journal of Organometallic Chemistry*. **2011**;696(6):1258–61.

Yago T, Hamasaki A, Tanaka M, Takamasu T, Wakasa M. Magnetic Field Effects on Photochemical Reactions in Ionic Liquids with Short Alkyl Chains. *Journal of Physical Chemistry C*. **2011**;115(43): 21063–71.

Yago T, Wakasa M. Nanoscale Structure of Ionic Liquid and Diffusion Process as Studied by the MFE Probe. *Journal of Physical Chemistry C*. **2011**;115(6):2673–8.

Yasuhsia Yamamura, Aruto Horikoshi, Syuma Yasuzuka, Hideki Saitoh and Kazuya Saito. Negative thermal expansion emerging upon structural phase transition in ZrV<sub>2</sub>O<sub>7</sub> and HfV<sub>2</sub>O<sub>7</sub>. *Dalton Trans.*, **2011**, 40, 2242-2248.

## 理学部 分子生物学科

Kotake T, Aohara T, Hirano K, Sato A, Kaneko Y, Tsumuraya Y, Takatsuki H, Kawasaki S. Rice Brittle culm 6 encodes a dominant-negative form of CesA protein that perturbs cellulose synthesis in secondary cell walls. *Journal of experimental botany*. **2011**;62(6):2053–62.

Nishiyama Y, Allakhverdiev SI, Murata N. Protein synthesis is the primary target of reactive oxygen species in the photoinhibition of photosystem II. *Physiologia Plantarum*. **2011**;142(1):35–46.

Yamaoka Y, Yu Y, Mizoi J, Fujiki Y, Saito K, Nishijima M, Lee Y, Nishida I. PHOSPHATIDYL SERINE SYNTHASE1 is required for microspore development in *Arabidopsis thaliana*. *Plant Journal*. 2011;67(4): 648–61.

Matsuoka S, Hashimoto M, Kamiya Y, Miyazawa T, Ishikawa K, Hara H, Matsumoto K. The *Bacillus subtilis* essential gene dgkB is dispensable in mutants with defective lipoteichoic acid synthesis. *Genes & genetic systems*. 2011;86(6):365–76.

Inoue S, Ejima K, Iwai E, Hayashi H, Appel J, Tyystjarvi E, Murata N, Nishiyama Y. Protection by α-tocopherol of the repair of photosystem II during photoinhibition in *Synechocystis* sp. PCC 6803. *Biochimica et biophysica acta*. 2011;1807(2):236–41.

Kotake T, Hirata N, Degi Y, Ishiguro M, Kitazawa K, Takata R, Ichinose H, Kaneko S, Igarashi K, Samejima M, Tsumuraya Y. Endo-β-1,3-galactanase from Winter Mushroom *Flammulina velutipes*. *Journal of Biological Chemistry*. 2011;286(31):27848–54.

## 理学部 生体制御学科

Oh-ye Y, Inoue Y, Moriyasu Y. Detecting autophagy in *Arabidopsis* roots by membrane-permeable cysteine protease inhibitor E-64d and endocytosis tracer FM4-64. *Plant signaling & behavior*. 2011;6(12):1946–9.

Takatsuka C, Inoue Y, Higuchi T, Hillmer S, Robinson DG, Moriyasu Y. Autophagy in tobacco BY-2 cells cultured under sucrose starvation conditions: isolation of the autolysosome and its characterization. *Plant & cell physiology*. 2011;52(12):2074–87.

Tsukahara S, Tsuda MC, Kurihara R, Kato Y, Kuroda Y, Nakata M, Xiao K, Nagata K, Toda K, Ogawa S. Effects of aromatase or estrogen receptor gene deletion on masculinization of the principal nucleus of the bed nucleus of the stria terminalis of mice. *Neuroendocrinology*. 2011;94(2):137–47.

Xu Z, Kaga S, Tsubomizu J, Fujisaki J, Mochiduki A, Sakai T, Tsukamura H, Maeda K, Inoue K, Adachi A A. Circadian transcriptional factor DBP regulates expression of Kiss1 in the anteroventral periventricular nucleus. *Molecular and cellular endocrinology*. 2011;339(1-2):90–7.

Takezawa D, Komatsu K, Sakata Y. ABA in bryophytes: how a universal growth regulator in life became a plant hormone? *Journal of Plant Research*. 2011;124(4):437–53.

Takamichi Hirata, Naoki Takeda, Chihiro Tsutsui, Kanako Koike, Yuichi Shimatani, Takafumi Sakai, Masahiro Akiya, Akira Taguchi. Measurement of Contractile Activity in Small Animal's Digestive Organ by Carbon Nanotube-Based Force Transducer. *Japanese Journal of Applied Physics*. 2011;50:030210 (3 pages).

## 工学部 機械工学科

Sanat Wagle and H. Kato. Real-time measurement of ultrasonic waves at bolted joints under fatigue testing. *Experimental Mechanics*. **2011**; vol. 51 Issue 9:1559-1564.

## 工学部 応用化学科

Abe K, Kano Y, Ohshima M-A, Kurokawa H, Miura H. Effect of adding mo to Fe-Ce-K mixed oxide catalyst on ethylbenzene dehydrogenation. *Journal of the Japan Petroleum Institute*. **2011**;54(5):338–43.

Hirose T, Shibano Y, Miyazaki Y, Sogoshi N, Nakabayashi S, Yasutake M. Synthesis and Hole Transport Properties of Highly Soluble Pyrene-Based Discotic Liquid Crystals with Trialkylsilylithynyl Groups. *Molecular Crystals and Liquid Crystals*. **2011**;534:81–92.

Hirose T, Sugawara K, Kodama K. Switching of Enantioselectivity in the Catalytic Addition of Diethylzinc to Aldehydes by Regiosomeric Chiral 1,3-Amino Sulfonamide Ligands. *Journal of Organic Chemistry*. **2011**;76(13):5413–28.

Kakiage M, Kobayashi H. Synthesis of boron carbide powder by soft chemical process. *Taikabutsu*. **2011**;63(8):372–84.

Kakiage M, Tahara N, Yanagidani S, Yanase I, Kobayashi H. Effect of boron oxide/carbon arrangement of precursor derived from condensed polymer-boric acid product on low-temperature synthesis of boron carbide powder. *Journal of the Ceramic Society of Japan*. **2011**;119(June):422–5.

Kakiage M, Tahara N, Yanase I, Kobayashi H. Low-temperature synthesis of boron carbide powder from condensed boric acid-glycerin product. *Materials Letters*. **2011**;65(12):1839–41.

Kinoshita H, Ishikawa T, Miura K. Dialkylaluminum Hydride-Promoted Cyclodimerization of Silylated 1,3-Enynes via Skeletal Rearrangement. *Organic Letters*. **2011**;13(23):6192–5.

Kodama K, Kimura Y, Shitara H, Yasutake M, Sakurai R, Hirose T. Solvent-induced chirality control in the enantioseparation of 1-phenylethylamine via diastereomeric salt formation. *Chirality*. **2011**;23(4):326–32.

Kodama K, Sekine E, Hirose T. Construction of Hydrogen-Bonded Ternary Organic Crystals Derived from L-Tartaric Acid and Their Application to Enantioseparation of Secondary Alcohols. *Chemistry--A European Journal*. **2011**;17(41):11527–34, S11527/1–S11527/7.

Kodama K, Sugawara K, Hirose T. Synthesis of chiral 1,3-diamines derived from cis-2-benzamidocyclohexanecarboxylic acid and their application in the Cu-catalyzed enantioselective Henry reaction. *Chemistry--A European Journal*. **2011**;17(48):13584–92, S13584/1–S13584/28.

Kurokawa H, Kawada Y, Hiyama Y, Ishihama Y, Sakuragi T, Shitara H, Miura H. Homo- and Co-polymerization of ethylene with 1-Hexene using heterogeneous catalysts consisting of Bis(imino)pyridinevanadium complex supported on clay minerals and alkyl aluminum compounds. *Journal of the Japan Petroleum Institute*. **2011**;54(2):108–13.

Miura K, Kinoshita H. Development of new synthetic organic reactions using vinylsilanes and platinum catalysts. *CACS Forum (2010-)*. **2011**;2:2–5.

Nagashima S, Kamiguchi S, Kudo K, Sasaki T, Chihara T. Intramolecular condensation of 1,2-C<sub>6</sub>H<sub>4</sub>(CH<sub>2</sub>RH)<sub>2</sub> (R = O, S, and NH) to yield heterocyclic compounds over halide-cluster catalysts. *Chemistry Letters*. **2011**;40(1):78–80.

Nagashima S, Kamiguchi S, Ohguchi S, Chihara T. Gas-Phase Alkylation of Pyridine and Phenol with Alcohols Over Halide Clusters of Group 5-7 Transition Metals as Solid Acid Catalysts. *Journal of Cluster Science*. **2011**;22(4):647–60.

Nagashima S, Kamiguchi S, Ohguchi S, Chihara T. Vapor-phase Beckmann rearrangement of cyclohexanone oxime over halide cluster catalysts. *Catalysis Today*. **2011**;164(1):135–8.

Saito S. Total design of novel fluorescent probes and kinetically integrated chemical systems for the separation and detection of metal ions. *Bunseki Kagaku*. **2011**;60(10):773–84.

Saito S, Nakano Y, Hikichi A, Suzuki R, Yoshimoto K, Maeda M, Aoyama M, Shibukawa M. Ultrasensitive CE for heavy metal ions using the variations in the chemical structures formed from new octadentate fluorescent probes and cationic polymers. *Analyst (Cambridge, United Kingdom)*. **2011**;136(13):2697–705.

Shibukawa M, Kondo Y, Ogiyama Y, Osuga K, Saito S. Interfacial water on hydrophobic surfaces recognized by ions and molecules. *Physical Chemistry Chemical Physics*. **2011**;13(35):15925–35.

Yanase I, Kobayashi H. Development of low-thermal-expansion cubic leucite compounds. *Seramikkusu*. **2011**;46(11):916–21.

Yanase I, Otsuka H, Kobayashi H. CO<sub>2</sub> absorption of CeO<sub>2</sub>-coated  $\alpha$ -LiFeO<sub>2</sub>. *Journal of the Ceramic Society of Japan*. **2011**;119(Dec.):933–8.

## 工学部 機能材料工学科

Fujimori A. Structure chemistry of ultra-thin organized molecular films of polymers: from Langmuir-Blodgett film to layered organization of polymer nanosphere. *Kobunshi Ronbunshu*. **2011**;68(8):579–93.

Fukuda T, Asaki H, Asano T, Takagi K, Honda Z, Kamata N, Ju J, Yamagata Y. Surface morphology of fluorene thin film fabricated by electrospray deposition technique using two organic solvents: Application for organic light-emitting diodes. *Thin Solid Films*. **2011**;520(1):600–5.

Fukuda T, Kobayashi R, Honda Z, Kamata N, Mori K, Suzuki Y, Hatano K, Furube A. Ultrafast study of charge generation in silole:fluorene mixed film for color selective organic photoconductive device. *Physica Status Solidi C: Current Topics in Solid State Physics [Internet]*. **2011**;8(2):589–91.

Fukuda T, Takagi K, Asano T, Honda Z, Kamata N, Ueno K, Shirai H, Ju J, Yamagata Y, Tajima Y. Bulk heterojunction organic photovoltaic cell fabricated by the electrospray deposition method using mixed organic solvent. *Physica Status Solidi RRL: Rapid Research Letters*. **2011**;5(7):229–31.

Hatano K, Matsuoka K. Development of multitasking biosensor for bacteria or viruses based on glyco-cluster effect. *Bio Industry*. **2011**;28(3):55–9.

Hiratsuka N, Kono K, Kamishima K, Kakizaki K, Ishimaru Y, Sakai M. Elucidation of formation process of NiFe<sub>2</sub>O<sub>4</sub> ferrite nano-crystalline powder synthesized by sol-gel auto-combustion method. *Funtai oyobi Funmatsu Yakin*. **2011**;58(6):334–9.

Kato S, Fukuda T, Akiyama S, Honda Z, Kamata N, Kijima N. Improved optical degradation characteristics of Eu complex encapsulated by high-pressure annealing. *Japanese Journal of Applied Physics*. **2011**;50(1, Pt. 3):01BF02/1–01BF02/5.

Kato S, Ishikawa R, Kubo Y, Shirai H, Ueno K. Efficient organic photovoltaic cells using hole-transporting MoO<sub>3</sub> buffer layers converted from solution-processed MoS<sub>2</sub> films. *Japanese Journal of Applied Physics*. **2011**;50(7, Pt. 1):071604/1–071604/5.

Oba A, Kamishima K, Kakizaki K, Ishimaru Y, Sakai M, Hiratsuka N. Thermoelectric properties of double perovskite (Sr,Ba)<sub>2</sub>(Fe, Mn)(Mo,V)O<sub>6</sub>. *Funtai oyobi Funmatsu Yakin*. **2011**;58(6):374–9.

Tanikawa T, Saito M, Guo JD, Nagase S. Synthesis, structures and optical properties of trisilasumanene and its related compounds. *Organic & biomolecular chemistry*. **2011**;9(6):1731–5.

Takashima Y, Osaki M, Ishimaru Y, Yamaguchi H, Harada A. R Artificial Molecular Clamp: A Novel Device for Synthetic Polymerases. *Angew. Chem. Int.* **2011**; 50:7524–7528.

T. Miyazawa, K. Matsuda, A. Fujimori, Y. Nonomura. One-pot Synthesis of Manganese Oxide Nanoparticles from Microemulsion Systems. *Chem. Lett.*, **2011**;40(11):1262-1263.

T. Nyuui, O. Isawa, A. Fujimori. Nucleator Effect to the Crystallization Behavior of Perfluorinated Copolymers. *Netsu Sokutei*. **2011**;38(3):77-82.

A. Fujimori, J. Kusaka, R. Nomura. Formation and Structure of Organized Molecular Films for Organo-modified Montmorillonite and Monolayer Behavior with Poly(L-lactide). *Polym. Eng. Sci.* **2011**;51:1099-1107.

A. Fujimori. Mixed Monolayer of Biodegradable Polymers and Organo-modified Montmorillonite. *SPE Plastic Res. Online*. **2011**;10.1002/spepro.003663:1-3.

R. Itagaki, Y. Tatewaki, A. Fujimori. Two-dimensional Polymorphisms of Organized Molecular Films for Charge-transfer Complexes Containing Metal(dmit)<sub>2</sub> Unit. *Trans. Mater. Res. Soc. Jpn.* **2011**;36:141-144.

R. Itagaki, J. Kusaka, M. Kubata, K. Kurasaka, Y. Tatewaki, A. Fujimori. Epitaxial Growth of Conductive Charge-transfer Complex in the Organized Molecular Film on Fluorinated Copolymer as Template. *Trans. Mater. Res. Soc. Jpn.* **2011**;36:169-172.

S. Hakozaki, K. Matsuda, B. Ochiai, A. Fujimori. Solid-state Structure and Formation of Organized Films for Three-arm Amphiphilic Polymer with Metal-Scavenging Property. *Trans. Mater. Res. Soc. Jpn.* **2011**;36:153-156.

T. Nyuui, A. Fujimori. Effect of Fixed Annealing and Free Shrinkage to the Crystalline Fluorinated Copolymer Film with High Transparency. *Trans. Mater. Res. Soc. Jpn.* **2011**; 36:137-140.

J. Kusaka, M. Kubata, K. Kurasaka, A. Fujimori. Fabrication of Mixed Monolayer of Biodegradable Polymers and Organo-modified Montmorillonite. *Trans. Mater. Res. Soc. Jpn.* **2011**;36:157-160.

S. Chiba, Y. Abe, Y. Shibasaki, A. Fujimori. Formation Mechanism and Functionality of Multi-particle layers of Aromatic Polyamides. *Trans. Mater. Res. Soc. Jpn.* **2011**;36:145-148.

藤森厚裕. 機能性原子団を含む櫛型共重合体組織化膜の分子配列制御. *Colloid Interf. Comm.* **2011**;36(4):41-44.

A. Fujimori, B. Ochiai. Solid-state Structure and Formation of Organized Molecular Films for Three-arm Polymerizable Amphiphilic with Metal-Scavenging Property (金属捕集能を有する三本鎖両親媒性化合物の気/水界面に於ける架橋重合とその組織分子膜形成). *Annual Report, The 120th Committee, Japan Society for the Promotion of Science, (Japanese)*. **2011**;62:46-49.

Fujimori, J. Kusaka, M. Kubota, K. Kurosaka. "Mixed monolayer behavior of biodegradable polymers and an organo-modified montmorillonite." *RFP International*. **2011**;6(4):216-218.

A. Fujimori, J. Kusaka, M. Kubota, K. Kurosaka. 可生物降解乘合物与有机改性蒙脱土的混合单分子膜行為. *RFP for China*. **2011**;4:37-40.

## 工学部 環境共生学科

Hanazawa A, Kawano T, Miwa M, Wang Q, Sakamoto K. Effect of simultaneous application of coal-biomass briquette combustion ash and animal compost on plants growth in acidic soil area. *Taiki Kankyo Gakkaishi*. **2011**;46(3):148–55.

Hasegawa Y, Nakamura D, Murata M, Yamamoto H, Komine T, Taguchi T, Nakamura S. Crystal Orientation and Transport Properties of a 633-nm-Diameter Bismuth Nanowire. *Journal of Electronic Materials*. **2011**;40(5):1005–9.

Hosoi S, Yoshikado H, Sekiguchi K, Wang Q, Sakamoto K. Daytime meteorological structures causing elevated photochemical oxidants concentrations in north Kanto, Japan. *Atmospheric Environment*. **2011**;45(26):4421–8.

Kim KH, Sekiguchi K, Furuuchi M, Sakamoto K. Seasonal variation of carbonaceous and ionic components in ultrafine and fine particles in an urban area of Japan. *Atmospheric Environment*. **2011**;45(8):1581–90.

Kim KH, Sekiguchi K, Kudo S, Sakamoto K. Characterization of atmospheric elemental carbon (char and soot) in ultrafine and fine particles in a roadside environment, Japan. *Aerosol and Air Quality Research*. **2011**;11(1):1–12.

Kudo S, Sekiguchi K, Kim KH, Sakamoto K. Spatial distributions of ultrafine particles and their behavior and chemical composition in relation to roadside sources. *Atmospheric Environment*. **2011**;45(35):6403–13.

Nakamura D, Hasegawa Y, Murata M, Yamamoto H, Tsunemi F, Komine T. Reduction of temperature fluctuation within low temperature region using a cryocooler. *The Review of scientific instruments*. **2011**;82(4):44903.

Nakamura D, Murata M, Yamamoto H, Hasegawa Y, Komine T. Thermoelectric properties for single crystal bismuth nanowires using a mean free path limitation model. *Journal of Applied Physics*. **2011**;110(5):053702/1–053702/6.

Pataer A, Wang Q, Chen Q, Hideki K, Kazuo S. Pyrolysis of alkali metal loaded biomass and activity evaluation of carbide. *Baiomasu Kagaku Kaigi Happyo Ronbunshu*. **2011**;6:162–3.

Pataer A, Wang Q, Chen Q, Maezono T, Nida H. Pyrolysis of alkali metal loaded biomass and combustion characteristics of carbide. *Sekitan Kagaku Kaigi Happyo Ronbunshu*. **2011**;48th:24–5.

Sekiguchi K, Sasaki C, Sakamoto K. Synergistic effects of high-frequency ultrasound on photocatalytic degradation of aldehydes and their intermediates using TiO<sub>2</sub> suspension in water. *Ultrasonics sonochemistry*. **2011**;18(1):158–63.

Wang Q, Chen Q, Apaer P, Qian Q, Maezono T, Mitsumura N, Kurokawa H, Guo X. Characterization of liquefied products from model woody components in the presence of mineral acid catalysts. *WIT Transactions on Ecology and the Environment*. **2011**;154(Sustainable Chemistry):187–98.

Wang Q, Kashiwagi N, Apaer P, Chen Q, Wang Y, Maezono T, Niida D. Recovery of combustible matter from waste fine Chinese coals by a waste vegetable oil agglomerating process and its combustion characteristics. *WIT Transactions on Ecology and the Environment*. **2011**;143(Energy and Sustainability III):327–38.

Wang Q, Maezono T, Chen Q, Apaer P, Wang Y, Gui L, Niida D, Mitsumura N, Domon M, Fujiwara I, Yamaguchi N. Basic study on combustion characteristics of waste rice husk and emission behavior from a new-type air vortex current combustor. *WIT Transactions on Ecology and the Environment*. **2011**;154(Sustainable Chemistry):199–210.

Wang Q, Maezono T, Aparu P, Chen Q, Wang Y, Domon M, Fujiwara I, Yamaguchi N. Evaluation emission behavior of suspended particulate matter from rice husk combustion by air vortex current. *Baiomasu Kagaku Kaigi Happyo Ronbunshu*. **2011**;6:36–7.

Wang Q, Nida H, Apaer P, Chen Q, Maezono T, Sekiguchi K. Influence assessment on cleaning coal efficiency of oil agglomeration varied with oxygen content in coal. *Sekitan Kagaku Kaigi Happyo Ronbunshu*. **2011**;48th:56–7.

Wang Q, Wang Y, Tohti T. Effect of particle sizes of mixing biomass and coal on gasification of waste coal-biomass briquette. *Baiomasu Kagaku Kaigi Happyo Ronbunshu*. **2011**;6:160–1.

Lu S, Feng M, Yao Z, An J, Zhong Y, Wu M, Sheng G, Fu J, Yonemochi S, Zhang J, Wang Q, Donaldson K. Physicochemical characterization and cytotoxicity of ambient coarse,fine, and ultrafine particulate matters in Shanghai atmosphere, *Atmospheric Environment*. **2011**;45:736-744

## 教育学部

Kotake T, Aohara T, Hirano K, Sato A, Kaneko Y, Tsumuraya Y, Takatsuji H, Kawasaki S. Rice Brittle culm 6 encodes a dominant-negative form of CesA protein that perturbs cellulose synthesis in secondary cell walls. *Journal of experimental botany*. **2011**;62(6):2053–62.

Yamauchi Y, Kaniya Y, Kaneko Y, Hihara Y. Physiological roles of the cyAbrB transcriptional regulator pair Sll0822 and Sll0359 in Synechocystis sp. strain PCC 6803. *Journal of Bacteriology*. **2011**;193(15):3702–9.

## 地圈科学研究センター

Mathushita T, Osada M, Takahashi M. Characteristics and ages of rock fractures filled with carbonates in the vicinity of uplifted corals US Rock Mechanics. *Gemechanics Symposium, American Rock Mechanics Association*, **2011**; ARMA11-338

## 科学分析支援センター

Kato M, Hida K, Fujihara T, Nagasawa A. Ferromagnetic Spin Ladder System: Stack of Chlorido-Bridged Dinuclear Copper(II) Complexes with 2-Methylisothiazol-3(2H)-one. *European Journal of Inorganic Chemistry*. **2011**;(4):495–502.

Kato M, Izuka S, Fujihara T, Nagasawa A, Kawai S, Tanaka T, Takayanagi T. Electronic structure calculation study of metal complexes with a phytosiderophore mugineic acid. *Inorganica Chimica Acta*. **2011**;370(1):304–10.

Hirose T, Shibano Y, Miyazaki Y, Sogoshi N, Nakabayashi S, Yasutake M. Synthesis and Hole Transport Properties of Highly Soluble Pyrene-Based Discotic Liquid Crystals with Trialkylsilyl ethynyl Groups. *Molecular Crystals and Liquid Crystals*. **2011**;534:81–92.

Kodama K, Kimura Y, Shitara H, Yasutake M, Sakurai R, Hirose T. Solvent-induced chirality control in the enantioseparation of 1-phenylethylamine via diastereomeric salt formation. *Chirality*. **2011**;23(4):326–32.