

## 《センターより》

### 平成 24 年科学分析支援センター機器使用研究業績

#### 理学部 基礎化学科

Ohno K, Sugaya T, Fujihara T, Nagasawa A. 2-{[2,2-Bis(diethylamino)ethan-2-yl]iumthioyl}sulfanyl}-1,1-bis(diethylamino)ethylium bis(perchlorate). *Acta Crystallographica, Section E: Structure Reports Online. International Union of Crystallography*; **2012**;68(9):o2753–o2754.

Hasegawa T, Yamada H, Tamada S, Tsuruoka T. Aromatic plant materials and their fragrance oils. *Aroma Research. Fureguransu Janaru Sha*; **2012**;13(4):340–6.

Okada T, Yago T, Takamasu T, Wakasa M. Cage lifetimes of ionic liquids as studied by the magnetic field effect probe. *Physical Chemistry Chemical Physics. Royal Society of Chemistry*; **2012**;14(10):3490–7.

Saito M, Hashimoto Y, Tajima T, Ishimura K, Nagase S, Minoura M. Molecular structure and electronic state of the dibenzo[*a,e*]pentalene anion radical. *Chemistry, an Asian journal*. **2012**;7(3):480–3.

Futamata M. Surface enhanced Raman scattering. *Hyomen Kagaku. Nippon Hyomen Kagakkai*; **2012**;33(4):216–22.

Ishii A, Annaka T, Nakata N. Convenient Syntheses and Photophysical Properties of 1-Thio- and 1-Seleno-1,3-Butadiene Fluorophores in Rigid Dibenzobarrelene and Benzobarrelene Skeletons. *Chemistry (Weinheim an der Bergstrasse, Germany)*. **2012**;

Matsuura M, Fujihara T, Nagasawa A, Ng SW. Di- $\mu$ -chlorido- $\mu$ -(dimethyl sulfide)-bis{dichlorido[(dimethyl selenide- $\kappa$ Se)(dimethyl sulfide- $\kappa$ S)(0.65/0.35)]niobium(III)} (Nb-Nb). *Acta Crystallographica, Section E: Structure Reports Online [Internet]. International Union of Crystallography*; **2012**;68(9):m1166.

Hiate T, Ino T, Ishikawa R, Ueno K, Shirai H. Electrospray-deposited poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate) for poly(3-hexylthiophene): phenyl-C<sub>61</sub>-butyric acid methyl ester photovoltaic cells. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(10, Pt. 2):10NE30/1–10NE30/3.

Hiate T, Miyauchi N, Tang Z, Ishikawa R, Ueno K, Shirai H. Poly(3-hexylthiophene) films by electrospray deposition for crystalline silicon/organic hybrid junction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2071–4.

Ino T, Hiate T, Fukuda T, Ueno K, Shirai H. Real-time ellipsometric characterization of the initial growth stage of poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate) films by electrospray deposition using *N,N*-dimethylformamide solvent solution. *Journal of Non-Crystalline Solids*. Elsevier B.V.; **2012**;358(17):2520–4.

Ino T, Ono M, Miyauchi N, Liu Q, Tang Z, Ishikawa R, et al. Electrospray deposition of poly(3-hexylthiophene) films for crystalline silicon/organic hybrid junction solar cells. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(6, Pt. 1):061602/1–061602/4.

Ishikawa R, Shirai H, Ueno K. Increased organic photovoltaic cell efficiency by incorporating a nonionic fluorinated surfactant cathode interlayer. *Applied Physics Express. Japan Society of Applied Physics*; **2012**;5(12):121601/1–121601/3.

Khatri I, Imamura T, Uehara A, Ishikawa R, Ueno K, Shirai H. Chemical mist deposition of graphene oxide and PEDOT:PSS films for crystalline Si/organic heterojunction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2134–7.

Liu Q, Khatri I, Ishikawa R, Ueno K, Shirai H. Efficient crystalline Si/organic hybrid heterojunction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2101–6.

Liu Q, Ono M, Tang Z, Ishikawa R, Ueno K, Shirai H. Highly efficient crystalline silicon/Zonyl fluorosurfactant-treated organic heterojunction solar cells. *Applied Physics Letters. American Institute of Physics*; **2012**;100(18):183901/1–183901/4.

Machiguchi T, Hasegawa T, Yamabe S, Minato T, Yamazaki S, Nozoe T. Experimental and Theoretical Analyses of Azulene Synthesis from Tropones and Active Methylene Compounds: Reaction of 2-Methoxytropone and Malononitrile. *Journal of Organic Chemistry. American Chemical Society*; **2012**;77(12):5318–30.

Liu Q, Wanatabe F, Hoshino A, Ishikawa R, Gotou T, Ueno K, et al. Crystalline silicon/graphene oxide hybrid junction solar cells. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(10, Pt. 2):10NE22/1–10NE22/4.

Ono M, Tang Z, Ishikawa R, Gotou T, Ueno K, Shirai H. Efficient crystalline Si/poly(ethylene dioxythiophene):poly(styrene sulfonate): graphene oxide composite heterojunction solar cells. *Applied Physics Express. Japan Society of Applied Physics*; **2012**;5(3):032301/1–032301/3.

Saito M. Challenge to expand the concept of aromaticity to tin- and lead-containing carbocyclic compounds: Synthesis, structures and reactions of dilithiostannoles and dilithioplumbole. *Coordination Chemistry Reviews*. Elsevier B.V.; **2012**;256(5-8):627–36.

Tanikawa T, Saito M, Guo JD, Nagase S, Minoura M. Synthesis, Structures, and Optical Properties of Heterasumanenes Containing Group 14 Elements and Their Related Compounds. *European Journal of Organic Chemistry*. Wiley-VCH Verlag GmbH & Co. KGaA; **2012**;2012(36):7135–42.

Hasegawa T, Kikuchi A, Saitoh H, Yamada H. Structure and properties of constituents in hexane extract of frankincense. *Journal of Essential Oil Research*. Taylor & Francis Ltd.; **2012**;24(6):593–8.

Nakai J, Kagawa-Nagamura Y, Ohkura M, Seimiya H, Fujita T, Matsunaga T, et al. Methods for quantitative evaluation of flavors: evaluation of flavors using bioassay. *Aroma Research. Fureguransu Janaru Sha*; **2012**;13(2):126–31.

Nakata N, Toda T, Matsuo T, Ishii A. Titanium Complexes Supported by an [OSO]-Type Bis(phenolato) Ligand Based on a trans-CyclooctanediyI Platform: Synthesis, Structures, and 1-Hexene Polymerization. *Inorganic Chemistry (Washington, DC, United States)*. American Chemical Society; **2012**;51(1):274–81.

Suganuma K, Gotou T, Ueno K. Top-contacted organic field-effect transistors with graphene electrodes prepared by laminate transfer method. *Applied Physics Express*. Japan Society of Applied Physics; **2012**;5(12):125104/1–125104/3.

Hasegawa T, Izumi H, Tajima Y, Yamada H. Structure-odor relationships of  $\alpha$ -santalol derivatives with modified side chains. *Molecules (Basel, Switzerland)*. **2012**;17(2):2259–70.

Yajima T, Yu Y, Futamata M. Flocculation and SERS activation of Au nanoparticles using cationic and neutral cresyl violet molecules. *e-Journal of Surface Science and Nanotechnology. Surface Science Society of Japan*; **2012**;10:417–25.

Tang Z, Liu Q, Khatri I, Ishikawa R, Ueno K, Shirai H. Optical properties and carrier transport in c-Si/conductive PEDOT:PSS(GO) composite heterojunctions. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2075–8.

Ueno K. Graphen single layer releasing layer shape substances: preparation and application. *Kozan. Kinzoku Kozankai, Nippon Kogyo Kyokai*; **2012**;65(10):23–33.

Ueno K. Application of graphene for solar cells. *Setchaku no Gijutsu. Nippon Setchaku Gakkai*; **2012**;32(1):7–13.

Ueno K, Shirai H. Solution-processed graphene thin films obtained via chemical exfoliation and solubilization of graphite. *Shokubai. Shokubai Gakkai*; **2012**;54(6):392–7.

Hiroshi Y Yoshikawa, Jing Cui, Karl Kratz, Takahisa Matsuzaki, Seiichiro Nakabayashi, Astrid Marx, Ulrike Engel, Andreas Lendlein, Motomu Tanaka. Quantitative Evaluation of Adhesion of Osteosarcoma Cells to Hydrophobic Polymer Substrate with Tunable Elasticity. *J. Phys. Chem. B*, **2012**;116:8024-8030.

#### 理学部 分子生物学科

Ejima K, Kawaharada T, Inoue S, Kojima K, Nishiyama Y. A change in the sensitivity of elongation factor G to oxidation protects photosystem II from photoinhibition in *Synechocystis* sp. PCC 6803. *FEBS Letters. Elsevier B.V.*; **2012**;586(6):778–83.

Nishiyama Y. Repair mechanisms of photosynthesis from photodamage. *Asahi Garasu Zaidan Josei Kenkyu Seika Hokoku. Asahi Garasu Zaidan*; **2012**;a29/1–a29/6.

Nagano T, Kojima K, Hisabori T, Hayashi H, Morita E H, Kanamori T, Miyagi T, Ueda T, Nishiyama Y. Elongation factor G is a critical target during oxidative damage to the translation system of *Escherichia coli*. *J. Biol. Chem.*, **2012**;287(34): 28697-28704.

Murata N, Allakhverdiev S I, Nishiyama Y. The mechanism of photoinhibition in vivo: re-evaluation of the roles of catalase,  $\alpha$ -tocopherol, non-photochemical quenching, and electron transport. *Biochim. Biophys. Acta*, **2012**;1817: 1127-1133.

#### 理学部 生体制御学科

Aizawa S, Sakai T, Sakata I. Glutamine and glutamic acid enhance thyroid-stimulating hormone  $\beta$  subunit mRNA expression in the rat pars tuberalis. *Journal of Endocrinology. BioScientifica Ltd.*; **2012**;212(3):383–94.

Bhyan SB, Minami A, Kaneko Y, Suzuki S, Arakawa K, Sakata Y, et al. Cold acclimation in the moss *Physcomitrella patens* involves abscisic acid-dependent signaling. *Journal of Plant Physiology. Elsevier GmbH*; **2012**;169(2):137–45.

Kato Y, Nakashima S, Maekawa F, Tsukahara S. Involvement of postnatal apoptosis on sex difference in number of cells generated during late fetal period in the sexually dimorphic nucleus of the preoptic area in rats. *Neuroscience Letters. Elsevier Ireland Ltd.*; **2012**;516(2):290–5.

Mondal A, Xie Z, Miyano Y, Tsutsui C, Sakata I, Kawamoto Y, et al. Coordination of motilin and ghrelin regulates the migrating motor complex of gastrointestinal motility in *Suncus murinus*. *American journal of physiology. Gastrointestinal and liver physiology*. **2012**;302(10):G1207–15.

Suzuki A, Ishida Y, Aizawa S, Sakata I, Tsutsui C, Mondal A, et al. Molecular identification of GHS-R and GPR38 in *Suncus murinus*. *Peptides*. **2012**;36(1):29–38.

Ueno S, Yoshida S, Mondal A, Nishina K, Koyama M, Sakata I, et al. In vitro selection of a peptide antagonist of growth hormone secretagogue receptor using cDNA display. *Proceedings of the National Academy of Sciences of the United States of America. National Academy of Sciences*; **2012**;109(28):11121–11126, S11121/1–S11121/7.

Wakabayashi M, Saijyou N, Hatakeyama S, Inoue H, Tanaka S. Neurospora *mrc1* homologue is involved in replication stability and is required for normal cell growth and chromosome integrity in *mus-9* and *mus-21* mutants. *Fungal Genetics and Biology. Elsevier Inc.*; **2012**;49(4):263–70.

Xu Z, Kaga S, Mochiduki A, Tsubomizu J, Adachi S, Sakai T, et al. Immunocytochemical localization of kisspeptin neurons in the rat forebrain with special reference to sexual dimorphism and interaction with GnRH neurons. *Endocrine journal*. **2012**;59(2):161–71.

Yamazaki M, Aizawa S, Tanaka T, Sakai T, Sakata I. Ghrelin increases intracellular  $\text{Ca}^{2+}$  concentration in the various hormone-producing cell types of the rat pituitary gland. *Neuroscience letters*. **2012**;526(1):29–32.

## 工学部 電気電子システム工学科

Orihara M, Yagi S, Hijikata Y, Yaguchi H. RF-MBE growth of semipolar InN(10-13) and InGaN(10-13) on GaAs(110). *Physica Status Solidi C: Current Topics in Solid State Physics. Wiley-Blackwell*; **2012**;9(3-4):658–61.

J Parinyataramas, S Sanorpim, C Thanachayanont, H Yaguchi, M Orihara. TEM Analysis of Structural Phase Transition in MBE Grown Cubic InN on MgO (001) by MBE: Effect of Hexagonal Phase Inclusion in an C-GaN Nucleation Layer. *Applied Mechanics and Materials Vols.* **2012**;229-231:219-222. DOI: 10.4028/www.scientific.net/AMM.229-231.219

## 工学部 機械工学科

Wagle S, Kato H. Depth evaluation of fretting fatigue crack appearing at bolt joints of aluminum alloy plates by synchronized surface acoustic wave measurement. *Materials Transactions. Japan Institute of Metals*; **2012**;53(2):256–63.

Nurul I M, Arai Y, Araki W. Initiation of fatigue crack growth in austenitic stainless steel detected by ultrasound: Role of in-plane orientation, *Mater. Sci. Engng. A*; **2012**;556:309 - 318, 2012.  
10.1016/j.msea.2012.06.093

## 工学部 応用化学科

Danjo Y, Kikuchi I, Ino Y, Ohshima M, Kurokawa H, Miura H. Support effect of Pd/AlPO<sub>4</sub> catalyst in hydrogen storage of organic hydride method in the presence of CO. *Reaction Kinetics, Mechanisms and Catalysis. Akademiai Kiado*; **2012**;105(2):381–9.

Kakiage M, Kobayashi H. Present status and future trends of low-temperature synthesis of boron carbide powder using organic compounds. *Journal of the Society of Inorganic Materials, Japan. Society of Inorganic Materials, Japan*; **2012**;19(357):117–25.

Kakiage M, Tominaga Y, Yanase I, Kobayashi H. Synthesis of boron carbide powder in relation to composition and structural homogeneity of precursor using condensed boric acid-polyol product. *Powder Technology. Elsevier B.V.*; **2012**;221:257–63.

Kaneko S, Izuka M, Takahashi A, Ohshima M, Kurokawa H, Miura H. Pt dispersion control in Pt/SiO<sub>2</sub> by calcination temperature using chloroplatinic acid as catalyst precursor. *Applied Catalysis, A: General. Elsevier B.V.*; **2012**;427-428:85–91.

Kikuchi I, Haibara Y, Ohshima M, Kurokawa H, Miura H. Dehydrogenation of *n*-butane to butadiene over Pt-Sn/MgO-Al<sub>2</sub>O<sub>3</sub>. *Journal of the Japan Petroleum Institute. Japan Petroleum Institute*; **2012**;55(1):33–9.

Kikuchi I, Ohshima M, Kurokawa H, Miura H. Effect of Sn addition on *n*-butane dehydrogenation over alumina-supported Pt catalysts prepared by co-impregnation and sol-gel methods. *Journal of the Japan Petroleum Institute. Japan Petroleum Institute*; **2012**;55(3):206–13.

Kimiwada S, Yanase I, Kobayashi H. Phase transition and UV vis spectra of Al<sub>2</sub>Mo<sub>3</sub>O<sub>12</sub>-related compounds. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; **2012**;37(1):95–8.

Kobayashi S, Kaneko S, Ohshima M, Kurokawa H, Miura H. Effect of iron oxide on isobutane dehydrogenation over Pt/Fe<sub>2</sub>O<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub> catalyst. *Applied Catalysis, A: General.* Elsevier B.V.; **2012**;417-418:306–12.

Kodama K, Kanno A, Sekine E, Hirose T. Enantioseparation of 1-arylethanols via a supramolecular chiral host consisting of *N*-(2-naphthoyl)-L-aspartic acid and an achiral diamine. *Organic & biomolecular chemistry.* **2012**;10(9):1877–82.

Kodama K, Kawamata H, Takahashi N, Hirose T. Cyanative self-condensation of aromatic aldehydes promoted by VO(O<sup>i</sup>Pr)<sub>3</sub>-Lewis base as a cooperative catalyst. *Organic & biomolecular chemistry.* **2012**;10(47):9440–6.

Kondo T, Yamamoto K, Sakuragi T, Kurokawa H, Miura H. Acetylaminopyridineiron(III) complexes immobilized in fluorotetrasilicic mica interlayer as efficient catalysts for oligomerization of ethylene. *Chemistry Letters. Chemical Society of Japan;* **2012**;41(4):461–3.

Kurokawa H, Yanai M, Ohshima M, Miura H. Cyclodimerization of crotonaldehyde to form cyclohexadienecarbaldehydes and tolualdehydes over solid base catalysts. *Reaction Kinetics, Mechanisms and Catalysis. Akademiai Kiado;* **2012**;105(2):401–12.

Miura H. Development of preparation method of supported metal catalysts for hydrogenation. *Petrotech (Tokyo, Japan). Sekiyu Gakkai;* **2012**;35(8):553–7.

Saito S, Sato Y, Haraga T, Nakano Y, Asai S, Kameo Y, et al. Highly sensitive detection of neodymium ion in small amount of spent nuclear fuel samples using novel fluorescent macrocyclic hexadentate polyaminocarboxylate probe in capillary electrophoresis-laser-induced fluorescence detection. *Journal of chromatography. A.* **2012**;1232:152–7.

Shibukawa M. States and separation function of water on hydrophobic surfaces. *Bunseki. Nippon Bunseki Kagakkai;* **2012**;(1):21–7.

## 工学部 機能材料工学科

Aizawa H, Otomo K, Honsho N, Shimazaki T, Villeneuve M, Matsuoka K, et al. A carbosilane dendrimer and a silacyclopentadiene analog carrying peripheral lactoses as drug-delivery systems. *Bioorganic & Medicinal Chemistry Letters. Elsevier B.V.;* **2012**;22(10):3564–6.

Arai S, Kusaka J, Kubota M, Kurosaka K, Fujimori A. Nanostructural control of biological molecules arranged by using Langmuir-Blodgett films of organo-modified aluminosilicate as a template. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan;* **2012**;37(3):361–4.

Arai S, Kusaka J-I, Kubota M, Kurosaka K, Fujimori A. Nanostructural and morphological control of biological molecules arranged by using Langmuir-Blodgett films of organo-modified aluminosilicate as templates. *Chemistry Letters. Chemical Society of Japan*; **2012**;41(10):1181–2.

Fujimori A, Taguchi M, Hakozaki S, Kamishima K, Ochiai B. Formation of Flat, Homogeneous Surfaces of Organized Molecular Films of Three-Armed Polymerizable Amphiphiles with Metal-Scavenging Properties. *Langmuir. American Chemical Society*; **2012**;28(29):10830–7.

Fukuda T, Kato S, Akiyama S, Honda Z, Kamata N. Photodegradation characteristics of sol-gel-derived glass-coated Eu-complex fabricated by solvothermal process using several silane alkoxides and solvents. *Optical Materials (Amsterdam, Netherlands)*. Elsevier B.V.; **2012**;35(1):5–11.

Fukuda T, Kimura S, Honda Z, Kamata N. Solution-Processed Green-Sensitive Organic Photoconductive Device Using Rhodamine 6G. *Molecular Crystals and Liquid Crystals*. Taylor & Francis, Inc.; **2012**;566(1):67–74.

Fukuda T, Kimura S, Honda Z, Kamata N, Mori K, Hatano K. Improved optical-to-electrical conversion efficiency by doping silole derivative with low ionization potential. *Physica Status Solidi A: Applications and Materials Science*. Wiley-VCH Verlag GmbH & Co. KGaA; **2012**;209(11):2324–9.

Fukuda T, Takagi K, Asano T, Honda Z, Kamata N, Shirai H, et al. Improved power conversion efficiency of organic photovoltaic cell fabricated by electrospray deposition method by mixing different solvents. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(2, Pt. 2):02BK12/1–02BK12/5.

Hatano K, Matsuoka K, Terunuma D. Carbosilane glycodendrimers. *Chemical Society reviews*. **2012**;

Hatano K, Matsuoka K, Terunuma D. Lectin detection based on the aggregation-induced emission effect. *Trends in Glycoscience and Glycotechnology. FCCA*; **2012**;24(136):78–94.

Hiate T, Ino T, Ishikawa R, Ueno K, Shirai H. Electrospray-deposited poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate) for poly(3-hexylthiophene): phenyl-C<sub>61</sub>-butyric acid methyl ester photovoltaic cells. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(10, Pt. 2):10NE30/1–10NE30/3.

Hiate T, Miyauchi N, Tang Z, Ishikawa R, Ueno K, Shirai H. Poly(3-hexylthiophene) films by electrospray deposition for crystalline silicon/organic hybrid junction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2071–4.

Honda Z, Katori HA, Ikeda M, Hagiwara M, Okunishi K, Sakai M, et al. Magnetic field-induced phase transitions in the  $S = 1/2$  two-leg spin-ladder material Cu(DEP)Br<sub>2</sub>. *Journal of the Physical Society of Japan. Physical Society of Japan*; **2012**;81(11):113710/1–113710/4.

Ino T, Hiate T, Fukuda T, Ueno K, Shirai H. Real-time ellipsometric characterization of the initial growth stage of poly(3,4-ethylenedioxythiophene):poly(styrene sulfonate) films by electrospray deposition using *N,N*-dimethylformamide solvent solution. *Journal of Non-Crystalline Solids. Elsevier B.V.*; **2012**;358(17):2520–4.

Ino T, Ono M, Miyauchi N, Liu Q, Tang Z, Ishikawa R, et al. Electrospray deposition of poly(3-hexylthiophene) films for crystalline silicon/organic hybrid junction solar cells. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2012**;51(6, Pt. 1):061602/1–061602/4.

Ishikawa R, Shirai H, Ueno K. Increased organic photovoltaic cell efficiency by incorporating a nonionic fluorinated surfactant cathode interlayer. *Applied Physics Express. Japan Society of Applied Physics*; **2012**;5(12):121601/1–121601/3.

Ishimaru Y. New polymeric materials having pendant on soluble phthalocyanines. *Mirai Zairyo. Enu-Ti-Esu*; **2012**;12(11):29–34.

Iwashita H, Hakozaki S, Kawaguchi S, Fujimori A. Fine structure of multi-particle layered organization for organo-modified zirconium dioxides fabricated by the Langmuir-Blodgett technique. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; **2012**;37(2):299–302.

Kaneko Y, Fujimori A. Morphological transition from nanosheet to nanosphere in ternary comb copolymers with carbazole rings. *Chemistry Letters. Chemical Society of Japan*; **2012**;41(10):1183–4.

Kaneko Y, Fujimori A. Morphological transition from nanosheet to nanosphere of ternary comb copolymers with carbazole rings induced by an increase in surface pressure. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; **2012**;37(2):291–4.

Khatri I, Imamura T, Uehara A, Ishikawa R, Ueno K, Shirai H. Chemical mist deposition of graphene oxide and PEDOT:PSS films for crystalline Si/organic heterojunction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics. Wiley-Blackwell*; **2012**;9(10-11):2134–7.

Kimura S, Fukuda T, Honda Z, Kamata N, Mori K, Hatano K. Doping Effect of Ethylcarbazole-Contained-Silole in Blue-Sensitive Organic Photoconductive Device. *Molecular Crystals and Liquid Crystals. Taylor & Francis, Inc.*; **2012**;566(1):54–60.

Koshino H, Tang Z, Sato S, Shimizu H, Fujii Y, Hanajiri T, et al. Rapid thermal annealing of sputter-deposited ZnO:Al films for microcrystalline Si thin-film solar cells. *EPJ Photovoltaics. EDP Sciences*; **2012**;3:35001.

Liu Q, Khatri I, Ishikawa R, Ueno K, Shirai H. Efficient crystalline Si/organic hybrid heterojunction solar cells. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2101–6.

Liu Q, Ono M, Tang Z, Ishikawa R, Ueno K, Shirai H. Highly efficient crystalline silicon/Zonyl fluorosurfactant-treated organic heterojunction solar cells. *Applied Physics Letters*. American Institute of Physics; **2012**;100(18):183901/1–183901/4.

Liu Q, Wanatabe F, Hoshino A, Ishikawa R, Gotou T, Ueno K, et al. Crystalline silicon/graphene oxide hybrid junction solar cells. *Japanese Journal of Applied Physics*. Japan Society of Applied Physics; **2012**;51(10, Pt. 2):10NE22/1–10NE22/4.

Matsuoka K, Arai H, Oka H, Koyama T, Hatano K. Synthetic Assembly of Bifluorescence-Labeled Glycopolymers as Substrates for Assaying  $\alpha$ -Amylase by Resonance Energy Transfer. *ACS Macro Letters*. American Chemical Society; **2012**;1(2):266–9.

Matsuoka K, Koyama T, Hatano K. Glyco-silicon functional materials as anti-influenza virus agents. *Open Glycoscience*. Bentham Science Publishers Ltd.; **2012**;5:31–40.

Matsuoka K, Yamaguchi H, Kohzu T, Sakamoto J-I, Koyama T, Hatano K, et al. Convenient assembly of trimeric Lex determinants using carbosilane scaffolds by means of Huisgen cycloaddition. *Tetrahedron Letters*. Elsevier Ltd.; **2012**;53(50):6793

Oka H, Koyama T, Hatano K, Matsuoka K. Synthetic studies of bi-fluorescence-labeled maltooligosaccharides as substrates for  $\alpha$ -amylase on the basis of fluorescence resonance energy transfer (FRET). *Bioorganic & Medicinal Chemistry*. Elsevier B.V.; **2012**;20(1):435–45.

Ono M, Tang Z, Ishikawa R, Gotou T, Ueno K, Shirai H. Efficient crystalline Si/poly(ethylene dioxythiophene):poly(styrene sulfonate): graphene oxide composite heterojunction solar cells. *Applied Physics Express*. Japan Society of Applied Physics; **2012**;5(3):032301/1–032301/3.

Shirai H. Crystalline silicon and organic hybrid solar cells. *Setchaku no Gijutsu. Nippon Setchaku Gakkai*; **2012**;32(1):1–6.

Suzuki K, Koyama T, Yingsakmongkon S, Suzuki Y, Hatano K, Matsuoka K. Synthesis and biological evaluation of sialic acid derivatives containing a long hydrophobic chain at the anomeric position and their C-5 linked polymers as potent influenza virus inhibitors. *Bioorganic & Medicinal Chemistry*. Elsevier B.V.; **2012**;20(1):446–54.

Taguchi M, Fujimori A. Control of arrangement for DNA molecules chemisorbed to the organized molecular films of comb copolymers containing s-triazine. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; **2012**;37(2):287–90.

Tang Z, Koshino H, Sato S, Shimizu H, Shirai H. Rapid thermal annealing treatment of ZnO:Al films for photovoltaic applications. *Journal of Non-Crystalline Solids*. Elsevier B.V.; **2012**;358(17):2501–3.

Tang Z, Liu Q, Khatri I, Ishikawa R, Ueno K, Shirai H. Optical properties and carrier transport in c-Si/conductive PEDOT:PSS(GO) composite heterojunctions. *Physica Status Solidi C: Current Topics in Solid State Physics*. Wiley-Blackwell; **2012**;9(10-11):2075–8.

Ueno K, Shirai H. Solution-processed graphene thin films obtained via chemical exfoliation and solubilization of graphite. *Shokubai. Shokubai Gakkai*; **2012**;54(6):392–7.

Watanabe F, Shirai H, Fujii Y, Hanajiri T. Rapid thermal annealing of sputter-deposited ZnO/ZnO:N/ZnO multilayered structures. *Thin Solid Films*. Elsevier B.V.; **2012**;520(10):3729–35.

Yanagimachi Y, Taguchi M, Chiba S, Shibasaki Y, Fujimori A. Effect of molecular weight distribution on the crystallinity and monolayer morphology of N-alkylated poly(*p*-benzamides). *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; **2012**;37(2):295–8.

福田 武司, 静電塗布法での有機デバイスの作製. 応用物理学会有機分子・バイオエレクトロニクス分科会会誌:M&BE, vol.23. no.1, pp.11-16 (2012).

福田 武司, 船木 那由太, 倉林 智和, 秋山 真之介, 鈴木 美穂, “半導体ナノ粒子と有機色素のFRETを利用したpHセンサー”, 信学技報, vol.112, no.333, pp.29-33 (2012).

高木 健次, 武志 一正, 福田 武司, 鎌田 憲彦, 朱 正明, 山形 豊, 田島 右副, “静電塗布法を用いたフラーレン誘導体薄膜の成膜”, 信学技報, vol.112, no.244, pp.45-48 (2012).

福田 武司, “新しい有機デバイスの作製技術としての静電塗布法”, 信学技報, vol.112, no.139, pp.19-24 (2012).

木村 翔, 山岡 美貴, 浅見 俊介, 福田 武司, 本多 善太郎, 鎌田 憲彦, 山下 誠, “クロマトグラフィで分離した石炭ピッチを用いた有機EL”, 信学技報, vol.112, no.57, pp.31-34 (2012).

Y Shimura, J Suzuki, M C Z Kasuya, K Matsuoka, K Hatanaka. A Novel Method for the Production of Sialylparagloboside. *Helv. Chim. Acta*; **2012**;95:67-75.

Y Shimura, J Suzuki, M C Z Kasuya, K Matsuoka, K Hatanaka, Influence of Passage Number on Glycosylation of Alkyl Lactosides by MDCK Cells. *J. Biosci. Bioengin*; **2012**;114:552-555.

T Okada, A Kimura, H Miura, T Nishiyama, M Mori, J Suzuki, M Ogiso, K Matsuoka, T.Sato, K Hatanaka, N Minoura. Intricate Recognition of Glycolipid-like Compounds by HIV-1 Envelope Proteins Evaluated with Surface Plasmon Resonance Imaging. *J. Carbohydr. Chem.*; **2012**;31:584-592.

Y Shimura, J Suzuki, M Muraoka, M C Z Kasuya, K Matsuoka, K Hatanaka. Large Scale Biosynthesis of Ganglioside Analogues by RERF-LC-AI Cells Cultured in HYPERFlask. *Prep. Biochem. Biotech*; **2012**;42:378-392.

Moh Yasin, Sulaiman W.Harun, Hamzah Arrof eds. Crystalline" Plastic Optical Fiber with Excellent Heat-resistant Property. A. Fujimori, "Selected Topics on Optical Fibers Technology", chapter 15, *InTech open access publisher*; **2012**:425-446, ISBN 978-953-51-0091-1.

## 工学部 環境共生学科

Kudo S, Sekiguchi K, Kim KH, Kinoshita M, Moeller D, Wang Q, et al. Differences of chemical species and their ratios between fine and ultrafine particles in the roadside environment. *Atmospheric Environment. Elsevier Ltd.*; **2012**;62:172–9.

Wang Q, Niida H, Apar P, Chen Q, Gui L, Qian Q, et al. Influential factors on the oil agglomeration process for coal recovery from different grade coals. *WIT Transactions on Ecology and the Environment. WIT Press*; **2012**;163(Waste Management and the Environment VI):187–98.

Murata M, Yamamoto H, Tsunemi F, Hasegawa Y, Komine T. Four-Wire Resistance Measurements of a Bismuth Nanowire Encased in a Quartz Template Utilizing Focused Ion Beam Processing. *Journal of Electronic Materials. Springer*; **2012**;41(6):1442–9.

Morita J, Wang Q, Gong X, Nakamura S, Suzuki M, Nakajima T, et al. Basic study on chemical modification of Japanese cedar pollen allergen (Cry j 1) by air pollutants and apoptosis inducibility of 3-nitrotyrosine for HeLa cell. *Eearozoru Kenkyu. Nippon Eearozoru Gakka*; **2012**;27(1):71–7.

Nakamura S, Wang Q, Gong S, Takai Y, Lu S, Nakajima D, et al. Release rate of daughter allergenic species from Cryptomeria japonica pollen grains trapped in air polluted wet deposition. *WIT Transactions on Ecology and the Environment. WIT Press*; **2012**;157(Air Pollution XX):387–98.

Wang Q, Wang Y, Maezono T, Sekiguchi K. Gasification of waste coal biomass briquette by addition of catalytic metal components. *Baiomasu Kagaku Kaigi Happyo Ronbunshu. Nippon Enerugi Gakkai*; **2012**;7:160–1.

Nakamura S, Wang Q, Gong X, Morita J, Suzuki M, Nakajima T, et al. Burst phenomena of Japanese cedar pollen and elution mechanism of its allergen during precipitation event after transportation of Asian dust. *Earozoru Kenkyu. Nippon Earozoru Gakkai*; **2012**;27(2):182–8.

Wang Q, Mitsumura N, Chen Q, Apar P, Qian Q, Gui L, et al. Effect of phenol concentrations on the condensation reaction during the liquefaction of waste woody materials with phenol. *WIT Transactions on Ecology and the Environment. WIT Press*; **2012**;163(Waste Management and the Environment VI):355–66.

Hasegawa Y. Study of high efficient thermoelectric element using quantum effect. *Asahi Garasu Zaidan Josei Kenkyu Seika Hokoku. Asahi Garasu Zaidan*; **2012**;a59/1–a59/10.

Murata M, Hasegawa Y, Komine T, Kobayashi T. Preparation of bismuth nanowire encased in quartz template for Hall measurements using focused ion beam processing. *Nanoscale research letters*. **2012**;7(1):505.

Pataer A, Wang Q, Chen Q, Niida H. Combustion characteristics and behavior of the combustion gases of woody biomass char. *Sekitan Kagaku Kaigi Happyo Ronbunshu. Nippon Enerugi Gakkai*; **2012**;49th:102–3.

Wang Q, Niida H, Apar P, Chen Q, Mitsumura N, Sekiguchi K. Influences of pH variations on coal cleaning and desulfurization efficiency during oil agglomeration processes. *Sekitan Kagaku Kaigi Happyo Ronbunshu. Nippon Enerugi Gakkai*; **2012**;49th:10–1.

Wang Q, Maezono T, Apar P, Chen Q, Gui L, Itoh K, et al. Characterization of suspended particulate matter emitted from waste rice husk as biomass fuel under different combustion conditions. *WIT Transactions on Ecology and the Environment. WIT Press*; **2012**;157(Air Pollution XX):365–76.

## 教育学部

Bhyan SB, Minami A, Kaneko Y, Suzuki S, Arakawa K, Sakata Y, et al. Cold acclimation in the moss *Physcomitrella patens* involves abscisic acid-dependent signaling. *Journal of Plant Physiology. Elsevier GmbH*; **2012**;169(2):137–45.

Koyama Y, Kaneko Y, Matsuoka S, Matsumoto K, Hara H, Ohta N. Expression and localization of two SecA homologs in the unicellular red alga *Cyanidioschyzon merolae*. *Bioscience, biotechnology, and biochemistry*. **2012**;76(2):417–22.

Nakayama M, Kaneko Y, Miyazawa Y, Fujii N, Higashitani N, Wada S, Ishida H, Yoshimoto K, Shirasu K, Yamada K, Nishimura M, Takahashi H. A possible involvement of autophagy in amyloplast degradation in columella cells during hydrotropic response of *Arabidopsis* roots. *Planta* **2012**;236:999-1012 .

### 脳科学融合研究センター

Nakai J, Kagawa-Nagamura Y, Ohkura M, Seimiya H, Fujita T, Matsunaga T, et al. Methods for quantitative evaluation of flavors: evaluation of flavors using bioassay. *Aroma Research. Fureguransu Janaru Sha*; **2012**;13(2):126–31.

Ohkura M, Sadakari J, Nakai J. Protein engineered high performance fluorescent calcium sensors. *Kemikaru Enjiniyaringu. Kagaku Kogyosha*; **2012**;57(12):926–31.

Ohkura M, Sasaki T, Kobayashi C, Ikegaya Y, Nakai J. An improved genetically encoded red fluorescent  $\text{Ca}^{2+}$  indicator for detecting optically evoked action potentials. *PLoS One. Public Library of Science*; **2012**;7(7):e39933.

Ohkura M, Sasaki T, Sadakari J, Gengyo-Ando K, Kagawa-Nagamura Y, Kobayashi C, et al. Genetically encoded green fluorescent  $\text{Ca}^{2+}$  indicators with improved detectability for neuronal  $\text{Ca}^{2+}$  signals. *PloS one*. **2012**;7(12):e51286.

### 科学分析支援センター

Matsuura M, Fujihara T, Nagasawa A, Ng SW. Di- $\mu$ -chlorido- $\mu$ -(dimethyl sulfide)-bis{dichlorido[(dimethyl selenide- $\kappa$ Se)(dimethyl sulfide- $\kappa$ S)(0.65/0.35)]niobium(III)} (Nb-Nb). *Acta Crystallographica, Section E: Structure Reports Online [Internet]. International Union of Crystallography*; **2012**;68(9):m1166.

Ohno K, Sugaya T, Fujihara T, Nagasawa A. 2-{[2,2-Bis(diethylamino)ethan-2-yl]mthioyl}sulfanyl}-1,1-bis(diethylamino)ethylium bis(perchlorate). *Acta Crystallographica, Section E: Structure Reports Online. International Union of Crystallography*; **2012**;68(9):o2753–o2754.