

平成 25 年科学分析支援センター機器使用研究実績

理学部 基礎化学科

Futamata M, Handa S, Suzuki H, Chiba H. Critical importance of nanogaps between metal nanoparticles and metal substrates in surface enhanced raman scattering. *Proceedings of SPIE. Society of Photo-Optical Instrumentation Engineers*; **2013**; 8815 (Nanoimaging and Nanospectroscopy):881519/1–881519/17.

Handa S, Yu Y, Yajima T, Futamata M. Highly-sensitive Raman spectroscopy using gold and silver nanoparticles. *Hyomen Kagaku. Nippon Hyomen Kagakkai*; **2013**;34(8):449–54.

Hasegawa T, Izumi H, Yamada H. Structural factors in the odor of α -santalol derivatives. *Natural Product Communications. Natural Product Inc.*; **2013**;8(7):869–71.

Kishi M, Kubo Y, Ishikawa R, Shirai H, Ueno K. Efficient organic photovoltaic cells using MoO₃ hole-transporting layers prepared by simple spin-cast of its dispersion solution in methanol. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2013**;52(2):020202/1–020202/3.

Kuwabara T, Saito M, Guo J-D, Nagase S. Unexpected Formation of Ru₂Sn₂ Bicyclic Four-Membered Ring Complexes with Butterfly and Inverse-Sandwich Structures. *Inorganic Chemistry. American Chemical Society*; **2013**;52(7):3585–7.

Mikami H, Toyoda E, Nakata N, Ishii A. Synthesis of [SSSS]-type bis(thiophenol) ligand based on a trans-cyclooctane-1,2-diyl(thio) platform and an unexpected reaction with platinum complexes to produce sulfide-bis(thiolato) PtII complex. *Journal of Sulfur Chemistry. Taylor & Francis Ltd.*; **2013**;34(6):661–70.

Nakata N, Toda T, Matsuo T, Ishii A. Controlled Isospecific Polymerization of α -Olefins by Hafnium Complex Incorporating with a trans-CyclooctanediyI-Bridged [OSO]-Type Bis(phenolate) Ligand. *Macromolecules (Washington, DC, United States). American Chemical Society*; **2013**;46(17):6758–64.

Saito M, Akiba T, Kaneko M, Kawamura T, Abe M, Hada M, et al. Synthesis, Structure, and Reactivity of Lewis Base Stabilized Plumbacyclopentadienylidenes. *Chemistry - A European Journal. Wiley-VCH Verlag GmbH & Co. KGaA*; **2013**;19(50):16946–53 (Selected as a back cover).

Saito M, Fujita M, Kanatomi Y, Ishimura K. Debromination of 1,2-bis(phenylseleno)benzene dibromide. *Bulletin of the Chemical Society of Japan. Chemical Society of Japan*; **2013**;86(8):990–2.

Toda T, Nakata N, Matsuo T, Ishii A. Synthesis, Structure, and 1-Hexene Polymerization Catalytic Ability of Group 5 Metal Complexes Incorporating an [OSO]-Type Ligand. *ACS Catalysis. American Chemical Society*; **2013**;3(8):1764–7.

Yamaguchi Y, Nakata N, Ishii A. Strong Solid-State Phosphorescence of 1,2-Telluraplatinacycles Incorporated into Rigid Dibenzobarrelene and Triptycene Skeletons. *European Journal of Inorganic Chemistry. Wiley-VCH Verlag GmbH & Co. KGaA*; **2013**;2013(30):5233–9.

Yu Y, Handa S, Yajima T, Futamata M. Flocculation of Ag nanoparticles elucidating adsorbed p-mercaptopbenzoic acid by surface enhanced Raman scattering. *Chemical Physics Letters. Elsevier B.V.*; **2013**;560:49–54.

長谷川 登志夫, “お香の香気成分 (Aroma components of incense)”, におい・かおり環境学会誌 (*J. Japan Association on Odor Environment*), 44, 133–140 (2013).

理学部 分子生物学科

Endo M, Kotake T, Watanabe Y, Kimura K, Tsumuraya Y. Biosynthesis of the carbohydrate moieties of arabinogalactan proteins by membrane-bound β -glucuronosyltransferases from radish primary roots. *Planta. Springer*; **2013**;238(6):1157–69.

Otsuru M, Yu Y, Mizoi J, Kawamoto-Fujioka M, Wang J, Fujiki Y, et al. Mitochondrial Phosphatidylethanolamine Level Modulates Cyt c Oxidase Activity to Maintain Respiration Capacity in *Arabidopsis thaliana* Rosette Leaves. *Plant and Cell Physiology. Oxford University Press*; **2013**;54(10):1612–9.

Fujiki Y, Kudo K, Ono H, Otsuru M, Yamaoka Y, Akita M, et al. Genetic disruption of CRC 12S globulin increases seed oil content and seed yield in *Arabidopsis thaliana*. *Plant Biotechnology (Tokyo, Japan). Japanese Society for Plant Cell and Molecular Biology*; **2013**;30(4):327–33.

Jimbo H, Noda A, Hayashi H, Nagano T, Yumoto I, Oriasa Y, et al. Expression of a highly active catalase VktA in the cyanobacterium *Synechococcus elongatus* PCC 7942 alleviates the photoinhibition of photosystem II. *Photosynthesis Research. Springer*; **2013**;117(1-3):509–15.

Kotake T, Hamamoto S, Saito T, Ohnishi J, Komatsu T, Tsumuraya Y. Characterization of alkali-soluble polysaccharides in deep subsoil layers. *Soil Science and Plant Nutrition (Abingdon, United Kingdom). Taylor & Francis Ltd.*; **2013**;59(6):871–6.

Kitazawa K, Tryfona T, Yoshimi Y, Hayashi Y, Kawauchi S, Antonov L, et al. β -Galactosyl Yariv reagent binds to the β -1,3-galactan of arabinogalactan proteins. *Plant Physiology. American Society of Plant Biologists*; **2013**;161(3):1117–26.

Hashimoto M, Seki T, Matsuoka S, Hara H, Asai K, Sadaie Y, et al. Induction of extracytoplasmic function sigma factors in *Bacillus subtilis* cells with defects in lipoteichoic acid synthesis. *Microbiology (Reading, United Kingdom). Society for General Microbiology*; **2013**;159(1):23–35.

理学部 生体制御学科

Aizawa S, Sakata I, Nagasaka M, Higaki Y, Sakai T. Negative regulation of neuromedin U mRNA expression in the rat pars tuberalis by melatonin. *PLoS One. Public Library of Science*; **2013**;8(7):e67118.

Inoue M, Aizawa S, Higaki Y, Kawashima A, Koike K, Takagi H, et al. Detailed morphogenetic analysis of the embryonic chicken pars tuberalis as glycoprotein alpha subunit positive region. *Journal of Molecular Histology. Springer*; **2013**;44(4):401–9.

Mondal A, Aizawa S, Sakata I, Goswami C, Oda S, Sakai T. Mechanism of ghrelin-induced gastric contractions in *Suncus murinus* (house musk shrew): involvement of intrinsic primary afferent neurons. *PLoS One. Public Library of Science*; **2013**;8(4):e60365.

Miyano Y, Sakata I, Kuroda K, Aizawa S, Tanaka T, Jogahara T, et al. The role of the vagus nerve in the migrating motor complex and ghrelin- and motilin-induced gastric contraction in suncus. *PLoS One. Public Library of Science*; **2013**;8(5):e64777.

Sakata I, Sakai T. Animal models in study of food intake and enterokinesis. *Suncus murinus*, a small mammal which produces motilin and ghrelin. *G.I. Research. Sentan Igakusha*; **2013**;21(1):25–30.

Ma L, Kazama Y, Inoue H, Abe T, Hatakeyama S, Tanaka S. The type of mutations induced by carbon-ion-beam irradiation of the filamentous fungus *Neurospora crassa*. *Fungal Biology. Elsevier Ltd.*; **2013**;117(4):227–38.

Gong Z, Yoshimura M, Aizawa S, Kurotani R, Zigman JM, Sakai T, et al. G protein-coupled receptor 120 signaling regulates ghrelin secretion in vivo and in vitro. *American Journal of Physiology. American Physiological Society*; **2014**;306(1, Pt. 1):E28–E35.

Kurashima K, Chae M, Inoue H, Hatakeyama S and Tanaka S. Ultraviolet sensitive-5 is deficient for a mitofusin homologue, fz01, which is involved in the maintenance of long lifespan in *Neurospora crassa*. *Eukaryotic Cell*. **2013**, 12(2):233–143.

工学部 電気電子システム工学科

Yagi S, Noguchi S, Hijikata Y, Kuboya S, Onabe K, Yaguchi H. Conversion efficiency of intermediate band solar cells with GaAs:N δ -doped superlattices. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2013**;52(10, Pt. 1):102302/1–102302/4.

Myoren H, Taguchi S, Ohshima K, Wakatsuki T, Taino T, Parlato L, et al. Performance of superconducting single-photon detectors using NbN/NiCu nanowires. *IEEE Transactions on Applied Superconductivity. Institute of Electrical and Electronics Engineers*; **2013**;23(3, Pt. 1):2201304/1–2201304/4.

Yagi S, Suzuki J, Orihara M, Hijikata Y, Yaguchi H. Stacked structure of self-organized cubic InN nano-dots grown by molecular beam epitaxy. *Physica Status Solidi C: Current Topics in Solid State Physics. Wiley-Blackwell*; **2013**;10(11):1545–8.

Suzuki J, Orihara M, Yagi S, Hijikata Y, Yaguchi H. RF-MBE growth of cubic InN nano-scale dots on cubic GaN. *Journal of Crystal Growth. Elsevier B.V.*; **2013**;378:454–8.

工学部 応用化学科

Kodama K, Kobayashi A, Hirose T. Synthesis and spectral properties of ruthenium(II) complexes based on 2,2'-bipyridines modified by a perylene chromophore. *Tetrahedron Letters. Elsevier Ltd.*; **2013**;54(40):5514–7.

Wang Q, Mitsumura N, Chen Q, Apar P, Niida H, Ito S, et al. Suppression method of the condensation reaction during phenol liquefaction of woody material. *WIT Transactions on Ecology and the Environment. WIT Press*; **2013**;176(Energy and Sustainability IV):279–90.

Kinoshita H, Uemura R, Fukuda D, Miura K. Platinum-Catalyzed One-Pot Alkenylation of Aldehydes Using Alkynes and Triethylsilane: Dual Catalysis by Platinum(II) Chloride. *Organic Letters. American Chemical Society*; **2013**;15(21):5538–41.

Nagashima S, Yamazaki H, Kudo K, Kamiguchi S, Chihara T. S-Acylation of aliphatic and aromatic thiols with carboxylic acids and their esters over solid acid catalysts in the gas phase at temperatures above 200 °C. *Applied Catalysis, A: General. Elsevier B.V.*; **2013**;464–465:332–8.

Takeshi K, Takagi K, Fukuda T, Chihara T, Tajima Y. Film-forming properties of fullerene derivatives in electrospray deposition method. *Journal of Surface Engineered Materials and Advanced Technology. Scientific Research Publishing, Inc.*; **2013**;3(1A):84–88, 5 pp.

Jinzaki T, Arakawa M, Kinoshita H, Ichikawa J, Miura K. Nucleophilic Addition of α -(Dimethylsilyl)nitriles to Aldehydes and Ketones. *Organic Letters. American Chemical Society*; **2013**;15(14):3750–3.

Shitara H, Shintani T, Kodama K, Hirose T. Solvent-Induced Reversed Stereoselectivity in Reciprocal Resolutions of Mandelic Acid and erythro-2-Amino-1,2-diphenylethanol. *Journal of Organic Chemistry. American Chemical Society*; **2013**;78(18):9309–16.

Wang Q, Qiao Q, Chen Q, Mitsumura N, Kurokawa H, Sekiguchi K, et al. Process analysis of waste bamboo materials using solvent liquefaction. *WIT Transactions on Ecology and the Environment. WIT Press*; **2013**;176(Energy and Sustainability IV):267–77.

Miura H. Catalyst technology for butadiene preparation: dehydrogenation and oxidative dehydrogenation. *Petrotech (Tokyo, Japan). Sekiyu Gakkai*; **2013**;36(3):205–9.

Kinoshita H, Takahashi H, Miura K. Regioselective synthesis of multisubstituted benzenes by palladium-catalyzed intermolecular reaction of β -iodo- β -silylstyrenes with alkynes. *Organic Letters. American Chemical Society*; **2013**;15(12):2962–5.

Kakiage M, Yoshikoshi D, Yanase I, Kobayashi H. Preparation of crystalline turbostratic boron nitride nanoparticles by combination of precursor compound formation and impurity segregation from boric acid and urea. *Key Engineering Materials. Trans Tech Publications Ltd.*; **2013**;534(Advanced Micro-Device Engineering III):55–60, 7 pp.

Tahara N, Kakiage M, Yanase I, Kobayashi H. Effect of addition of tartaric acid on synthesis of boron carbide powder from condensed boric acid-glycerin product. *Journal of Alloys and Compounds. Elsevier B.V.*; **2013**;573:58–64.

Yanase I, Mizuno T, Kobayashi H. Structural phase transition and thermochromic behavior of synthesized W-substituted CuMoO₄. *Ceramics International. Elsevier Ltd.*; **2013**;39(2):2059–64.

Nagashima S, Kudo K, Yamazaki H, Kamiguchi S, Chihara T. Gas-phase S-alkylation of benzenethiol with aliphatic alcohols, ethers, esters, alkyl halides and olefins over halide cluster catalysts of Groups 5 and 6 transition metals. *Applied Catalysis, A: General. Elsevier B.V.*; **2013**;450:50–6.

Kurokawa H, Miura K, Yamamoto K, Sakuragi T, Sugiyama T, Ohshima M, et al. Oligomerization of ethylene to produce linear α -olefins using heterogeneous catalyst prepared by immobilization of α -diimininenickel(II) complex into fluorotetrasilicic mica interlayer. *Catalysts. MDPI AG*; **2013**;3(1):125–36.

Kakiage M, Tahara N, Watanabe R, Yanase I, Kobayashi H. Microstructure in precursor formed by controlling composition of condensed boric acid-poly(vinyl alcohol) product for low-temperature synthesis of boron carbide powder. *Journal of the Ceramic Society of Japan. Ceramic Society of Japan*; **2013**;121(Jan.):40–4.

Yamakawa T, Kinoshita H, Miura K. Synthetic utility of tribenzytin hydride and its derivatives as easily accessible, removable, and decomposable organotin reagents. *Journal of Organometallic Chemistry. Elsevier B.V.*; **2013**;724:129–34.

Kakiage M, Tahara N, Tominaga Y, Yanagidani S, Yanase I, Kobayashi H. Effect of molecular structure of polyols with different molecular characteristics on synthesis of boron carbide powder. *Key Engineering Materials. Trans Tech Publications Ltd.*; **2013**; 534 (Advanced Micro-Device Engineering III):61–65, 6 pp.

Ouchi K, Saito S, Shibukawa M. New Molecular Motif for Recognizing Sialic Acid Using Emissive Lanthanide-Macrocyclic Polyazacarboxylate Complexes: Deprotonation of a Coordinated Water Molecule Controls Specific Binding. *Inorganic Chemistry. American Chemical Society*; **2013**;52(11):6239–41.

Kakiage M, Kobayashi H. Synthesis of boron carbide powder by soft chemical process. *Journal of Technical Association of Refractories, Japan. Technical Association of Refractories, Japan*; **2013**;33(3):155–67.

Kato M, Hari T, Saito S, Shibukawa M. Determination of free lime in steelmaking slags by use of ethylene glycol extraction/ICP-AES and thermogravimetry. *Tetsu to Hagane. Iron and Steel Institute of Japan*; **2014**;100(3):10–5.

Kamiguchi S, Takeda K, Kajio R, Okumura K, Nagashima S, Chihara T. Application of Solid-State Molybdenum Sulfide Clusters with an Octahedral Metal Framework to Catalysis: Ring-Opening of Tetrahydrofuran to Butyraldehyde. *Journal of Cluster Science. Springer*; **2013**;24(2):559–74.

Kurokawa H, Nakazato Y, Tahara S, Katakura T, Ishihama Y, Sakuragi T, et al. Copolymerization of Ethylene with Vinyl Monomers using Heterogeneous Catalysts Consisting of α -Diimine Ni(II) Complexes Immobilized into a Fluorotetrasilicic Mica Interlayer in the Presence of an Alkylaluminum Compound. *Macromolecular Reaction Engineering. Wiley-VCH Verlag GmbH & Co. KGaA*; **2013**;7(3-4):125–34.

Kano Y, Ohshima M, Kurokawa H, Miura H. Dehydrogenation of ethylbenzene over Fe-Ce-Rb and Fe-Ce-Cs mixed oxide catalysts. *Reaction Kinetics, Mechanisms and Catalysis. Akademiai Kiado*; **2013**;109(1):29–41.

Saito S, Kawashima M, Ohshima H, Enomoto K, Sato M, Yoshimura H, et al. Separation of metalloproteins using a novel metal ion contaminant sweeping technique and detection of protein-bound copper by a metal ion probe in polyacrylamide gel electrophoresis: distribution of copper in human serum. *Analyst (Cambridge, United Kingdom)*. Royal Society of Chemistry; 2013;138(20):6097–105.

三浦 勝清, “有機ケイ素反応剤を利用する新規炭素—炭素結合形成反応の開発”, ケイ素化学協会誌, 30, 5–12 (2013).

工学部 機能材料工学科

Sakai M, Kodama D, Okano Y, Sakuraba T, Honda Z, Kitajima A, et al. Magnetoresistance generated by combination of spin-orbit interaction and applied magnetic field in bipolar conductors. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; 2013;52(9, Pt. 1):093001/1–093001/8.

Arai S, Fujimori A. Structural estimation of functional organized molecular films by using polarized near-edge x-ray absorption fine structure spectroscopy. *Bunseki Kagaku. Nippon Bunseki Kagakkai*; 2013;62(7):611–25.

Fukuda T, Takagi K, Liao Y. Insertion of fullerene layer for bulk heterojunction organic photovoltaic cell fabricated by electrospray deposition method. *Physica Status Solidi RRL: Rapid Research Letters*. Wiley-VCH Verlag GmbH & Co. KGaA; 2013;7(12):1055–8.

Tajima R, Kamishima K, Kakizaki K, Hiratsuka N, Fujimori A, Sakai M, et al. Synthesis of a new U-type hexaferrite Ba₄Cu₂Fe₃₆O₆₀. *Transactions of the Materials Research Society of Japan. Materials Research Society of Japan*; 2013;38(3):451–4.

Takeshi K, Takagi K, Fukuda T, Chihara T, Tajima Y. Film-forming properties of fullerene derivatives in electrospray deposition method. *Journal of Surface Engineered Materials and Advanced Technology. Scientific Research Publishing, Inc.*; 2013;3(1A):84–88, 5 pp.

Fujimori A. Fabrication and structural estimation of “polymer nanosphere multilayered organization”. *MATEC Web of Conferences. EDP Sciences*; 2013;4:03002/1–03002/4, 4 pp.

Hiratsuka N, Yuki S, Kamishima K, Kakizaki K. Fine structure and magnetic properties of Ni-Zn ferrite nanoparticles prepared by ultrasonic spray pyrolysis. *Funtai oyobi Funmatsu Yakin. Funtai Funmatsu Yakin Kyokai*; 2013;60(6):257–62.

Fukuda T, Kimura S, Kamata N, Mori K, Hatano K. Improved Signal-to-Noise Ratio of Green-Sensitive Organic Photoconductive Device by Doping Silole Derivative. *Molecular Crystals and Liquid Crystals. Taylor & Francis, Inc.*; 2013;578(1):119–26.

Khatri I, Tang Z, Hiate T, Liu Q, Ishikawa R, Ueno K, et al. Optical and carrier transport properties of graphene oxide based crystalline-Si/organic Schottky junction solar cells. *Journal of Applied Physics* (Melville, NY, United States). American Institute of Physics; 2013;114(23):234506/1–234506/7.

Ishimaru Y, Kobayashi Y, Fujihara T. Preparation of Nickel(II) 5,10,15,20-tetraphenyl[1,2-c]pyrrolo-21-ethylcarboxyl-22-dipyrrylmethylporphyrin. *X-Ray Structure Analysis Online. Japan Society for Analytical Chemistry*; 2013;29(9):37–38, 2 pp.

Suzuki M, Ishimaru Y, Saito A, Nishigaki K. Simple preparation of green fluorescent protein conjugated with β -cyclodextrin in a site specific manner. *Analytical Sciences. Japan Society for Analytical Chemistry*; 2013;29(8):811–4.

Ishimaru Y, Yokomizo K, Fujihara T. crystal structure of nickel(II) 5,10,15,20-tetraphenyl[1,2-c](4',5'- dimethyl)imidazolylpyrrolo-21-ethylcarboxylporphyrin. *X-Ray Structure Analysis Online. Japan Society for Analytical Chemistry*; 2013;29(10):39–40, 2 pp.

Ishimaru Y, Yokomizo K. ^1H NMR analysis of a self-assembling system of pyrrole-fused porphyrin-zinc complexes. *Bunseki Kagaku. Nippon Bunseki Kagakkai*; 2013;62(10):937–41.

Liu Q, Khatri I, Ishikawa R, Fujimori A, Ueno K, Manabe K, et al. Improved photovoltaic performance of crystalline-Si/organic Schottky junction solar cells using ferroelectric polymers. *Applied Physics Letters. American Institute of Physics*; 2013;103(16):163503/1–163503/5.

Fujimori A, Arai S, Kusaka J, Kubota M, Kurosaka K. Formation and structure of Langmuir-Blodgett films of organo-modified aluminosilicate with high surface coverage. *Journal of Colloid and Interface Science. Elsevier B.V.*; 2013;392:256–65.

Liu Q, Imamura T, Hiate T, Khatri I, Tang Z, Ishikawa R, et al. Optical anisotropy in solvent-modified poly(3,4-ethylenedioxothiophene):poly(styrenesulfonic acid) and its effect on the photovoltaic performance of crystalline silicon/organic heterojunction solar cells. *Applied Physics Letters. American Institute of Physics*; 2013;102(24):243902/1–243902/4.

Liu Q, Khatri I, Ishikawa R, Ueno K, Shirai H. Effects of molybdenum oxide molecular doping on the chemical structure of poly(3,4-ethylenedioxothiophene):poly(styrenesulfonate) and on carrier collection efficiency of silicon/poly(3,4-ethylenedioxothiophene):poly(styrenesulfonate) heterojunction solar . *Applied Physics Letters. American Institute of Physics*; 2013;102(18):183503/1–183503/4.

Khatri I, Tang Z, Liu Q, Ishikawa R, Ueno K, Shirai H. Green-tea modified multiwalled carbon nanotubes for efficient poly(3,4-ethylenedioxothiophene):poly(styrenesulfonate)/n-silicon hybrid solar cell. *Applied Physics Letters. American Institute of Physics*; 2013;102(6):063508/1–063508/5.

Hatano K, Matsuoka K, Terunuma D. Carbosilane glycodendrimers. *Chemical Society Reviews. Royal Society of Chemistry*; **2013**;42(11):4574–98.

Sakuraba T, Hirama H, Sakai M, Honda Z, Hayakawa M, Okoshi T, et al. Crystal growth of magnetic dihydride GdxY_{1-x}H₂ for generation of spin current. *Journal of Crystal Growth. Elsevier B.V.*; **2013**;378:351–5.

Hirama H, Hayakawa M, Okoshi T, Sakai M, Higuchi K, Kitajima A, et al. Enhancement of hydrogen uptake for Y and Gd films by thin Ni surface overlayers. *Journal of Crystal Growth. Elsevier B.V.*; **2013**;378:356–60.

Li T, Honda Z, Fukuda T, Luo J, Kamata N. Fabrication and characterization of Zn₃V₂O₈ phosphor by sol-gel process. *Journal of Sol-Gel Science and Technology. Springer*; **2013**;66(2):225–30.

Kishi M, Kubo Y, Ishikawa R, Shirai H, Ueno K. Efficient organic photovoltaic cells using MoO₃ hole-transporting layers prepared by simple spin-cast of its dispersion solution in methanol. *Japanese Journal of Applied Physics. Japan Society of Applied Physics*; **2013**;52(2):020202/1–020202/3.

Yamaoka M, Asami S-S, Funaki N, Kimura S, Liao Y, Fukuda T, et al. Preparation of organic light-emitting diode using coal tar pitch, a low-cost material, for printable devices. *PLoS One. Public Library of Science*; **2013**;8(5):e62903.

Okoshi T, Hayakawa M, Hirama H, Sakai M, Higuchi K, Kitajima A, et al. Influence of hydrogen incorporation on texture and grain size in YH₂ films. *Journal of Crystal Growth. Elsevier B.V.*; **2013**;378:388–92.

Kitamura Y, Koshino H, Nakamura T, Tsuchida A, Nitoda T, Kanzaki H, et al. Total synthesis of the proposed structure for pochonicine and determination of its absolute configuration. *Tetrahedron Letters. Elsevier Ltd.*; **2013**;54(11):1456–9.

Ogiso M, Matsuoka K, Okada T, Imai T, Itoh M, Imamura T, et al. Immobilization of carbohydrate clusters on a quartz crystal microbalance sensor surface. *Journal of Colloid and Interface Science. Elsevier B.V.*; **2013**;393:257–63.

Ogiso M, Kobayashi J, Imai T, Matsuoka K, Itoh M, Imamura T, et al. Carbohydrate immobilized on a dendrimer-coated colloidal gold surface for fabrication of a lectin-sensing device based on localized surface plasmon resonance spectroscopy. *Biosensors & Bioelectronics. Elsevier B.V.*; **2013**;41:465–70.

Rahman MM, Kitao S, Tsuji D, Suzuki K, Sakamoto J-I, Matsuoka K, et al. Inhibitory effects and specificity of synthetic sialyldendrimers toward recombinant human cytosolic sialidase 2 (NEU2). *Glycobiology. Oxford University Press*; **2013**;23(4):495–504.

T. Fukuda, K. Takagi, N. Kamata, J. Ju, and Y. Yamagata, “Reduced Surface Roughness of P3HT:PCBM Thin Films with Different Ratios by Electrospray Deposition Method”, *IEICE Trans. Electron.*, vol.E96-C, 362–364 (2013).

T. Fukuda, S. Kimura, R. Kobayashi, and A. Furube, “Ultrafast Study of Charge Generation and Device Performance of a Silole-Doped Fluorene-Mixed Layer for Blue-Sensitive Organic Photoconductive Devices”, *Phys. Status Sol.(a)*, vol.210, 2674–2682 (2013).

澤田 英夫監修,『フッ素樹脂の最新動向』, 第 14 章, “結晶性フッ素系共重合体による耐熱性透明材料の創製 (藤森厚裕著)”, (株)シーエムシー出版, 139–148 (2013).

武志 一正, 高木 健次, 福田 武司, 千原 貞次, 田島 右副, “静電塗布法によるフラーレン誘導体の薄膜形成における印加電圧と膜質の関係”, 精密工学会誌, vol.79, 170–175 (2013).

工学部 環境共生学科

Chen Q, Wang Q, Mitsumura N, Niida H. Improved cellulose by ionic liquid mixture with solid acid catalysis and its application in polyethylene glycol liquefaction. *Materials Sciences and Applications. Scientific Research Publishing, Inc.*; 2013;4(12):839–845, 7 pp.

Hasegawa Y, Murata M, Tsunemi F, Saito Y, Shirota K, Komine T, et al. Thermal Conductivity of an Individual Bismuth Nanowire Covered with a Quartz Template Using a 3-Omega Technique. *Journal of Electronic Materials. Springer*; 2013;42(7):2048–55.

Kim KH, Sekiguchi K, Kudo S, Kinoshita M, Sakamoto K. Carbonaceous and ionic components in ultrafine and fine particles at four sampling sites in the vicinity of roadway intersection. *Atmospheric Environment. Elsevier Ltd.*; 2013;74:83–92.

Murata M, Tsunemi F, Saito Y, Shirota K, Fujiwara K, Hasegawa Y, et al. Temperature Coefficient of Electrical Resistivity in Individual Single-Crystal Bismuth Nanowires. *Journal of Electronic Materials. Springer*; 2013;42(7):2143–50.

Ortiz R, Shimada S, Sekiguchi K, Wang Q, Sakamoto K. Atmospheric concentrations of semivolatile bifunctional carbonyl compounds and the contribution from motor vehicles. *Asian Journal of Atmospheric Environment. Asian Association for Atmospheric Environment*; 2013;7(3):152–60.

Sekiguchi K, Shimizu A. Vapor phase decomposition of organic contaminants in water using ultrasonic misting technology. *Kemikaru Enjiniyaringu. Kagaku Kogyosha*; 2013;58(4):276–81.

Tsunemi F, Murata M, Saito Y, Shirota K, Hasegawa Y, Komine T. Shubnikov-de Haas oscillations in single-crystal bismuth nanowires encased in quartz template. *Applied Physics Express. Japan Society of Applied Physics*; 2013;6(4):045002/1–045002/4.

Wang Q, Endo T, Apar P, Gui L, Chen Q, Mitsumura N, et al. Study on heterogeneous reaction between tar and ash from waste biomass pyrolysis and gasification. *WIT Transactions on Ecology and the Environment*. WIT Press; 2013;176(Energy and Sustainability IV):291–302.

Wang Q, Itoh S, Itoh K, Apar P, Chen Q, Niida D, et al. Behavior of suspended particulate matter emitted from combustion of agricultural residue biomass under different temperatures. *WIT Transactions on Ecology and the Environment*. WIT Press; 2013;176(Energy and Sustainability IV):315–25.

Wang Q, Mitsumura N, Chen Q, Apar P, Niida H, Ito S, et al. Suppression method of the condensation reaction during phenol liquefaction of woody material. *WIT Transactions on Ecology and the Environment*. WIT Press; 2013;176(Energy and Sustainability IV):279–90.

Wang Q, Qiao Q, Chen Q, Mitsumura N, Kurokawa H, Sekiguchi K, et al. Process analysis of waste bamboo materials using solvent liquefaction. *WIT Transactions on Ecology and the Environment*. WIT Press; 2013;176(Energy and Sustainability IV):267–77.

Wang Q.*, Gong X., Suzuki M., Lu S., Nakajima D., Sekiguchi K. and Miwa M., Size-segregated allergenic particles released from airborne Cryptomeria japonica pollen grains during the Yellow Sand events within the pollen scattering seasons, *Asian Journal of Atmospheric Environment (AJAE)*; 2013, Vol. 7(4), 191–198.

Wang Q.*, Nakamura S., Lu S., Nakajima D., Suzuki M., Sekiguchi K., Miwa M., Diurnal and nocturnal behaviour of airborne Cryptomeria japonica pollen grains and the allergenic species in urban atmosphere of Saitama, Japan, *Asian Journal of Atmospheric Environment (AJAE)*; 2013, Vol. 7(2), 65–71.

Wang Q.*, N. H. Niida, P. Apar, Q. Chen, L. Gui, Q. Qian, N. Mitsumura, T. Endou, S. Animesh, H. Kurokawa, Clarification of the reaction at the solution interface of pyrite during oil agglomeration for developing desulfurization and coal cleaning efficiency, *WIT Transactions on Ecology and the Environment*, Vol.176, Energy and Sustainability IV, WIT Press, ISSN 1743–354 (2013).

教育学部

Kaniya Y, Kizawa A, Miyagi A, Kawai-Yamada M, Uchimiya H, Kaneko Y, et al. Deletion of the transcriptional regulator cyAbrB2 deregulates primary carbon metabolism in *Synechocystis* sp. PCC 6803. *Plant Physiology*. American Society of Plant Biologists; 2013;162(2):1153–63.

脳科学融合研究センター

Ohkura M, Nakai J. Development of the genetically encoded red fluorescent Ca²⁺ indicator R-CaMP1.07. *Nippon Yakurigaku Zasshi. Nippon Yakuri Gakkai*; **2013**;141(3):175.

Ohkura M, Nakai J. Ca²⁺ imaging of neurons and astrocytes with genetically encoded Ca²⁺ indicators. *Nippon Yakurigaku Zasshi. Nippon Yakuri Gakkai*; **2013**;142(5):226–30.

地圏科学研究センター

Matsushita T, Osada M, Takahashi M. AMS 14C ages and petrological features for solidified fractures with carbonates at coastal outcrops of Yakushima Island, Japan. *Environmental Earth Sciences. Springer*; **2013**;68(2):577–84.

Oguchi CT. Salt weathering of rocks and cement mortar materials due to sulfates. *Ryusan to Kogyo. Ryusan Kyokai*; **2013**;66(5):67–77.

Kamh, G. M. E., Ismael, B. and Oguchi, C. T.: Pore Size Distribution and Wall Side Orientation Controlling Salt Susceptibility Index “SSI” and Weathering Rate of Stratified Pharaonic Rock Art. *Restoration of Buildings and Monuments. Bauinstandsetzen und Baudenkmalpflege*. vol. 19, no. 5, 1–22, **2013**.

Kamh, G. M., Oguchi, C. T. and Watanabe, K.: Factors Controlling Salt Susceptibility and Alteration Indices on Salt Weathering of Oolitic Limestone using Single Salt at Five Weathering Regimes, a case study. *Restoration of Buildings and Monuments "An International Journal"*, vol. 19, no. 6, 1–24, **2013**.

Swe, Yu, and Oguchi, C.T.: Is sheer thenardite attack impotent compared with cyclic conversion of thenardite–mirabilite mechanism in laboratory simulation tests? *Engineering Geology*, vol. 152, 148–54, **2013**.

Kamh, G.M.E., Shehata, A.A., Oguchi, C.T., Rabea, R.A. and El-Sayed, S.S.M.: Geological and geotechnical parameters controlling wall paints detachment at selected XXVI dynasty tombs, Bahariya Oasis, Egypt, *Restoration of Buildings and Monuments*, vol. 19, 11–30, **2013**.

科学分析支援センター

Ido Y, Fujihara T, Nagasawa A. Di- μ -acetato- κ^4 O:O'- μ -oxido- κ^2 O:O'-bis[cis-(2,2'-bipyridine- κ^2 N,N')-trans-(pyridine- κ^N)ruthenium(III)] bis(hexafluoridophosphate). *Acta Crystallographica, Section E: Structure Reports Online. International Union of Crystallography*; **2013**;69(3):m145–m146.

Ido Y, Sakaguchi K, Tasei M, Minami S, Sawamoto H, Fujihara T, et al. A Kinetic Study on the Substitution for Acetonitrile at the trans-to- μ -Oxido Sites in a Bis(μ -acetato)(μ -oxido)diruthenium(III) Dipositive Complex: Dissociative-Associative Transition of the Activation Mode for the Substitution of Pyridine Derivatives. *European Journal of Inorganic Chemistry*. Wiley-VCH Verlag GmbH & Co. KGaA; **2013**;2013(21):3641–50.

Ishimaru Y, Kobayashi Y, Fujihara T. Preparation of Nickel(II) 5,10,15,20-tetraphenyl[1,2-c]pyrrolo-21-ethylcarboxyl-22-dipyrrylmethylporphyrin. *X-Ray Structure Analysis Online*. Japan Society for Analytical Chemistry; **2013**;29(9):37–38, 2 pp.

Ishimaru Y, Yokomizo K, Fujihara T. crystal structure of nickel(II) 5,10,15,20-tetraphenyl[1,2-c](4',5'-dimethyl)imidazolylpyrrolo-21-ethylcarboxylporphyrin. *X-Ray Structure Analysis Online*. Japan Society for Analytical Chemistry; **2013**;29(10):39–40, 2 pp.

Kato M, Unoura K, Takayanagi T, Ikeda Y, Fujihara T, Nagasawa A. Preferential Behavior on Donating Atoms of an Ambidentate Ligand 2-Methylisothiazol-3(2H)-one in Its Metal Complexes. *Inorganic Chemistry*. American Chemical Society; **2013**;52(23):13375–83.

Matsuura M, Fujihara T, Kakeya M, Sugaya T, Nagasawa A. Dinuclear niobium(III) and tantalum(III) complexes with thioether and selenoether ligands [$\{MIII X_2(L)\}_2(\mu-X)_2(\mu-L)\}$ ($M = Nb, Ta$; $X = Cl, Br$; $L = R_2S, R_2Se$): Syntheses, structures, and the optimal conditions and the mechanism of the catalysis for regiosele. *Journal of Organometallic Chemistry*. Elsevier B.V.; **2013**;745-746:288–98.

Matsuura M, Fujihara T, Nagasawa A. cis-Dichloridobis(ethyl methyl sulfide- κ S)oxidovanadium(IV). *Acta Crystallographica, Section E: Structure Reports Online*. International Union of Crystallography; **2013**;69(4):m209.

Sugaya T, Ohba T, Sai F, Mashima S, Fujihara T, Unoura K, et al. Syntheses and Properties of Dinuclear Group 6 Metal Complexes with the Zwitterionic Sulfur Donor Ligand Bis(N,N-diethylamino)carbeniumdithiocarboxylate. *Organometallics*. American Chemical Society; **2013**;32(12):3441–50.

Hatakeyama S. Mutagen response and repair. *Neurospora*. Caister Academic Press; **2013**. p. 129–53.

Ma L, Kazama Y, Inoue H, Abe T, Hatakeyama S, Tanaka S. The type of mutations induced by carbon-ion-beam irradiation of the filamentous fungus *Neurospora crassa*. *Fungal Biology*. Elsevier Ltd.; **2013**;117(4):227–38.

Kurashima K, Chae M, Inoue H, Hatakeyama S and Tanaka S. Ultraviolet sensitive-5 is deficient for a mitofusin homologue, fz01, which is involved in the maintenance of long lifespan in *Neurospora crassa*. *Eukaryotic Cell*. **2013**, 12(2):233–143.