

平成 26 年科学分析支援センター機器使用研究業績

教育学部

Akter K, Kato M, Sato Y, Kaneko Y, Takezawa D. Absciscic acid-induced rearrangement of intracellular structures associated with freezing and desiccation stress tolerance in the liverwort *Marchantia polymorpha*. *Journal of Plant Physiology. Elsevier GmbH*; **2014**;171(15):1334–43.

Asaeda T, Senavirathna MDHJ, Kaneko Y, Rashid MH. Effect of calcium and magnesium on the growth and calcite encrustation of *Chara fibrosa*. *Aquatic Botany. Elsevier B.V.*; **2014**;113:100–6.

Duan Z, Homma A, Kobayashi M, Nagata N, Kaneko Y, Fujiki Y, et al. Photoassimilation, Assimilate Translocation and Plasmodesmal Biogenesis in the Source Leaves of *Arabidopsis thaliana* Grown Under an Increased Atmospheric CO₂ Concentration. *Plant and Cell Physiology. Oxford University Press*; **2014**;55(2):358–69.

Hanai M, Sato Y, Miyagi A, Kawai-Yamada M, Tanaka K, Kaneko Y, et al. The effects of dark incubation on cellular metabolism of the wild type cyanobacterium *Synechocystis* sp. PCC 6803 and a mutant lacking the transcriptional regulator *cyAbrB2*. *Life (Basel, Switzerland). MDPI AG*; **2014**;4(4):770–87.

Seki Y, Nitta K, Kaneko Y. Observation of polyphosphate bodies and DNA during the cell division cycle of *Synechococcus elongatus* PCC 7942. *Plant Biology (Berlin, Germany). Wiley-Blackwell*; **2014**;16(1):258–63.

Matsuoka K, Yamashita R, Ichinose M, Kondo M, Yoshimura T. Solubilization of naphthalene and octafluoronaphthalene in ionic hydrocarbon and fluorocarbon surfactants. *Colloids and Surfaces, A: Physicochemical and Engineering Aspects. Elsevier B.V.*; **2014**;456:83–91.

理学部 物理学科

Katano S, Nakagawa H, Matsubayashi K, Uwatoko Y, Soeda H, Tomita T, et al. Anomalous pressure dependence of the superconductivity in noncentrosymmetric *LaNiC₂*: evidence of strong electronic correlations. *Physical Review B: Condensed Matter and Materials Physics. American Physical Society*; **2014**;90(22):220508/1–220508/4, 4 pp.

Chiba H, Suzuki H, Futamata M. Highly sensitive Raman spectroscopy using a gap mode plasmon under an attenuated total reflection geometry. *Vibrational Spectroscopy. Elsevier B.V.*; **2014**;73:19–23.

Futamata M, Ishikura M, Iida C, Handa S. The critical importance of gap modes in surface enhanced Raman scattering. *Faraday Discussions. Royal Society of Chemistry*; **2014**;Ahead of Print.

Handa S, Suzuki H, Chiba H, Futamata M. Critical importance of a gap mode in surface enhanced raman scattering. *Hyomen Kagaku. Nippon Hyomen Kagakkai*; **2014**;35(7):345–50.

Handa S, Yu Y, Futamata M. Adsorbed state of p-mercaptobenzoic acid on silver nanoparticles. *Vibrational Spectroscopy. Elsevier B.V.*; **2014**;72:128–33.

Suzuki H, Chiba H, Futamata M. Efficient immobilization of silver nanoparticles on metal substrates through various thiol molecules to utilize a gap mode in surface enhanced Raman scattering. *Vibrational Spectroscopy. Elsevier B.V.*; **2014**;72:105–10.

Kuwabara T, Guo JD, Nagase S, Saito M. Diversity of the Structures in a Distannene Complex and its Reduction to Generate a Six-Membered Ti_2Sn_4 Ring Complex. *Angewandte Chemie, International Edition. Wiley-VCH Verlag GmbH & Co. KGaA*; **2014**;53(2):434–8.

Kuwabara T, Guo J-D, Nagase S, Minoura M, Herber RH, Saito M. Enhancement of stannylene character in stannole dianion equivalents evidenced by NMR and Mossbauer spectroscopy and theoretical studies of newly synthesized silyl-substituted dilithiostannoies. *Organometallics. American Chemical Society*; **2014**;33(11):2910–3.

Kuwabara T, Guo J-D, Nagase S, Sasamori T, Tokitoh N, Saito M. Synthesis, Structures, and Electronic Properties of Triple- and Double-Decker Ruthenocenes Incorporated by a Group 14 Metallole Dianion Ligand. *Journal of the American Chemical Society. American Chemical Society*; **2014**;136(37):13059–64.

Kuwabara T, Ishimura K, Sasamori T, Tokitoh N, Saito M. Facile Synthesis of Dibenzopentalene Dianions and Their Application as New π -Extended Ligands. *Chemistry - A European Journal. Wiley-VCH Verlag GmbH & Co. KGaA*; **2014**;20(25):7571–5.

Pop L-C, Kurokawa N, Ebata H, Tomizawa K, Tajima T, Ikeda M, et al. Synthesis and structures of monomeric Group 14 triols and their reactivity. *Canadian Journal of Chemistry. NRC Research Press*; **2014**;92(6):542–8.

Saito M, Matsumoto K, Fujita M, Minoura M. Unexpected Dehalogenation Reactions of Dichloroborane Bearing a NCN-Pincer Ligand: Formation of a Borenium Salt. *Heteroatom Chemistry. John Wiley & Sons, Inc.*; **2014**;25(5):354–60.

Sato O, Ando N, Toma T. Preparation of new heptafulvenes and the related compounds derived from 2H-cyclohepta[d]thiazol-2-one and -2-thione. *Heterocycles. Japan Institute of Heterocyclic Chemistry*; **2014**;88(2):1573–9.

Sato O, Nitta A, Yamamoto A. Regioselective nucleophilic substitution of 5-bromo-2-methoxytropone. *Heteroatom Chemistry. John Wiley & Sons, Inc.*; **2014**;25(6):644–50.

Wakasa M, Yago T. Observation of spin dynamics under ultra-high magnetic fields up to 30 T and the analysis of chemical reactions in nano-structured materials. *Oyo Butsuri. Oyo Butsuri Gakkai*; **2014**;83(3):218–21.

Yago T, Ishii Y, Wakasa M. Diffusion and Solvation of Radical Ions in an Ionic Liquid Studied by the MFE Probe. *Journal of Physical Chemistry C. American Chemical Society*; **2014**;118(38):22356–67.

Hasegawa T, Fujita T, Tsukumo Y, Fujihara T, Jingu D, Takahashi A, et al. Investigation of the aroma profile of green tea leaves using organic synthesis and conventional analytical techniques. *Journal of Food Science and Engineering. David Publishing Co.*; **2014**;4(1):10–20.

Hasegawa T, Matsunaga T, Yamada H. Aroma profile of myrrh and its thermal variation. *Journal of Chemistry and Chemical Engineering. David Publishing Co.*; **2014**;8(2):112–7.

Hasegawa T, Seimiya H, Fujihara T, Fujiwara N, Yamada H. Aroma profile of star anise and the structure-odor relationship of anethole. *Natural Product Communications. Natural Product Inc.*; **2014**;9(2):251–6.

Ishii A, Aoki Y, Nakata N. Synthesis of 4-Chalcogeno-1-aza-1,3-butadiene Derivatives by Intramolecular Cyano-Diels-Alder Reaction and Borane-Coordination-Induced Fluorescence Enhancement. *Journal of Organic Chemistry. American Chemical Society*; **2014**;79(17):7960–9.

Ishii A, Kobayashi S, Aoki Y, Annaka T, Nakata N. Thiophene-fused 3-Methylene-2,3-dihydrochalcogenophenes: Fluorescent dyes incorporated in a rigid dibenzobarrelene skeleton. *Heteroatom Chemistry. John Wiley & Sons, Inc.*; **2014**;25(6):658–73.

Kamon H, Aoki Y, Nakata N, Ishii A. Characterization and phenylacetylene-assisted cyclometalation of an isolable hydrido-selenolato Pt(II) complex having phosphite ligands, *cis*-[PtH(SeTrip){P(OPh)₃}₂]. *Bulletin of the Chemical Society of Japan. Chemical Society of Japan*; **2014**;87(2):274–82.

Nakata N, Saito Y, Ishii A. Neutral Methyl and Cationic Aluminum Complexes Supported by a *trans*-1,2-Cyclooctanediyl-Bridged [OSSO]-Type Bis(phenolato) Ligand: Synthesis, Structures, and Use in Catalysis for Propylene Oxide Polymerization. *Organometallics. American Chemical Society*; **2014**;33(7):1840–4.

Nakata N, Saito Y, Watanabe T, Ishii A. Completely Isospecific Polymerization of 1-Hexene Catalyzed by Hafnium(IV) Dichloro Complex Incorporating with an [OSSO]-type Bis(phenolate) Ligand. *Topics in Catalysis*. Springer; **2014**;57(10-13):918–22.

Nakata N, Yamaguchi Y, Ishii A. Reactions of Bis(dibenzobarrelenyl) Dichalcogenides with a Palladium(0) Complex: Unexpected Formations of Mononuclear Chalcogenide(dichalcogenolato)palladium(II) Complexes and Dichalcogenahehexacyclo Compounds. *European Journal of Inorganic Chemistry*. Wiley-VCH Verlag GmbH & Co. KGaA; **2014**;2014(30):5177–84.

Ishii A, Kobayashi S, Aoki Y, Annaka T, Nakata N. Thiophene-fused 3-Methylene-2,3-dihydrochalcogenophenes: Fluorescent dyes incorporated in a rigid dibenzobarrelene skeleton. *Heteroatom Chemistry*. John Wiley & Sons, Inc.; **2014**;25(6):658–73.

Kamon H, Aoki Y, Nakata N, Ishii A. Characterization and phenylacetylene-assisted cyclometalation of an isolable hydrido-selenolato Pt(II) complex having phosphite ligands, cis-[PtH(SeTrip){P(OPh)₃}₂]. *Bulletin of the Chemical Society of Japan*. Chemical Society of Japan; **2014**;87(2):274–82.

Matsuzaki T, Sasaki G, Suganuma M, Watanabe T, Yamazaki T, Tanaka M, et al. High Contrast Visualization of Cell-Hydrogel Contact by Advanced Interferometric Optical Microscopy. *Journal of Physical Chemistry Letters*. American Chemical Society; **2014**;5(1):253–7.

Hiata T, Miyauchi N, Liu Q, Ishikawa R, Ueno K, Shirai H. Real-time measurement of optical anisotropy during film growth using a chemical mist deposition of poly(3,4-ethylenedioxythiophene): poly(styrenesulfonate). *Journal of Applied Physics (Melville, NY, United States)*. American Institute of Physics; **2014**;115(12):123514/1–123514/6.

Lin Y-F, Xu Y, Wang S-T, Li S-L, Yamamoto M, Aparecido-Ferreira A, et al. Ambipolar MoTe₂ Transistors and Their Applications in Logic Circuits. *Advanced Materials (Weinheim, Germany)*. Wiley-VCH Verlag GmbH & Co. KGaA; **2014**;26(20):3263–9.

理学部 分子生物学科

Shimoda R, Okabe K, Kotake T, Matsuoka K, Koyama T, Tryfona T, et al. Enzymatic fragmentation of carbohydrate moieties of radish arabinogalactan-protein and elucidation of the structures. *Bioscience, Biotechnology, and Biochemistry*. Taylor & Francis Ltd.; **2014**;78(5):818–31.

Duan Z, Homma A, Kobayashi M, Nagata N, Kaneko Y, Fujiki Y, et al. Photoassimilation, Assimilate Translocation and Plasmodesmal Biogenesis in the Source Leaves of *Arabidopsis thaliana* Grown Under an Increased Atmospheric CO₂ Concentration. *Plant and Cell Physiology*. Oxford University Press; **2014**;55(2):358–69.

Hanai M, Sato Y, Miyagi A, Kawai-Yamada M, Tanaka K, Kaneko Y, et al. The effects of dark incubation on cellular metabolism of the wild type cyanobacterium *Synechocystis* sp. PCC 6803 and a mutant lacking the transcriptional regulator *cyAbrB2*. *Life (Basel, Switzerland)*. MDPI AG; **2014**;4(4):770–87.

Nishiyama Y, Murata N. Revised scheme for the mechanism of photoinhibition and its application to enhance the abiotic stress tolerance of the photosynthetic machinery. *Applied Microbiology and Biotechnology*. Springer; **2014**;98(21):8777–96.

理学部 生体制御学科

Hoshino S, Kurotani R, Miyano Y, Sakahara S, Koike K, Maruyama M, et al. Macrophage colony-stimulating factor induces prolactin expression in rat pituitary gland. *Zoological Science*. Zoological Society of Japan; **2014**;31(6):390–7.

Yuki Miyano, Shigeyuki Tahara, Ichiro Sakata, Takafumi Sakai, Hiroyuki Abe, Shioko imura, Reiko Kurotani. Regulation of LH/FSH expression by secretoglobin 3A2 in the mouse pituitary gland. *Cell Tissue Res*; **2014**;356(1):253–60.

Sharma H, Ohtani F, Kumari P, Diwan D, Ohara N, Kobayashi T, et al. Familial clustering of mice consistent to known pedigrees enabled by the genome profiling (GP) method. *Biophysics (Biophysical Society of Japan)*. Biophysical Society of Japan; **2014**;10:55–62.

Uchida K, Taguchi Y, Sato C, Miyazaki H, Kobayashi K, Kobayashi T, et al. Amelioration of improper differentiation of somatostatin-positive interneurons by triiodothyronine in a growth-retarded hypothyroid mouse strain. *Neuroscience Letters*. Elsevier Ireland Ltd.; **2014**;559:111–6.

Akter K, Kato M, Sato Y, Kaneko Y, Takezawa D. Absciscic acid-induced rearrangement of intracellular structures associated with freezing and desiccation stress tolerance in the liverwort *Marchantia polymorpha*. *Journal of Plant Physiology*. Elsevier GmbH; **2014**;171(15):1334–43.

Kanaya M, Tsuda MC, Sagoshi S, Nagata K, Morimoto C, Thu CKT, et al. Regional difference in sex steroid action on formation of morphological sex differences in the anteroventral periventricular nucleus and principal nucleus of the bed nucleus of the stria terminalis. *PLoS One*. Public Library of Science; **2014**;9(11):e112616/1–e112616/10, 10 pp.

工学部 電気電子システム工学科

Hijikata Y, Akasaka Y, Yagi S, Yaguchi H. Si emission into the oxide layer during oxidation of silicon carbide. *Materials Science Forum*. Trans Tech Publications Ltd.; **2014**;778-780(Silicon Carbide and Related Materials 2013):553–556, 5 pp.

Kinoshita H, Hirai N, Miura K. Diisobutylaluminum Hydride Promoted Cyclization of o-(Trimethylsilylethynyl)styrenes to Indenes. *Journal of Organic Chemistry. American Chemical Society*; **2014**;79(17):8171–81.

Kinoshita H, Tohjima T, Miura K. Hydroalumination-Triggered Cyclization of Silylated 1,3-Dien-5-ynes to Polysubstituted Benzenes. *Organic Letters. American Chemical Society*; **2014**;16(18):4762–5.

Hirose T, Takai H, Watabe M, Minamikawa H, Tachikawa T, Kodama K, et al. Effect of alkoxy terminal chain length on mesomorphism of 1,6-disubstituted pyrene-based hexacatenar liquid crystals: columnar phase control. *Tetrahedron. Elsevier Ltd.*; **2014**;70(34):5100–8.

Kinoshita H, Hirai N, Miura K. Diisobutylaluminum Hydride Promoted Cyclization of o-(Trimethylsilylethynyl)styrenes to Indenes. *Journal of Organic Chemistry. American Chemical Society*; **2014**;79(17):8171–81.

Kairbekov ZK, Masuda N, Ohshima M, Myltykbaeva ZK, Kairbayeva N, Yemilyanova VS, et al. Preliminary analysis of oil shale obtained from Kalynkara in Kazakhstan. *Journal of the Japan Petroleum Institute. Japan Petroleum Institute*; **2014**;57(4):192–5.

Kurokawa H, Hayasaka M, Yamamoto K, Sakuragi T, Ohshima M, Miura H. Self-assembled heterogeneous late transition-metal catalysts for ethylene polymerization; New approach to simple preparation of iron and nickel complexes immobilized in clay mineral interlayer. *Catalysis Communications. Elsevier B.V.*; **2014**;47:13–7.

Kurokawa H, Ishikawa S, Yamamoto K, Sakuragi T, Ohshima M, Miura H. Ethylene oligomerization using bis(imino)pyridinecobalt(II) complexes immobilized in fluorotetrasilicic mica interlayer as heterogeneous catalysts. *Chemistry Letters. Chemical Society of Japan*; **2014**;43(8):1365–7.

Kurokawa H, Ogawa R, Yamamoto K, Sakuragi T, Ohshima M, Miura H. Nickel(II) complex bearing fluorine-substituted α -diimine ligand immobilized in fluorotetrasilicic mica interlayer as heterogeneous catalysts for ethylene oligomerization. *Journal of the Japan Petroleum Institute. Japan Petroleum Institute*; **2014**;57(3):146–54.

Nagashima S, Furukawa S, Kamiguchi S, Kajio R, Nagashima H, Yamaguchi A, et al. Catalytic Activity of Molecular Rhenium Sulfide Clusters $[\text{Re}_6\text{S}_8(\text{OH})_6\text{-n}(\text{H}_2\text{O})_n](4\text{-n})^-$ ($n = 0, 2, 4, 6$) with Retention of the Octahedral Metal Frameworks: Dehydrogenation and Dehydration of 1,4-Butanediol. *Journal of Cluster Science. Springer*; **2014**;25(5):1203–24.

Gonda M, Ohshima M, Kurokawa H, Miura H. Toluene hydrogenation over Pd and Pt catalysts as a model hydrogen storage process using low grade hydrogen containing catalyst inhibitors. *International Journal of Hydrogen Energy. Elsevier Ltd.*; **2014**;39(29):16339–46.

Hirose T, Takai H, Watabe M, Minamikawa H, Tachikawa T, Kodama K, et al. Effect of alkoxy terminal chain length on mesomorphism of 1,6-disubstituted pyrene-based hexacatenar liquid crystals: columnar phase control. *Tetrahedron. Elsevier Ltd.*; **2014**;70(34):5100–8.

Kodama K, Hayashi N, Fujita M, Hirose T. Direct enantioseparation of 1-(2-hydroxyphenyl) ethylamines via diastereomeric salt formation: chiral recognition mechanism based on the crystal structure. *RSC Advances. Royal Society of Chemistry*; **2014**;4(49):25609–15.

Kodama K, Kurozumi N, Shitara H, Hirose T. Solvent-induced dual chirality switching in the optical resolution of tropic acid via diastereomeric salt formation with (1R,2S)-2-amino-1,2-diphenylethanol. *Tetrahedron. Elsevier Ltd.*; **2014**;70(43):7923–8.

Kodama K, Shitara H, Hirose T. Chirality Switching in Optical Resolution of Mandelic Acid in C1-C4 Alcohols: Elucidation of Solvent Effects Based on X-ray Crystal Structures of Diastereomeric Salts. *Crystal Growth & Design. American Chemical Society*; **2014**;14(7):3549–56.

Wang L, Lin L, Zhang G, Kodama K, Yasutake M, Hirose T. Synthesis of cyclic carbonates from CO₂ and epoxides catalyzed by low loadings of benzyl bromide/DMF at ambient pressure. *Chemical Communications (Cambridge, United Kingdom). Royal Society of Chemistry*; **2014**;50(94):14813–6.

工学部 機能材料工学科

Hiate T, Miyauchi N, Liu Q, Ishikawa R, Ueno K, Shirai H. Real-time measurement of optical anisotropy during film growth using a chemical mist deposition of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate). *Journal of Applied Physics (Melville, NY, United States). American Institute of Physics*; **2014**;115(12):123514/1–123514/6.

Khatri I, Hoshino A, Watanabe F, Liu Q, Ishikawa R, Ueno K, et al. Self-assembled silver nanowires as top electrode for poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate)/n-silicon solar cell. *Thin Solid Films. Elsevier B.V.*; **2014**;558:306–10.

Ishimaru Y, Iseya T, Akiyama S, Kamata N, Fukuda T. Effects of Substituents on the Size of Water-Dispersible Phthalocyanine Colloids Synthesized by Reprecipitation. *Molecular Crystals and Liquid Crystals. Taylor & Francis, Inc.*; **2014**;592(1):218–28.

Ishimaru Y, Shiba H, Fujihara T. Crystal structure of bis[pentafluorophenyl][24]dithaahexaphyrin(1.0.0.1.0.0). *X-Ray Structure Analysis Online. Japan Society for Analytical Chemistry*; **2014**;30(7):33–34, 2 pp.

Ishimaru Y, Shimoyama N, Fujihara T. Synthesis and crystal structure of bis[24]dithaahexaphyrin(1.0.0.1.0.0). *X-Ray Structure Analysis Online [Internet]. Japan Society for Analytical Chemistry*; **2014**;30(6):29–30, 2 pp.

Isihimaru Y, Kojo Y, Masuda T, Saito S, Yue Y, Fujisaki Y. Design on head-to-tail directly linked homogeneous and heterogeneous cyclodextrin dimers and their evaluation of hydrophobic cavity. *Tetrahedron Letters. Elsevier Ltd.*; **2014**;55(15):2438–41.

Shinohara K, Yamashita M, Uchida W, Okabe C, Oshima S, Sugino M, et al. Preparation of polypseudorotaxanes composed of cyclodextrin and polymers in microspheres. *Chemical & Pharmaceutical Bulletin. Pharmaceutical Society of Japan*; **2014**;62(10):962–6.

Ishimaru Y, Iseya T, Chen C, Fukuda T, Kamata N. Phthalocyanine Nano Colloids in Water Prepared by Reprecipitation Method. *Transactions of the Materials Research Society of Japan*. **2014**;39(1):71–4.

石丸雄大, 野村豊, “ β -シクロデキストリン誘導体による有機イオン取り込み挙動解析—イオン交換における超分子—”, 日本イオン交換学会誌, 25(2), 31–6. (**2014**)

Hatano K, Matsubara T, Muramatsu Y, Ezure M, Koyama T, Matsuoka K, et al. Synthesis and Influenza Virus Inhibitory Activities of Carbosilane Dendrimers Peripherally Functionalized with Hemagglutinin-Binding Peptide. *Journal of Medicinal Chemistry. American Chemical Society*; **2014**;57(20):8332–9.

Matsuoka K, Kurita A, Koyama T, Hatano K. Use of chloromethylstyrene as a supporter for convenient preparation of carbohydrate monomer and glycopolymers. *Carbohydrate Polymers. Elsevier Ltd.*; **2014**;107:209–13.

Shimoda R, Okabe K, Kotake T, Matsuoka K, Koyama T, Tryfona T, et al. Enzymatic fragmentation of carbohydrate moieties of radish arabinogalactan-protein and elucidation of the structures. *Bioscience, Biotechnology, and Biochemistry. Taylor & Francis Ltd.*; **2014**;78(5):818–31.

Tsuruta T, Koyama T, Yasutake M, Hatano K, Matsuoka K. Synthesis of chiral dopants based on carbohydrates. *Carbohydrate Research. Elsevier Ltd.*; **2014**;393:15–22.

Honda Z, Sato K, Hagiwara M, Kida T, Sakai M, Fukuda T, et al. Room temperature ferromagnetism in a phthalocyanine based carbon material. *Journal of Applied Physics (Melville, NY, United States). American Institute of Physics*; **2014**;115(5):054306/1–054306/4.

Ishimaru Y, Iseya T, Akiyama S, Kamata N, Fukuda T. Effects of Substituents on the Size of Water-Dispersible Phthalocyanine Colloids Synthesized by Reprecipitation. *Molecular Crystals and Liquid Crystals. Taylor & Francis, Inc.*; **2014**;592(1):218–28.

Liao Y, Fukuda T, Kamata N, Tokunaga M. Diameter control of ultrathin zinc oxide nanofibers synthesized by electrospinning. *Nanoscale Research Letters. Springer*; **2014**;9(1):1–6.

Hatano K, Matsubara T, Muramatsu Y, Ezure M, Koyama T, Matsuoka K, et al. Synthesis and Influenza Virus Inhibitory Activities of Carbosilane Dendrimers Peripherally Functionalized with Hemagglutinin-Binding Peptide. *Journal of Medicinal Chemistry. American Chemical Society*; **2014**;57(20):8332–9.

Arai S, Fujimori A. Ultimate physical characterization of biocomposites constituted by enzymes on template of organized molecular films of organo-modified aluminosilicate with high surface coverage. *Sen'i Gakkaishi. Sen'i Gakkai*; **2014**;70(6):109–13.

Fujimori A, Arai S, Soutome Y, Hashimoto M. Improvement of thermal stability of enzyme via immobilization on Langmuir-Blodgett films of organo-modified aluminosilicate with high coverage. *Colloids and Surfaces, A: Physicochemical and Engineering Aspects. Elsevier B.V.*; **2014**;448:45–52.

Fujimori A, Honda N, Iwashita H, Kaneko Y, Arai S, Sumita M, et al. Formation and structure of fine multi-particle layered organo-modified zirconium dioxides fabricated by Langmuir-Blodgett technique. *Colloids and Surfaces, A: Physicochemical and Engineering Aspects. Elsevier B.V.*; **2014**;446:109–17.

Fujimori A, Kaneko Y, Kikkawa T, Chiba S, Shibasaki Y. Fabrication and structure of “polymer nanosphere multilayered organization”. *Journal of Colloid and Interface Science. Elsevier B.V.*; **2014**;418:338–49.

Fujimori A, Taguchi M, Arai S. Formation of aggregates of DNA molecules chemisorbed on the organized films of comb copolymers containing s-triazine. *Colloids and Surfaces, A: Physicochemical and Engineering Aspects. Elsevier B.V.*; **2014**;443:432–8.

Kaneko Y, Kikkawa T, Fujimori A. Transition of Morphology between Nanosheet and Nanosphere of Ternary Comb Copolymers with Hydrophobic Carbazole Ring Induced by Changes in Surface Pressure. *Global J. Sci. Fron. Res.*; **2014**;14(1-B):1-5

Hashimoto M, Meng Q, Honda S, Tezuka Y, Yamamoto T, Fujimori A. Dependency of the Molecular "Shape" on Surface Morphology of Organized Molecular Films of Cyclic and Linear Block Copolymer of Polyethylene Oxide – Butyl Acrylate. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(1):83-86

Meng Q, Hashimoto M, Honda S, Tezuka Y, Yamamoto T, Fujimori A. Molecular Arrangement of Organized Molecular Films of Linear and Cyclic Amphiphilic Block Copolymers with Different Shapes. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(1):79-82

Arai S, Bt Che Azmi SA, Kubota M, Kurosaka K, Fujimori A. Extreme Physical Property of the Enzyme Layered Organization. –The Functional Innovation by Using a Template of Layered Organization of Heat-Resistant and Low-Defect Organic / Inorganic Two-Dimensional Nano-Hybrid–. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(1):87-90

Honda N, Hashimoto K, Shibata H, Fujimori A. Formation and Structure of Single Particle Layer Induced to Construction of New Type Two-dimensional Organic / Inorganic Nanohybrids. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(1):91-94

Bt Che Azmi SA, Arai S, Kubota M, Kurosaka K, Fujimori A. Nanostructural Control of Luciferase Chemisorbed on the Interfacial Monolayer of Organo-modified Aluminosilicate as a Template. *Trans. Mar. Res. Soc. Jpn.*; **2014**;39(1):95-98

Kikkawa T, Kaneko Y, Fujimori A. Elucidation of Internal Fine Structure of "Polymer Nanosphere" in the Interfacial Particle Film. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(2):133-136

Taguchi M, Fujimori A. Morphological Control for Aggregates of DNA Molecules Chemisorbed on the Organized Films of Ternary Comb Copolymers Containing *s*-Triazine Rings. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(2):141-144

Soutome Y, Kanehira T, Arai S, Kubota M, Kurosaka K, Fujimori A. Study on Crystalline Transparent Films of Perfluorinated Copolymer / Heat-resistant Organo-aluminosilicate Nano-composite. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(2):189-192

Kanehira T, Soutome Y, Honda N, Akasaka S, Fujimori A. Mono-"particle"Dispersion of Organo-modified Nanodiamond in Fluoropolymer Matrix of Crystalline Transparent Films of Semifluorinated Polymer / Filler Nanocomposite. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(2):231-234

Kikkawa T, Arai S, Hashimoto M, Fujimori A. Material Innovation of Organo-aluminosilicate —Development of Heat-resistant Powder with High Coverage, and Organized Film with High Regularity—. *Trans. Mat. Res. Soc. Jpn.*; **2014**;39(2):243-246

Kamishima K, Noshiro T, Awata R, Kakizaki K, Fujimori A, Sakai M, Watanabe K. Simple Process Synthesis and Magnetoresistance of BaTiO₃-Fe₃O₄ Ceramic Composite. *Proceedings of the 12th Asia Pacific Physics Conference, JPS Conf. Proc.*; **2014**; 012007-1-012007-4

Honda N, Fujimori A. Formation and Structure of Fine Multi-particle Layered Organo-modified Inorganic Nanoparticle Fabricated by Langmuir-Blodgett Technique. *Annual Report, The 120th Committee, Japan Society for the Promotion of Science*; **2014**;65:68-71

Hiata T, Miyauchi N, Liu Q, Ishikawa R, Ueno K, Shirai H. Real-time measurement of optical anisotropy during film growth using a chemical mist deposition of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate). *Journal of Applied Physics (Melville, NY, United States). American Institute of Physics*; **2014**;115(12):123514/1–123514/6.

Khatri I, Hoshino A, Watanabe F, Liu Q, Ishikawa R, Ueno K, et al. Self-assembled silver nanowires as top electrode for poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate)/n-silicon solar cell. *Thin Solid Films. Elsevier B.V.*; **2014**;558:306–10.

Fukuda T, Funaki N, Kurabayashi T, Suzuki M, Yoon DH, Nakahara A, et al. Real-time monitoring of chemical reaction in microdroplet using fluorescence spectroscopy. *Sensors and Actuators, B: Chemical. Elsevier B.V.*; **2014**;203:536–42.

Fukuda T, Suzuki A, Liao Y, Suzuki K. Influence of spray conditions on droplet charge per unit volume for electrospray deposition. *Journal of Aerosol Science. Elsevier Ltd.*; **2014**;77:38–49.

Honda Z, Sato K, Hagiwara M, Kida T, Sakai M, Fukuda T, et al. Room temperature ferromagnetism in a phthalocyanine based carbon material. *Journal of Applied Physics (Melville, NY, United States). American Institute of Physics*; **2014**;115(5):054306/1–054306/4.

Ishimaru Y, Iseya T, Akiyama S, Kamata N, Fukuda T. Effects of Substituents on the Size of Water-Dispersible Phthalocyanine Colloids Synthesized by Reprecipitation. *Molecular Crystals and Liquid Crystals. Taylor & Francis, Inc.*; **2014**;592(1):218–28.

Liao Y, Fukuda T, Kamata N, Tokunaga M. Diameter control of ultrathin zinc oxide nanofibers synthesized by electrospinning. *Nanoscale Research Letters. Springer*; **2014**;9(1):1–6.

Suzuki K, Fukuda T, Liao Y. Electrosprayed molybdenum trioxide aqueous solution and its application in organic photovoltaic cells. *PLoS One. Public Library of Science*; **2014**;9(8):e106012/1–e106012/8, 8 pp.

工学部 環境共生学科

Wang Q, Chen Q, Qiao Q, Sugiyama K. Process analysis of the waste bamboo by using polyethylene glycol solvent liquefaction. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):647–657.

Wang Q, Mitsumura N, Chen Q, Sarkar A, Kurokawa H, Sekiguchi K, Sugiyama K. Investigation of condensation reaction during phenol liquefaction of waste woody materials. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):658–668.

Wang Q, Endo T, Aparu P, Kurogawa H. Study on biomass tar reduction by ash and fluidizing medium in a heterogeneous reaction. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):669–679.

Wang Q, Apaer P, Kurokawa H, Sugiyama K. Reactivity for pyrolysis and CO₂ gasification of alkali metal loaded waste wood char. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):680–691.

Wang Q, Niida H, Liu C, Kurokawa H, Sarkar A, Sekiguchi K, Sugiyama K. Oil aggregated behavior for coal recovery and combustion characteristics of their aggregates from different grade coals. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):692–704.

Wang Q, Aparu P, Kurogawa H, Sugiyama K. Recovery briquetting technologies of waste biomass and pyrolyzed waste char produced from solid industrial and agricultural organic wastes. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):705–716.

Wang Q, Itoh S, Lu S. Reduction of fine particles exhausted from small-size combustor using agricultural waste residue by controlling burning temperatures. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(5):717–726.

Wang Q, Chen Q, Mitsumura N, Animesh S. Behavior of cellulose liquefaction after pretreatment using ionic liquids with water mixtures. *Journal of Applied Polymer Science. John Wiley & Sons, Inc.*; **2014**;131(11):40255/1–40255/8.

Wang Q, Chen Q, Niida H, Mitsumura N, Endo T. Effect of water content on crystalline structure of ionic liquids mixture pretreated microcrystalline cellulose (MCC). *Materials Sciences and Applications*; **2014**;Vol. 5:183-192.

王青躍、ゴン秀民、董詩洋、関口和彦、鈴木美穂、中島大介、三輪 誠、”花粉飛散時における環境汚染物質の影響とアレルゲン物質の放出挙動(Effects of environmental pollutants on airborne pollen grains and the behavior of release allergenic species)”, エアロゾル研究(*Erozorou Kenkyu*), 29(S1), 197-206. (**2014**)

Wang Q, Nakamura S, Gong X, Suzuki M., Lu S, Nakajima D, Sekiguchi K, Miwa M. Release behaviour of *Cryptomeria Japonica* pollen allergenic Cry j 1 and Cry j 2 in rainwater containing air Pollutants. *International Journal of Sustainable Development and Planning*; **2014**;Vol. 9(1):42-53

Wang Q, Chen Q. Application of ionic liquid and water mixture in cellulose solvent liquefaction as pretreatment step. *Biomass Chemical Engineering* (中国科学院・学術誌); **2014**;Vol. 48(1):1-8.

情報メディア基盤センター

Hijikata Y, Akasaka Y, Yagi S, Yaguchi H. Si emission into the oxide layer during oxidation of silicon carbide. *Materials Science Forum. Trans Tech Publications Ltd.*; **2014**;778-780(Silicon Carbide and Related Materials 2013):553–556, 5 pp.

科学分析支援センター

Hasegawa T, Fujita T, Tsukumo Y, Fujihara T, Jingu D, Takahashi A, et al. Investigation of the aroma profile of green tea leaves using organic synthesis and conventional analytical techniques. *Journal of Food Science and Engineering. David Publishing Co.*; **2014**;4(1):10–20.

Hasegawa T, Seimiya H, Fujihara T, Fujiwara N, Yamada H. Aroma profile of star anise and the structure-odor relationship of anethole. *Natural Product Communications. Natural Product Inc.*; **2014**;9(2):251–6.

Ishimaru Y, Shiba H, Fujihara T. Crystal structure of bis[pentafluorophenyl][24]dithaexaphyrin(1.0.0.1.0.0). *X-Ray Structure Analysis Online. Japan Society for Analytical Chemistry*; **2014**;30(7):33–34, 2 pp.

Ishimaru Y, Shimoyama N, Fujihara T. Synthesis and crystal structure of bis[24]dithaexaphyrin(1.0.0.1.0.0). *X-Ray Structure Analysis Online [Internet]. Japan Society for Analytical Chemistry*; **2014**;30(6):29–30, 2 pp.

Ohno K, Fujihara T, Nagasawa A. Formation of boron, nickel(II) and iridium(III) complexes with an azophenine derivative: Isomerization, delocalization and extension of the π -conjugated system on coordination. *Polyhedron. Elsevier Ltd.*; **2014**;81:715–22.

Ohno K, Sugaya T, Kato M, Matsumoto N, Fukano R, Ogino Y, Fujihara T, et al. Lattice Water-Induced Helical Stacking of Tartrate-Bridged Dinuclear Palladium(II) Complexes: The Role of Hydrogen Bonding. *Crystal Growth & Design. American Chemical Society*; **2014**;14(8):3675–9.

Hirose T, Takai H, Watabe M, Minamikawa H, Tachikawa T, Kodama K, Yasutake M. Effect of alkoxy terminal chain length on mesomorphism of 1,6-disubstituted pyrene-based hexacatenar liquid crystals: columnar phase control. *Tetrahedron. Elsevier Ltd.*; **2014**;70(34):5100–8.

Tsuruta T, Koyama T, Yasutake M, Hatano K, Matsuoka K. Synthesis of chiral dopants based on carbohydrates. *Carbohydrate Research. Elsevier Ltd.*; **2014**;393:15–22.

Wang L, Lin L, Zhang G, Kodama K, Yasutake M, Hirose T. Synthesis of cyclic carbonates from CO₂ and epoxides catalyzed by low loadings of benzyl bromide/DMF at ambient pressure. *Chemical Communications (Cambridge, United Kingdom). Royal Society of Chemistry*; **2014**;50(94):14813–6.