

## 平成 17 年度科学分析支援センター機器等使用研究業績 分析機器使用業績

### 理学部 基礎化学科

- M. Sato, T. Nagata, A. Tanemura, T. Fujihara, S. Kumakura, and K. Unoura,  
Synthesis, and Redox Behavior of Ruthenocene-terminated Oligoenes: Characteristic and  
Stable Two-Electron Redox System and Lower potential Shift of the Two-Electron Oxidation  
Wave with Elongating Conjugation  
*Chem. Eur. J.*, **2006**, *12*, 2282.
- Ohki Sato, M. Sato, T. Kuramochi, T. Shirahata, and K. Takahashi  
Synthesis and Conducting Properties of Tetracyanoazulenequinodimethane-  
tetrathiotetracene Complexes  
*Phosphorus, Sulfur and Silicon and the Related Elements*, **2006**, *180*, 1483-1484.
- M. Villeneuve, M. Kawai, H. Kanashima, M. Watanabe, D. E. Minnikin, H. Nakahara  
Temperature dependence of the Langmuir monolayer packing of mycolic acids from  
*Mycobacterium tuberculosis*  
*Biophysica et Biochimica Acta Biomembrane*, **2005**, *1715*, 71-80.
- A. Ishii, T. Kawai, M. Noji, J. Nakayama  
Synthesis and reactions of a mono-substituted dithiirane 1-oxide, 3-(9-trptycyl)dithiirane 1-oxide  
*Tetrahedron*, **2005**, *61*, 6693-6699.
- A. Ishii, Y. Mori, R. Uchiumi  
Synthesis and Hydrolysis of *p*-Toluoyl and Acetyl 9-Triptycyl Diselenides: A Study on Generation of  
Triptycene-9-selenenoselenoic Acid  
*Heteroatom Chem.*, **2005**, *16*, 525-528.
- T. Fujihara, M. Kato, A. Nagasawa  
Tetra-*n*-propylammonium Perchlorate  
*Acta Cryst.*, **2005**, *E61*, o1439-o1440.
- T. Fujihara, H. Suzuki, A. Nagasawa  
4,4'-Dinonyl-2,2'-bipyridine  
*Acta Cryst.*, **2005**, *E61*, o1867-o1868.

· M. Saito, K. Iso, K. Yamada, S. Nakano and M. Yoshioka  
Synthesis and Photochemical Reactions of 1,2,7-Chalcogenadistanna-cycloheptanes  
*Appl. Organomet. Chem.*, **2005**, *19*, 551-554.

· M. Saito, Y. Okamoto and M. Yoshioka  
Reduction of Dichlorodiphenylstannane  
*Appl. Organomet. Chem.*, **2005**, *19*, 894-897.

· M. Saito, N. Henzan and M. Yoshioka  
Formation of the Dianion and the Dimer of 9,10-Distannaanthracene  
*Chem. Lett.*, **2005**, 1018-1019.

· M. Saito, R. Haga and M. Yoshioka  
Synthesis and Structures of Bi(1,1-stannole)s  
*Eur. J. Inorg. Chem.*, **2005**, 3750-3755.

· M. Saito, A. Saito, Y. Ishikawa and M. Yoshioka  
Silyl Migration in the Photochemical Reaction of 2-Trimethylsilylmethylphenylketones  
*Org. Lett.*, **2005**, *7*, 3139-3141.

· M. Saito, R. Haga, M. Yoshioka, K. Ishimura and S. Nagase  
The Aromaticity of the Stannole Dianion  
*Angew. Chem., Int. Ed.*, **2005**, *44*, 6553-6556.

· M. Saito and M. Yoshioka  
The Anions and Dianions of Group 14 Metalloles  
*Coord. Chem. Rev.*, **2005**, *249*, 765-780.

· J. Okamoto, S. Yamabe, T. Minato, T. Hasegawa, T. Machiguchi,  
Tropone is a Mere Ketone for Cycloadditions to Ketenes  
*Helv. Chim. Acta*, **2005**, *88*, 1519-1539

· T. H. Kim, H. Ito, T. Hasegawa, A. Akiba, T. Machiguchi, T. Yoshida  
Bisabolane- and Santalane-Type Sesquiterpenoids from Santalum album of *Indian Origin*.  
*J. Natural Product*, **2005**, *68*, 1805-1808.

· T. Machiguchi, J. Okamoto, Y. Morita, T. Hasegawa, S. Yamabe, and T. Minato  
Challenge To Detect 1,4-Zwitterions spectroscopically in a Ketene-Alkene Reaction  
*J. Am. Chem. Soc.*, **2006**, *128*, 44-45.

## 工学部 機械工学科

· Samadder Liton Kumar, Yoshio Arai and Eiichiro Tsuchida

An Analysis on Singular Fields around an Interface Edge of Ceramic/Metal Joints Using Moire Interferometry Technique

*JSME Int. J., Ser. A, 2005, 48, 4, 240-245.*

· Samadder Liton Kumar, Yoshio Arai and Eiichiro Tsuchida

Stress Field Around Interface Free Edge of Elastic/Elastic-Plastic Material Joints

*Theor. And Appl. Mech., 2005, 54, 101-112.*

· Ying Zheng, Eiichiro Tsuchida and Yoshio Arai

Thermal Stresses in a Thick Plate Containing an Oblate Spheroidal Inclusion with the Circle Regions of Both Plate Surfaces Being Heated and Cooled

*Theor. and Appl. Mech., 2005, 54, 17-29.*

## 工学部 電気電子システム工学科

· S. Suharyanto Michizono\*, Y. Yamano, Y. Saito\*(KEK), S. Kobayashi

Secondary Electron Emission and Surface Charging Evaluation of Alumina Ceramics and Sapphire

*IEEE Trans. on Dielectrics and Electrical Insulation, 2006, 13, 1, 72-78.*

· Y. Ito, Y. Yamano, S. Kobayashi, Y. Saito\*(KEK)

Vacuum Electrical Breakdown Characteristics and Surface Condition of Ti Electrodes with Oxidation Conditions

*IEEE Trans. on Dielectrics and Electrical Insulation, 2006, 13, 1, 98-104.*

· K. Kikuchi, M. Goto, H. Nakagawa, S. Segawa, K. Tokoro, T. Taino, H. Myoren, S. Takada, M. Aoyagi

Efficient Fabrication Process for Superconducting Integrated Circuits Using Photosensitive Polyimide Insulation Layers

*IEEE Trans. Appl. Supercond., 2005, 15, 2, 94-97.*

· H. Myoren, M. Goto, T. Taino, K. Kikuchi, H. Nakagawa, K. Tokoro, M. Aoyagi, S. Takada

Double Relaxation Oscillation SQUID with a 4JL On-Chip Digital Flux Locked-Loop Circuit

*IEEE Trans. Appl. Supercond., 2005, 15, 2, 332-335.*

· C. Otani, T. Taino, R. Nakano, K. Hoshino, T. Shibuya, H. Myoren, S. Ariyoshi, H. Sato, H. M. Shimizu, S. Takada, K. Kawase

A Broad-Band THz Radiation Detector Using a Nb-Based Superconducting Tunnel Junction

*IEEE Trans. Appl. Supercond., 2005, 15, 2, 591-594.*

・T. Taino, K. Hoshino, R. Nakano, C. Otani, H. Myoren, K. Kawase, H. Sato, H. M. Shimizu, S. Takada

The Effect of X-Ray Irradiating Superconducting Tunnel Junctions on Al<sub>2</sub>O<sub>3</sub> and LiNbO<sub>3</sub> Substrates

*IEEE Trans. Appl. Supercond.*, **2005**, *15*, 2, 599-601.

・M. Yoshida, K. Hoshino, T. Taino, H. Myoren, S. Takada, K. Kikuchi, H. Nakagawa, M. Aoyagi, H. Sato, H. M. Shimizu

X-Ray Detection Using Superconducting Tunnel Junctions With Polyimide Insulation Layer

*IEEE Trans. Appl. Supercond.*, **2005**, *15*, 2, 606-608.

・T. Taino, K. Hoshino, R. Nakano, C. Otani, H. Myoren, K. Kawase, T. Shibuya, H. Sato, H. M. Shimizu, S. Takada

Development of terahertz wave detector using superconducting tunnel junction

*Physica C*, **2005**, *426-431*, 1731-1735.

## 工学部 応用化学科

・H. Kurokawa, K. Mori, K. Yoshida, M. Ohshima, K. Sugiyama, H. Miura

The promoting effect of halogen ions on selective hydrogenation of (E)-2-butenal to (E)-2-butene-1-ol over alumina-supported cobalt catalyst

*Catalysis Communications*, **2005**, *6*, 766-769.

・T. Mori\*, T. Kobayashi, Y. Wang\*, J. Drennan\*\*, T. Nishimura\*, Ji-G. Li\*, and H. Kobayashi, (NIMS\*, Queensland Univ.\*\*)

Synthesis and Characterization of Nano-Hetero-Structured Dy Doped CeO<sub>2</sub> Solid Electrolytes Using a Combination of Spark Plasma Sintering and Conventional Sintering

*J. Am. Ceram. Soc.*, **2005**, *88*, 7, 1981-1984.

・I. Yanase, S. Tamai, S. Matsuura, and H. Kobayashi

Fabrication of Low Thermal Expansion Porous Body of Cubic Cesium-deficient Type Pollucite

*J. Eur. Ceram. Soc.*, **2005**, *25*, 3173-3179.

・T. Kobayashi, T. Mori\*, Y. Wang\*, T. Nishimura\*, J. Drennan\*\*, and H. Kobayashi, (NIMS\*, Queensland Univ.\*\*)

Densification behavior and electrolytic properties of nano-structured Dy<sub>x</sub>Ce<sub>1-x</sub>O<sub>2-x/2</sub> (x=0.1, 0.15, 0.2 and 0.25) solid electrolytes with high density

*Trans. Mater. Res. Soc. Jpn.*, **2005**, *30*, 947-950.

·M. Takahashi, T. Mori\*, A. Vinu\*, H. Kobayashi, J. Drennan\*, and C. Nishimura\*, (NIMS\*) Preparation and Characterization of Nano-hetero Pt-pure CeO<sub>2</sub> Electrodes Supported by Carbon Materials for Direct Methanol Fuel Cells Applications  
*Trans. Mater. Res. Soc. Jpn.*, **2005**, *30*, 951-954.

·I. Yanase, J. Konakawa, and H. Kobayashi  
Influence of Cesium Nitrate and Heating Rate on Densification and Microstructure of Cs-Deficient Pollucite Sintered Body  
*J. Am. Ceram. Soc.*, **2006**, *89*, 1, 184-188.

·I. Yanase, Y. Ishikawa, S. Matsuura, and H. Kobayashi  
Effects of PMMA on Porous Structure of Pollucite  
*J. Eur. Ceram. Soc.*, **2006**, *26*, 475-479.

·N. Ikuma, R. Tamura, S. Shimono, Y. Uchida, K. Masaki, J. Yamauchi, Y. Aoki, H. Nohira  
Ferroelectric Properties of Paramagnetic, All-Organic, Chiral Nitroxyl Radical Liquid Crystals  
*Advanced Materials*, **2006**, *18*, 4, 477-480.

·Wang Z., T. Hirose, H. Shitara, M. Goto., and H. Nohira  
Structure and Chiral Recognition Ability of endo-3-Benzamidonorborn-5-ene-2-carboxylic Acid  
*Bull. Chem. Soc. Jpn.*, **2005**, *78*, 880-885.

·Y. Andou, M. Yasutake, Jeong, Jae-Mun, H. Nishida, T. Endo  
Gas-phase assisted surface polymerization of vinyl monomers with Fe-based initiating systems  
*Macromolecular Chemistry and Physics*, **2005**, *206*, 17, 1778-1783.

·M. Yasutake, S. Yamaguchi, T. Hirose  
Crystal structure of 3,4-dihydro-2H-1,5-benzodioxepine-7,8-dicarboxylic acid  
*X-Ray Structure Analysis Online*, **2005**, *21*, 5, x81-x82.

·T. Kojima, H. Kitaguchi, Y. Tachi, M. Yasutake, Y. Naruta, Y. Matsuda  
Synthesis and characterization of novel Cu(II)-bipyridine complexes having functional groups and their application toward molecular recognition  
*Inorganica Chimica Acta*, **2005**, *358*, 13, 3592-3600.

·N. Suzuki, T. Watanabe, H. Yoshida, M. Iwasaki, M. Saburi, M. Tezuka, T. Hirose, D. Hashizume, and T. Chihara  
Synthesis and structure of 1-metallacyclopent-3-yne complexes of group 4 metals  
*J. Organometal. Chem.*, **2006**, *691*, 1175-1182.

·S. Mitomo, S. Tokita, S. Seno\* (\*Nihon-U.)

The Study of HOMO Energy for Showing the Basicity and the  $\nu(\text{C=O})$  Stretching Bands

Obtained by the Semi-Empirical and *ab initio* Methods in Phosphorus Ylides

*J. Comput. Chem., Jpn.*, **2005**, 4, 2, 59-68.

·Y. Kubo, A. Kobayashi, T. Ishida, Y. Misawa, T. D. James

Detection of anions using a fluorescent alizarin-phenylboronic acid ensemble

*Chem. Commun.*, **2005**, 2846-2848.

·Y. Kubo, S. Uchida, Y. Kemmochi, T. Okubo

Isothiouronium-modified gold nanoparticles capable of colorimetric sensing of oxoanions in aqueous MeOH solution

*Tetrahedron Lett.*, **2005**, 46, 4369-4372.

·Y. Enomoto, S. Tokita

Molecular Design, Synthesis and  $\gamma$  ray Detection of Novel Color formers Having Phenazine Moiety

*J. Photopolym. Sci. Technol.*, **2005**, 18, 117-120.

·T. Tachikawa, K. Akagi, S. Tokita

Development of a Polymer Film Containing A Leuco-Phenoxazine Color Former for  $\gamma$  Ray Detection

*J. Photopolym. Sci. Technol.*, **2005**, 18, 121-124.

·Y. Kubo, T. Ishida, A. Kobayashi, J. D. James

Fluorescent alizarin-phenylboronic acid ensembles: design of self-organized molecular sensors for metal ions and anions

*J. Mater. Chem.*, **2005**, 15, 2889-2895.

·T. Tachikawa, Y. Sato, S. Tokita,

SYNTHESIS AND RADIATION SENSITIVITY OF PHENOXAZINE TYPE COLOR FORMERS INCLUDING THIOL ESTER PROTECTIVE GROUP

*Mol. Cryst. Liq. Cryst.*, **2005**, 431, 461-466.

·F. Kido, S. Tokita, H. Hosoya\* (\*Ochanomizu-U.)

VISUALIZATION OF FOUR DIMENSIONAL ATOMIC ORBITALS

*Mol. Cryst. Liq. Cryst.*, **2005**, 431, 345-350.

## 工学部 機能材料工学科

・照沼太陽, 松岡浩司, 橋野健

グロボ三糖担持カルボシランデンドリマーの合成 -カルボシランデンドリマー構造がO157:H7が產生するベロ毒素の阻害活性に及ぼす効果-

有機合成化学協会誌, **2005**, 63, 722-727.

・A. Yamada, K. Hatano, T. Koyama, K. Matauoka, Y. Esumi, D. Terunuma

Syntheses of a Series of Lacto-*N*-neotetraose Clusters Using a Carbosilane Dendrimer Scaffold

*Carbohydrate Res.*, **2006**, 341, 467-473.

・H. Tsujii, Z. Honda, B. Andraka, K. Katsumata, Y. Takano

High-field phase diagram of the Haldane-gap antiferromagnet  $\text{Ni}(\text{C}_5\text{H}_{14}\text{N}_2)_2\text{N}_3(\text{PF}_6)$

*Phys. Rev. B*, **2005**, 71, 014426.

・Z. Honda, K. Katsumata, A. Kikkawa, and K. Yamada

Thermodynamic Properties in the Approach to the Quantum Critical Point of the Spin-Ladder Material  $\text{Na}_2\text{Co}_2(\text{C}_2\text{O}_4)_3(\text{H}_2\text{O})_2$

*Phys. Rev. Lett.*, **2005**, 95, 087204.

・A. Kikkawa, K. Katsumata, Z. Honda, and K. Yamada

The Magnetic Property of a Uniaxial Spin-Ladder Material  $\text{Na}_2\text{Fe}_2(\text{C}_2\text{O}_4)_3(\text{H}_2\text{O})_2$

*J. Phys. Soc. Jpn.*, **2005**, 74, 2687-2690.

・神島謙二, 伊藤千昌, 柿崎浩一, 平塚信之

TiZn 置換による  $\text{Co}_2\text{Z}$  型フェライトの初透磁率の改善

粉体および粉末冶金, **2006**, 53, 3, 263-267.

・松浦 準, 河野健二, 神島謙二, 柿崎浩一, 平塚信之

軟磁性フェロックスプラナ型フェライトの高周波磁気特性

粉体および粉末冶金, **2006**, 53, 3, 268-272.

・H. Jia and H. Shirai

Characterization of microcrystalline silicon film growth on  $\text{ZnO:Al}$  using the high-density microwave plasma

*Jpn. J. Appl. Phys.*, **2005**, 44, 837-841.

・H. Shirai, T. Kikuchi and T. Kobayashi

Synthesis of well-aligned carbon nanotubes using the high-density rf inductive coupling plasma

*Jpn. J. Appl. Phys.*, **2005**, 44, 1951-1954.

- Z. Yang, T. Kikuchi, Y. Hato, T. Kobayashi and H. Shirai  
Carbon nanostructures synthesized utilizing the rf microplasma jet at atmospheric pressure" *Jpn. J. Appl. Phys.*, **2005**, *44*, 4122-4127
- Y. Sakurai, Y. Hasegawa and H. Shirai  
Rf microplasma jet at atmospheric pressure: Application to the rapid recrystallization of amorphous silicon  
*Jpn. J. Appl. Phys.*, **2005**, *44*, L749-L752.
- H. Shirai, Y. Hasegawa, and T. Kobayashi  
Si nanocones synthesized using rf microplasma jet at atmospheric pressure  
*Appl. Phys. Lett.*, **2005**, *87*, 143112-143112-3.
- H. Jai, J. K. Saha, and H. Shirai  
Plasma parameters for fast deposition of highly crystallized microcrystalline silicon films using high-density microwave plasma  
*Jpn. J. Appl. Phys.*, **2006**, *45*, 666-673.
- M. Watanabe, K. Igai, K. Matsuoka, A. Miyazawa, T. Watanabe, R. Yanoshita, Y. Samejima, D. Terunuma, Y. Natori and K. Nishikawa  
Structural Analysis of the Interaction between Shiga Toxin B Subunits and Linear Polymers Bearing Clustered Globotriose Residues  
*Infection and Immunity*, **2006**, 1984-1988.

#### 総合研究機構 科学分析支援センター

- H. Tsubaki, S. Tohyama, K. Koike, H. Saitoh and O. Ishitani  
Effect of intramolecular  $\pi-\pi$  and CH- $\pi$  interactions between ligands on structure, electrochemical and spectroscopic properties of *fac*-[Re(bpy)(CO)<sub>3</sub>(PR<sub>3</sub>)]<sup>+</sup>  
(bpy = 2,2'-bipyridine; PR<sub>3</sub> = trialkyl or triarylphosphines)  
*J. Chem. Soc., Dalton Trans.*, **2005**, 385-395

## アイソトープ実験施設使用業績

理学部 分子生物学科

・Y. Fujiki, Y. Nakagawa, T. Furumoto, S. Yoshida, B. Biswal, M. Ito, A. Watanabe, I. Nishida  
Response to darkness of late-responsive dark-inducible genes is positively regulated by leaf age and negatively regulated by calmodulin-antagonist-sensitive signalling in *Arabidopsis thaliana*.

*Plant Cell Physiol.*, **2005**, *46*, (10), 1741-1746.

・T. Fujimori, M. Higuchi, H. Sato, H. Aiba, M. Muramatsu, Y. Hihara, K. Sonoike  
The mutant of sll1961, which encodes a putative transcriptional regulator, has a defect in regulation of photosystem stoichiometry in the cyanobacterium *Synechocystis* sp. PCC 6803.  
*Plant Physiol.*, **2005**, *139*, (1), 408-16.

・T. Fujimori, Y. Hihara, K. Sonoike  
PsaK2 subunit in photosystem I is involved in state transition under high light condition in the cyanobacterium *Synechocystis* sp. PCC 6803  
*J. Biol. Chem.*, **2005**, *280*, (23), 22191-7.

・S. Fujisaki, I. Takahashi, H. Hara, K. Horiuchi, T. Nishino, Y. Nishimura  
Disruption of the structural gene for farnesyl diphosphate synthase in *Escherichia coli*  
*J. Biochem.*, **2005**, *137*, (3), 395-400.

・M. A. Haque, T. Kotake, Y. Tsumuraya  
Mode of action of  $\beta$ -glucuronidase from *Aspergillus niger* on the sugar chains of arabinogalactan-protein  
*Biosci. Biotechnol. Biochem.*, **2005**, *69*, (11), 2170-2177.

・H. Ichinose, M. Yoshida, T. Kotake, A. Kuno, K. Igarashi, Y. Tsumuraya, M. Samejima, J. Hirabayashi, H. Kobayashi, S. Kaneko  
An exo- $\beta$ -1,3-galactanase having a novel  $\beta$ -1,3-galactan-binding module from *Phanerochaete chrysosporium*  
*J. Biol. Chem.*, **2005**, *280*, (27), 25820-25829.

・K. Kojima, H. Nakamoto  
Post-transcriptional control of the cyanobacterial *hspA* heat-shock induction  
*Biochem. and Biophys. Res. Commun.*, **2005**, *331*, (2), 583-588.

・K. Kojima, H. Nakamoto

Constitutive expression of small heat shock protein in an *htpG* disruptant of the Cyanobacterium *Synechococcus* sp. PCC 7942

*Curr. Microbiol.*, **2005**, *50*, (5), 272-276.

・S. Koreeda, C. Noake, M. Ohishi, J. Ohnishi, J. C. Cushman

Transcriptional profiles of organellar metabolite transporters during induction of Crassulacean acid metabolism in *Mesembryanthemum crystallinum*

*Funct. Plant Biol.*, **2005**, *32*, (5), 451-466.

・T. Kotake, S. Dina, T. Konishi, S. Kaneko, K. Igarashi, M. Samejima, Y. Watanabe, K. Kimura, Y. Tsumuraya

Molecular cloning of a  $\beta$ -galactosidase from radish that specifically hydrolyzes  $\beta$ -(1→3)- and  $\beta$ -(1→6)-galactosyl residues of Arabinogalactan protein

*Plant Physiol.*, **2005**, *138*, (3), 1563-1576.

・A. Nishibori, J. Kusaka, H. Hara, M. Umeda, K. Matsumoto

Phosphatidylethanolamine domains and localization of phospholipid synthases in *Bacillus subtilis* membranes

*J. Bacteriol.*, **2005**, *187*, (6), 2163-2174.

・K. Nitta, N. Suzuki, D. Honma, Y. Kaneko, H. Nakamoto

Ultrastructural stability under high temperature or intensive light stress conferred by a small heat shock protein in cyanobacteria

*FEBS Lett.*, **2005**, *579*, (5), 1235-1242.

・K. Tsuchiya, T. Urahara, T. Konishi, T. Kotake, T. Tohno-oka, K. Komae, N. Kawada, Y. Tsumuraya

Biosynthesis of (1→3),(1→4)- $\beta$ -glucan in developing endosperms of barley (*Hordeum vulgare*)

*Physiol. Plant.*, **2005**, *125*, (2), 181-191.

・R. Yano, M. Nakamura, T. Yoneyama, I. Nishida

Starch-related alpha-glucan/water dikinase is involved in the cold-induced development of freezing tolerance in *Arabidopsis*

*Plant Physiol.*, **2005**, *138*, (2), 837-846.

・原弘志, 松本幸次

細菌の膜脂質欠損とバイオフィルム形成シグナル応答

バイオサイエンスとインダストリー, **2005**, *63*, (5), 320-323.

## 理学部 生体制御学科

・Y. Nakanishi, C. Ishii, H. Inoue

An effect of homology length on gene disruption in *Neurospora crassa*.

*Fungal Genet. Newslett.*, 2005, 52, 5-6

・S. Masuyama, S. Tateishi, K. Yomogida, Y. Nishimune, K. Suzuki, Y. Sakuraba, H. Inoue, M. Ogawa, M. Yamaizumi

Regulated expression and dynamic changes in subnuclear localization of mammalian Rad18 under normal and genotoxic conditions.

*Genes Cells.*, 2005, 10, (8), 753-762.

・K. Suzuki, A. Kato, Y. Sakuraba, H. Inoue

Srs2 and RecQ homologs cooperate in mei-3-mediated homologous recombination repair of *Neurospora crassa*.

*Nucl. Acids Res.*, 2005, 33, 1848-1858.

・S. Miyase, S. Tateishi, K. Watanabe, K. Tomita, K. Suzuki, H. Inoue, M. Yamaizumi

Differential regulation of Rad18 through Rad6-dependent mono-and polyubiquitination.

*J Biol Chem.*, 2005, 280, (1), 515-524.

## 動物飼育室使用業績

## 理学部 生体制御学科

・J. Zheng, K. Nakamura, Y. Maseki, S. M. Geelissen, L. R. Berghman, T. Sakai

Independent differentiation of mammatropes and somatotropes in the chicken embryonic pituitary gland Analysis by cell distribution and attempt to detect somatomammotropes.

*Histochem Cell Biol.*, 2005, 1-11.

・M. Kinoshita, H. Tsukamura, S. Adachi, H. Matsui, Y. Uenoyama, K. Iwata, S. Yamada, K. Inoue, T. Ohtaki, H. Matsumoto, KI. Maeda

Involvement of Central Metastin in the Regulation of Preovulatory LH Surge and Estrous Cyclicity in Female Rats.

*Endocrinology.*, 2005, 146, (10), 4431-6.

・S. Aramaki, F. Sato, T. Soh, N. Yamauchi, T. Sakai, MA. Hattori

Temporal and spatial expression of TGF-beta2 in chicken somites during early embryonic development.

*J Exp Zool.*, 2005, 303, (5), 323-30.

·M. Yamato, I. Sakata, R. Wada, H. Kaiya, T. Sakai

Exogenous administration of octanoic acid accelerates octanoylated ghrelin production in the proventriculus of neonatal chicks

*Biochemical and Biophysical Research Communications*, **2005**, *333*, 583-589

·S. Adachi, A. Mochiduki, H. Nemoto, B. Sun, K. Fujiwara, H. Matsumoto, K. Inoue

Estrogen suppresses the stress response of prolactin-releasing peptide-producing cells.

*Neurosci Lett.*, **2005**, *380*, (3), 311-5.

·M. Suzuki, Y. Ito, I. Sakata, T. Sakai, Y. Husimi, KT. Douglas

Caspase-3 sensitive signaling in vivo in apoptotic HeLa cells by chemically engineered intramolecular fluorescence resonance energy transfer mutants of green fluorescent protein.

*Biochem Biophys Res Commun.*, **2005**, *330*, (2), 454-460.

·K. Sato, E. Malchinkhuu, T. Muraki, K. Ishikawa, K. Hayashi, M. Tosaka, A. Mochiduki, K. Inoue, H. Tomura, C. Mogi, H. Nuchi, K. Tamoto, F. Okajima

Identification of autotaxin as a neurite retraction-inducing factor of PC12 cells in cerebrospinal fluid and its possible sources.

*J Neurochem.*, **2005**, *92*, (4), 904-14.

·C. Mogi, H. Goda, K. Mogi, A. Takaki, K. Yokoyama, M. Tomida, K. Inoue

Multistep differentiation of growth hormone-producing cells from their immature cells.

*J Endocrinol.*, **2005**, *184*, (1), 41-50.

·B. Sun, H. Nemoto, K. Fujiwara, S. Adachi, K. Inoue

Nicotine stimulates prolactin-releasing peptide (PrRP) cells and non-PrRP cells in the solitary nucleus.

*Regul Pept.*, **2005**, *126*, (1-2), 91-6.

·K. Fujiwara, H. Matsumoto, T. Yada, K. Inoue

Identification of the Prolactin-Releasing Peptide-Producing Cell in the Rat Adrenal Gland.

*Regul Pept.*, **2005**, *126*, (1-2), 97-102.

·B. Sun, K. Fujiwara, S. Adachi, and K. Inoue

Physiological role of prolactin-releasing peptide

*Regul Pept.*, **2005**, *126*, (1-2), 27-33.

·Feng,D-Y., T. Imasawa, T. Nagano, M. Kikkawa, K. Takayanagi, T. Osawa, K. Akiyama, A. Ishigami, T. Toda, T. Mitarai, T. Machida and N Maruyama

Citrullination preferentially proceeds in glomerular Bowman's capsule and increases in obstructive nephropathy

*Kidney International*, **2005**, *68*, 84-95.

- K. Uchida, S. Nakamura, T. Kobayashi and T. Machida;  
Topographic analysis of cell proliferation in the hippocampus of the adult mouse  
*NeuroReport*, **2005**, *16*, 2033-2036.
- K. Uchida, M. Yonezawa, S. Nakamura, T. Kobayashi and T. Machida  
Impaired neurogenesis in the growth-retarded mouse is reversed by T3 treatment.  
*NeuroReport*, **2005**, *16*, 103-106.
- K. Kobayashi, M. Sato, T. Machida and T. Kobayashi  
Thyroid-stimulating hormone receptor levels and binding affinity in the thyroid gland of growth-retarded mice  
*Congenital Anomalies*, **2005**, *45*, 89-92.
- M. Iseki, T. Ikuta, T. Kobayashi and K. Kawajiri  
Growth suppression of Leyding TM3 cells mediated by aryl hydrocarbon receptor  
*Biochem Biophys Res Commun*. **2005**, *331*, 902-908.