

《センターより》

平成 20 年度科学分析支援センター機器等使用研究業績

理学部 基礎化学科

Three syntheses of trans-cyclooctane-1,2-dithiol by ring opening of cis-cyclooctene episulfoxide with ammonium thiocyanate followed by reduction and reductions of trans-1,2-di(thiocyanato)cyclooctane and trans-1,2-cyclooctyl trithiocarbonate

Ishii, Akihiko; Ono, Aya; Nakata, Norio

Journal of Sulfur Chemistry (2009), 30(3-4), 236-244.

Synthesis and X-ray structural analysis of hydrido(thiolato) platinum(II) complexes

Nakata, Norio; Yamamoto, Suzuka; Hashima, Wataru; Ishii, Akihiko

Chemistry Letters (2009), 38(5), 400-401.

Zirconium Complex of an [OSO]-Type Diphenolate Ligand Bearing

trans-1,2-Cyclooctanediylbis(thio) Core: Synthesis, Structure, and Isospecific 1-Hexene Polymerization

Ishii, Akihiko; Toda, Tomoyuki; Nakata, Norio; Matsuo, Tsukasa

Journal of the American Chemical Society (2009), 131(38), 13566-13567.

Oxidation and reduction reactions of cis-9,10,11-trithiabicyclo[6.3.0]undecane synthesized by reaction of cis-cyclooctene with S8O

Ishii, Akihiko; Suzuki, Manami; Sone, Taeko; Nakata, Norio

Phosphorus, Sulfur and Silicon and the Related Elements (2009), 184(5), 1184-1205.

Reactions of 9-Triptyceneselenol with Palladium(0) Complexes: Unexpected Formations of the Dinuclear Palladium(I) Complex $[\{Pd(PPh_3)\}_2(\mu-SeTrip)_2]$ and Five-Membered Selenapalladacycle $[Pd(\eta^2(C,Se)-Trip)(dppe)]$

Nakata, Norio; Uchiumi, Rei; Yoshino, Tomoharu; Ikeda, Takashige; Kamon, Hitomi; Ishii, Akihiko
Organometallics (2009), 28(7), 1981-1984.

Synthesis and Crystal Structures of the First Stable Mononuclear Dihydrogermyl(hydrido) Platinum(II) Complexes

Nakata, Norio; Fukazawa, Shun; Ishii, Akihiko

Organometallics (2009), 28(2), 534-538.

Cyclohexasulfur monoxide (S₆O) and cyclohexasulfur (S₆) as sulfur-transfer agents

Ishii, Akihiko; Yamashita, Remi

Journal of Sulfur Chemistry (2008), 29(3-4), 303-308.

Reactions of a ditriptycyl-substituted selenoseleninate and related compounds with a platinum(0) complex: formation of selenaplatinacycle and hydrido selenolato platinum(II) complexes
Ishii, Akihiko; Nakata, Norio; Uchiumi, Rei; Murakumi, Keiko
Angewandte Chemie, International Edition (2008), 47(14), 2661–2664.

Kinetics of Photochromic Induced Energy Transfer between Manganese-Doped Zinc-Selenide Quantum Dots and Spiropyrans
Emin, Saim M.; Sogoshi, Norihito; Nakabayashi, Seiichiro; Fujihara, Takashi; Dushkin, Ceco D.
Journal of Physical Chemistry C (2009), 113(10), 3998–4007.

Synthesis and structure of the dithienostannole anion
Saito, Masaichi; Shiratake, Munenori; Tajima, Tomoyuki; Guo, Jing-Dong; Nagase, Shigeru
Journal of Organometallic Chemistry (2009), 694, 4056–4061

Reinvestigation on the synthesis of hexakis(phenylseleno)benzene
Saito, Masaichi; Kanatomi, Yoshihiko
Journal of Sulfur Chemistry (2009), 30, 469–476.

Novel reactions of steric encumbered 1,4-dilithio-1,3-butadiene with group 14 electrophiles:
formation and structure of stable dihydroxygermole
Saito, Masaichi; Nakamura, Michio; Tajima, Tomoyuki
Heterocycles (2009), 78, 657–668.

Synthesis, structure and reactions of a trianion equivalent, trolithiostannane
Tajima, Tomoyuki; Ikeda, Masatoshi; Saito, Masaichi; Ishimura, Kazuya; Nagase, Shigeru
Chemical Communications (2008), 6495–6497.

3,4-Diphenyl-2,5-bis(trimethylsilyl)cyclopentadienone
Saito, Masaichi; Ito, Toru
Acta Crystallographica, Section E: Structure Reports Online (2008), E64, o2121,
o2121/1–o2121/7.

Dechalcogenation of pentachalcogenadistannabicyclo[3.1.1]heptanes
Saito, Masaichi; Hashimoto, Hizuru; Tajima, Tomoyuki
Heterocycles (2008), 76, 515–520.

New reactions of a dibenzo[a,e]pentalene
Saito, Masaichi; Nakamura, Michio; Tajima, Tomoyuki
Chemistry A European Journal (2008), 14, 6062–6068.

Stepwise oxidation of the stannole dianion
Haga, Ryuta; Saito, Masaichi; Yoshioka, Michikazu
Chemistry A European Journal (2008), 14, 4068–4073.

Synthesis, structure and reactions of a trianion equivalent, trilithiotannane
Tajima Tomoyuki; Ikeda Masatoshi; Saito Masaichi; Ishimura Kazuya; Nagase Shigeru
Chemical Communications (2008), 6495–7.

New reactions of a dibenzo[a,e]pentalene
Saito Masaichi; Nakamura Michio; Tajima Tomoyuki
Chemistry A European Journal (2008), 14, 6062–8.

Stepwise oxidation of the stannole dianion
Haga Ryuta; Saito Masaichi; Yoshioka Michikazu
Chemistry A European Journal (2008), 14, 4068–73.

π -Face-selective 1,3-dipolar cycloadditions of 3,4-di-tert-butylthiophene 1-oxide with 1,3-dipoles
Nakayama, Juzo; Furuya, Tomohiro; Suzuki, Yasuko; Hiraiwa, Suguru; Sugihara, Yoshiaki
Phosphorus, Sulfur and Silicon and the Related Elements (2009), 184(5), 1175–1183.

Reactions of 9,9'-bibenzonorbornenylidene sulfoxides with TMSOTf: anomalous pinacol-type rearrangement of thiirane 1-oxides
Sugihara, Yoshiaki; Yamanaka, Shuich; Nakayama, Juzo
From Heteroatom Chemistry (2009), 20(1), 29–34.

Thiiranation of 2'-adamantylidene-9-benzonorbornenylidene using 4,4'-oligothiodimorpholine and Bronsted acid
Sugihara, Yoshiaki; Nozumi, Hiroko; Nakayama, Juzo
Heteroatom Chemistry (2009), 20(1), 12–18.

Synthesis and thermal decomposition of thiirane 1-imides of 2'-adamantylidene-9-benzonorbornenylidene
Sugihara, Yoshiaki; Kobiki, Ayumi; Nakayama, Juzo
Heterocycles (2009), 78(2), 331–336.

Effect of a metal salt on thiiranation of 2'-adamantylidene-9-benzonorbornenylidene with 4,4'-dithiodimorpholine and acetic anhydride
Sugihara, Yoshiaki; Koyama, Hiroki; Nakayama, Juzo
Heterocycles (2009), 78(2), 325–330.

Synthesis and sulfuration of 2'-adamantylidene-9-benzonorbornenylidene
Sugihara, Yoshiaki; Kobiki, Ayumi; Nakayama, Juzo
Heterocycles (2009), 78(1), 103–115.

New synthesis of 1,2-thiazetidines of anti- and syn-9,9'-bibenzonorbornenylidenes
Sugihara, Yoshiaki; Takeda, Ken-ichi; Zhao, Jin; Aoyama, Yui; Okuda, Harunori; Nakayama, Juzo
Chemistry Letters (2008), 37(12), 1234–1235.

Thiiranation of 2'-adamantylidene-9-benzonorbornenylidene and cis- and trans-cyclooctenes with
4,4'-dithiodimorpholine in acetic anhydride
Sugihara, Yoshiaki; Koyama, Hiroki; Yasukawa, Yuri; Nakayama, Juzo
Chemistry Letters (2008), 37(11), 1176–1177.

Synthesis and properties of S-aminothiiranium salts of anti- and
syn-9,9'-bibenzonorbornenylidenes and 2,2'-biadamantylidene
Sugihara, Yoshiaki; Ohtsu, Rie; Nakayama, Juzo
Heterocycles (2008), 75(10), 2415–2420.

Synthesis of isolable thiirane 1-imides and their stereospecific ring-enlargement to
1,2-thiazetidines
Sugihara, Yoshiaki; Aoyama, Yui; Okada, Haruki; Nakayama, Juzo
Chemistry Letters (2008), 37(6), 658–659.

Preparation of sterically congested compounds: 6,7-di-t-butyl-1,4-naphthoquinone,
2,3,6,7-tetra-t-butylanthraquinone, and 2,3,6,7-tetra-t-butylanthracene
Iguchi, Kazuki; Sugihara, Yoshiaki; Nakayama, Juzo
Bulletin of the Chemical Society of Japan (2008), 81(2), 304–306.

Rearrangement of the tert-butyl group of 5,6-di-tert-butyl-2,3,7-trithiabicyclo[2.2.1]hept-5-ene
7-endoxide
Yoshida, Sanae; Morohashi, Yuta; Fujihara, Takashi; Sugihara, Yoshiaki; Nakayama, Juzo
Journal of Sulfur Chemistry (2008), 29(1), 1–7.

Primary photochemical process of thiobenzophenone as studied by laser flash photolysis
Tanaka, Miyuki; Yago, Tomoaki; Wakasa, Masanobu
Chemistry Letters (2009), 38(11), 1086–1087.

Ethanol concentration dependence of photoinduced charge separation reaction between zinc
tetraphenylporphyrin and duroquinone studied by laser flash photolysis
Yago, Tomoaki; Gohdo, Masao; Wakasa, Masanobu
Chemistry Letters (2009), 38(9), 880–881.

Nanoscale Heterogeneous Structure of Ionic Liquid as Revealed by Magnetic Field Effects
Wakasa, Masanobu; Yago, Tomoaki; Hamasaki, Atom
Journal of Physical Chemistry B (2009), 113(31), 10559–10561.

Magnetic Field Effect on a Radical Pair Reaction as a Probe of Microviscosity
Hamasaki, Atom; Yago, Tomoaki; Wakasa, Masanobu
Journal of Physical Chemistry B (2008), 112(45), 14185–14192.

Anomalous Magnetic Field Effects on Photochemical Reactions in Ionic Liquid under Ultrahigh Fields of up to 28 T
Hamasaki, Atom; Yago, Tomoaki; Takamasu, Tadashi; Kido, Giyuu; Wakasa, Masanobu
Journal of Physical Chemistry B (2008), 112(11), 3375–3379.

Nanoscale heterogeneous structure of ionic liquid as revealed by magnetic field effects
Wakasa Masanobu; Yago Tomoaki; Hamasaki Atom
The journal of physical chemistry. B (2009), 113(31), 10559–61.

Magnetic field effect on a radical pair reaction as a probe of microviscosity
Hamasaki Atom; Yago Tomoaki; Wakasa Masanobu
The journal of physical chemistry. B (2008), 112(45), 14185–92.

Anomalous magnetic field effects on photochemical reactions in ionic liquid under ultrahigh fields of up to 28 T
Hamasaki Atom; Yago Tomoaki; Takamasu Tadashi; Kido Giyuu; Wakasa Masanobu
The journal of physical chemistry. B (2008), 112(11), 3375–9.

Group 12 metal complexes with inner-salt, bis(N,N-disubstituted amino)carbeniumdithiocarboxylate. Asymmetric stretching vibration of thiocarboxylate and reduction potential as probes for the coordination mode
Sugaya, Tomoaki; Fujihara, Takashi; Nagasawa, Akira; Unoura, Kei
Inorganica Chimica Acta (2009), 362(13), 4813–4822.

Linkage isomerism of pentaammine(dimethylsulfoxide)ruthenium(II/III) complexes: A theoretical study
Kato, Masaru; Takayanagi, Toshiyuki; Fujihara, Takashi; Nagasawa, Akira
Inorganica Chimica Acta (2009), 362(4), 1199–1203.

Anion influence on the coordination polymer structures of silver(I) complexes with 2-methylisothiazol-3(2H)-one
Kato, Masaru; Fujihara, Takashi; Yano, Daisaku; Nagasawa, Akira
CrystEngComm (2008), 10(10), 1460–1466.

Photolysis and photooxidation of 3,4-di-tert-butylthiophene 1-oxide

Nakayama, Juzo; Hiraiwa, Suguru; Fujihara, Takashi

Journal of Sulfur Chemistry (2008), 29(3-4), 243-250.

(-)545-fac- Δ -Tris(L-prolinato)cobalt(III) trihydrate

Kato, Masaru; Hayashi, Miho; Fujihara, Takashi; Nagasawa, Akira

Acta Crystallographica, Section E: (2008), E64(5), m684, m684/1-m684/9

Preparation of some new bicyclic compounds of sulfur

Osawa, Yuta; Aoki, Masami; Sato, Ohki; Fujihara, Takashi; Nakayama, Juzo

From Journal of Sulfur Chemistry (2009), 30(3-4), 270-277.

One-pot synthesis of bromo-tetracyanoazulenequinodimethanes and conducting properties of their charge transfer complexes with tetrathiotetracene

Sato, Ohki; Sato, Makoto; Sugimoto, Hiroshi; Kuramochi, Takaaki; Shirahata, Takashi; Takahashi, Kazuko

From Journal of Sulfur Chemistry (2009), 30(3-4), 360-364

Growth kinetics of CdS quantum dots and synthesis of their polymer nano-composites in CTAB reverse micelles

Emin, Saim; Sogoshi, Norihito; Nakabayashi, Seiichiro; Villeneuve, Masumi; Dushkin, Ceco

Journal of Photochemistry and Photobiology, A: Chemistry (2009), 207(2-3), 173-180.

Excited state proton transfer of pyranine in octadecylamine Langmuir-Blodgett films of different structures

Tsukamoto, Osamu; Villeneuve, Masumi; Sakamoto, Akira; Nakahara, Hiroo

Chemical Physics Letters (2008), 454(4-6), 247-251.

理学部 分子生物学科

Hara Y, Seki M, Matsuoka S, Hara H, Yamashita A and Matsumoto K (2008) Involvement of PlsX and the acyl-phosphate dependent sn-glycerol-3-phosphate acyltransferase PlsY in the initial stage of glycerolipid synthesis in *Bacillus subtilis*. Genes Genet Syst 83: 433-442

Kimpara T, Aohara T, Soga K, Wakabayashi K, Hoson T, Tsumuraya Y and Kotake T (2008) beta-1,3:1,4-Glucan synthase activity in rice seedlings under water. Ann Bot 102: 221-226

Kotake T, Hojo S, Tajima N, Matsuoka K, Koyama T and Tsumuraya Y (2008) A bifunctional enzyme with L-fucokinase and GDP-L-fucose pyrophosphorylase activities salvages free L-fucose in *Arabidopsis*. J Biol Chem 283: 8125-8135

Konishi T, Kotake T, Soraya D, Matsuoka K, Koyama T, Kaneko S, Igarashi K, Samejima M and Tsumuraya Y (2008) Properties of family 79 beta-glucuronidases that hydrolyze beta-glucuronosyl and 4-O-methyl-beta-glucuronosyl residues of arabinogalactan-protein. Carbohydr Res 343: 1191–1201

Takahashi H, Uchimiya H and Hihara Y (2008) Difference in metabolite levels between photoautotrophic and photomixotrophic cultures of *Synechocystis* sp. PCC 6803 examined by capillary electrophoresis electrospray ionization mass spectrometry. J Exp Bot 59: 3009–3018

Ishii A and Hihara Y (2008) An AbrB-Like Transcriptional Regulator, Sll0822, Is Essential for the Activation of Nitrogen-Regulated Genes in *Synechocystis* sp. PCC 6803. Plant Physiol 148: 660–670

Seino Y, Takahashi T and Hihara Y (2009) The response regulator RpaB binds to the upstream element of photosystem I genes to work for positive regulation under low-light conditions in *Synechocystis* sp. PCC 6803. J Bacteriol 191: 1581–1586

Muramatsu M, Sonoike K and Hihara Y (2009) The mechanism of down-regulation of photosystem I content under high-light conditions in the cyanobacterium *Synechocystis* sp. PCC 6803. Microbiology 155: 989–996

Kojima K, Motohashi K, Morota T, Oshita M, Hisabori T, Hayashi H and Nishiyama Y (2009) Regulation of translation by the redox state of elongation factor G in the cyanobacterium *Synechocystis* sp. PCC 6803. J Biol Chem, in press

理学部 生体制御学科

Zheng Zhao, Takafumi Sakai

Characteristic features of ghrelin cells in the gastrointestinal tract and the regulation of stomach ghrelin expression and production.

World J. of Gastroenterology 2008 Nov 7;14(41):6306–11.

Chihiro Tsutsui, Kie Kajihara, Takatsugu Yanaka, Ichiro Sakata, Zen Itoh, Sen-ichi Oda, Takafumi Sakai

House Musk Shrew (*Suncus murinus*, Order: Insectivora) as a New Model Animal for motilin Study Peptide 2008 Feb;30(2):318–29

Itakura E, Kishi C, Inoue K, Mizushima N.

Beclin 1 Forms Two Distinct Phosphatidylinositol 3-Kinase Complexes with Mammalian Atg14 and UV-RAG.

Mol. Biol. Cell. 2008 Dec;19(12):5360–72

Hiroyasu Takagi, Keiko Nagashima, Makiko Inoue, Ichiro Sakata, Takafumi Sakai
Detailed analysis of formation of the chicken pituitary primordium in early embryonic development
Cell and Tissue Research 2008 Sep;333(3):417–26

S. Devnath and K. Inoue
An Insight to Pituitary Folliculo-Stellate Cells
Journal of Neuroendocrinology 2008 Jun;20(6):687–91.

Uchida, K., Kobayashi, T., Machida, T. Thyroid hormone and adult neurogenesis. (M P. Klausen, ed.), In “Neurogenesis Research Advances”, Nova Science Publishers (New York), (2008) pp127–140.

工学部 応用化学科

M.Takahashi, T.Mori, A.Vinu, D.-R. Ou, H.Kobayashi, J.Drennan, Development of high quality Pt–CeO₂ electrodes supported on carbon black for direct methanol fuel cell applications, Advances in Applied Ceramics, Vol.107, No.2, pp.57–63(2008).

Ikuo Yanase, Yu Yamakawa, Hidehiko Kobayashi, CO₂ absorption of CaO coated on aluminosilicate foam, Journal of the Ceramic Society of Japan, Vol.116, No.2, pp.176–180 (2008).

Ikuo Yanase, Yu Yamakawa, Hidehiko Kobayashi, Fabrication of Pollucite Porous Body for CO₂ absorption, Transactions of the Materials Research Society of Japan, Vol.33, No.4, pp.1131–1134 (2008).

Ikuo Yanase, Riichi Ogawara, Hidehiko Kobayashi, Synthesis of boron carbide powder from polyvinyl borate precursor, Materials Letters, Vol.63, No.1, pp.91–93 (2009).

Hirose, T., Odagiri, E., Taniguchi, K., and Yasutake, M., Crystal Structures of (S)- and (R)-1-Amino-2-propanol/Dehydroabietic Acid Salts, Anal. Sci., Vol. 24, pp.x9–10, 2008.

Tojo, K., Hirose, T., and Aoki, Y., Synthesis of new chiral dopants derived from naproxen for nematic liquid crystal, Liquid Crystals, Vol. 35, pp.681–687, 2008.

Hirose, T., Muksana Begum, Md. Sadequ Islam, Taniguchi, K., and Yasutake, M., Resolution of α-methylbenzylamine via diastereomeric salt formation using the naturally based reagent N-tosyl-(S)-phenylalanine together with a solvent switch technique, Tetrahedron Asymmetry, Vol. 19, pp.1641–1646, 2008.

X.-F., Yang, Hirose, T., and G.-Y., Zhang, Synthesis of novel chiral tridentate aminophenol ligands for enantioselective addition of diethylzinc to aldehydes, Tetrahedron Asymmetry, Vol. 19, pp.1670–1675, 2008.

Yasutake, M., Fujihara, T., Nagasawa, A., Moriya K., and Hirose, T., Synthesis and Phase Structures of Novel π -Acceptor Discotic Liquid Crystalline Compounds Having a Pyrenedione Core, Eur. J. Org. Chem., pp.4120–4125, 2008.

Taniguchi, K., Murata, K., Murakami, Y., Takahashi, S., Nakamura, T., Hashimoto, K., Koshino, H., Dohmae, N., Yohda, M., Hirose, T., Maeda, M., Odaka, M., Novel catalytic activity of nitrile hydratase from Rhodococcus sp. N771., J. Bioscience and Bioengineering, Vol. 106, pp.174–179, 2008.

Hiroshi Sekine, Masaaki Ohshima, Hideki Kurokawa, Hiroshi Miura, Liquid Phase Hydrogenation of Naphthalene in the Presence of CO over Supported Ni Catalyst, Reaction Kinetics and Catalysis Letters, Vol.95, No.1, pp.99–105 (2008).

Akinori Otomo, Yasuyuki Tukagoshi, Masa-aki Ohshima, Hideki Kurokawa, Hiroshi Miura, Influence of residual chloride ions in alumina-supported cobalt catalysts on catalytic activity in ketone and aldehyde hydrogenation, Bulletin of the Chemical Society of Japan, Vol.81, No.5, pp.653–655 (2008).

Kenji Fuji, Yoshiyuki Ishihama, Tsutomu Sakuragi, Masa-aki Ohshima, Hideki Kurokawa, Hiroshi Miura, Heterogeneous catalysts immobilizing alpha-diimine nickel complexes into fluorotetrasilicic mica interlayers to prepare branched polyethylene from only ethylene, Catalysis Communications, Vol.10, No.2, pp.183–186 (2008).

Hirose, T., Muksana Begum, Md. Sadequl Islam, Taniguchi, K., and Yasutake, M., Resolution of α -methylbenzylamine via diastereomeric salt formation using the naturally based reagent N-tosyl-(S)-phenylalanine together with a solvent switch technique, Tetrahedron Asymmetry, Vol. 19, pp.1641–1646, 2008.

Yasutake, M., Fujihara, T., Nagasawa, A., Moriya K., and Hirose, T., Synthesis and Phase Structures of Novel π -Acceptor Discotic Liquid Crystalline Compounds Having a Pyrenedione Core, Eur. J. Org. Chem., pp.4120–4125, 2008.

工学部 機能材料工学科

金永模, 福田武司, 鎌田憲彦, 小原秀彦, 横尾敏明, 木島直人, ゾルゲルガラスで封止した白色LED用赤色蛍光体の信頼性向上, 社団法人照明学会, 照明学会誌, Vol.92, 8A, pp.472–477 (2008).

J. Luo, M. Aida, K. Yamada, Z. Honda, T. Sakakibara, T. Tayama, I. J. Ohsugi, Magneto-transport study on quasi 1-D magnet of $\text{Ca}_3(\text{Co}_{1-x}\text{M}_x)\text{O}_6$ ($\text{M} : \text{Ni}, \text{Fe}, \text{V}, \text{Ti}; x < 0.1$), Journal of Optoelectronicsand Advanced Materials, Vol.10, No.5, pp.1032–1037 (2008).

T. Kashiwagi, M. Hagiwara, S. Kimura, Z. Honda, H. Miyazaki, I. Harada, K. Kindo, High-field multifrequency electron-spin-resonance study of the Haldane magnet Ni(C₅H₁₄N₂)₂N₃(PF₆), Phys. Rev. B, Vol.79, No.2, pp.024403-1-024403-12 (2009).

J. Li, J. Wang, M.Yin, P.Gao, D. He, Q. Chen, Y. Li, H. Shirai, “Deposition of Controllable Preferred Orientation Silicon films on Glass by Inductively Coupled Plasma Chemical Vapor Deposition”, *Journal of Applied Physics*, Vol.103, No.4, p.7 (2008).

H. Shirai, Y. Sakurai, M. Yeo, K. Haruta, T. Kobayashi, T. Ishikawa, “Very-High-Frequency Thermal Microplasma Jet for the Rapid Crystallization of Amorphous Silicon”, *Thin Solid Films*, Vol.516, No.13, pp.4456-4461 (2008).

H. Matsui, T. Saito, J. K. Saha, H. Shirai, Correlation between Micro-roughness, Surface Chemistry, and Performance of Crystalline Si/Amorphous Si:H:Cl Hetero-Junction Solar Cells, *Journal of Non-Crystalline Solids*, Vol.354, No.19-25, pp.2483-2487 (2008).

K. Haruta, M. Ye, Y. Takemura, T. Kobayashi, T. Ishikawa, J. K. Saha, H. Shirai, “Rapid Crystallization of Amorphous Silicon Utilizing a Radio-Frequency Thermal Plasma Torch”, *Journal of Non-Crystalline Solids*, Vol.354, No.19-25, pp.2333-2336 (2008).

Q. Chen, T. Kitamura, K. Saito, K. Haruta, Y. Yamano, T. Ishikawa, H. Shirai, “Microplasma Discharge in Ethanol Solution: Characterization and its Application to the Synthesis of Carbon Microstructures”, *Thin Solid Films*, Vol.516, No.13, pp.4435-4440 (2008).

N. Ohse, K. Hamada, J. K. Saha, T. Kobayashi, Y. Takemura, H. Shirai, “High-density microwave Plasma-Enhanced Chemical Vapor Deposition of Microcrystalline Silicon from Dichlorosilane”, *Thin Solid Films*, Vol.516, No.19, pp.6585-6591 (2008).

Q. Chen, K. Saito, Y. Takemura, H. Shirai, “Physicochemistry of the Plasma-Electrolyte solution interface”, *Thin Solid Films*, Vol.516, No.19, pp.6688-6693 (2008).

H. Shirai, Y. Sakurai, M. Yeo, K. Haruta, T. Kobayashi, T. Ishikawa, “Very-High-Frequency Thermal Microplasma Jet for the Rapid Crystallization of Amorphous Silicon”, *Thin Solid Films*, Vol. 516, No. 19, pp.4456-4461 (2008).

Q. Chen, J. Li, K. Saito, and H. Shirai, “Characterization of Radio-Frequency Discharge using Electrolyte Solution as one Electrode at Atmospheric Pressure”, *Journal of Physics D-Applied Physics*, Vol.41, No.17, p.6 (2008).

K. Kitamura, C. Yoshida, Md. Salimullah, Y. Kinoshita, M. Suzuki, N. Nemoto, and K. Nishigaki, Rapid In Vitro Synthesis of Pico-mole Quantities of Peptides, *Chem. Lett.*, Vol.37, No.12, pp.1250-1251 (2008)

K. Kitamura, C. Yoshida, Y. Kinoshita, T. Kadowaki, Y. Takahashi, T. Tayama, T. Kawakubo, M. Naimuddin, Md. Salimullah, N. Nemoto, K. Hanada, Y. Husimi, K. Yamamoto and K. Nishigaki , Naimuddin, Md. Salimullah, N. Nemoto, K. Hanada, Y. Husimi, K. Yamamoto and K. Nishigaki , Development of Systemic in vitro Evolution and its Application to Generation of Peptide–Aptamer–Based Inhibitors of Cathepsin E J. Mol. Biol. Vol.387 pp.1186–1198 (2009)

K. Kitamura, C. Yoshida, M. Salimullah, Y. Kinoshita, M. Suzuki, N. Nemoto, K. Nishigaki, Rapid In Vitro Synthesis of Pico-mole Quantities of Peptides, Chem. Lett., Vol.37, pp.1250–1251 (2008).

S. Ahmed, A. Saito, M. Suzuki, N. Nemoto, K. Nishigaki, Host-parasite relations of bacteria and phages can be unveiled by oligostickiness, a measure of relaxed sequence similarity, Bioinformatics. 2009 Vol. 25, No.5, pp.563–570 (2009).

H. Oka, T. Onaga, T. Koyama, C. T. Guo, Y. Suzuki, Y. Esumi, K. Hatano, D. Terunuma, K. Matsuoka, Sialyl alpha(2 → 3) lactose clusters using carbosilane dendrimer core scaffolds as influenza hemagglutinin blockers, Bioorganic & Medicinal Chem. Lett., Vol.18, No.15, pp.4405–4408 (2008).

K. Tojo, T. Arisawa, M. Yasutake, Y. Aoki, D. Terunuma, Synthesis of 3,3'-(4H,4'H)-spirobi(2H-naphtho[1,2-b]pyran)-6,6'-dicarboxylic acid and its optical resolution, Chem. Lett., Vol.37, No.9, pp.930–931 (2008).

K. Hatano, T. Yamazaki, K. Yoshino, N. Ohyama, T. Koyama, K. Matsuoka, D. Terunuma, Synthesis and lectin-binding activity of luminescent silica particles peripherally functionalized with lactose, Tetrahedron Lett., Vol.49, No.39, pp.5593–5596 (2008).

J. Sakamoto, C. Takita, T. Koyama, K. Hatano, D. Terunuma, K. Matsuoka, Use of a recycle-typeSEC method as a powerful tool for purification of thiosialoside derivatives, Carbohydrate Research, Vol.343, No.16, pp.2735–2739 (2008).

K. Tojo, T. Arisawa, Y. Aoki, D. Terunuma, Helical twisting power of optically active spiro compounds with a 3,3'-(4H,4'H)-spirobi(2H-naphtho[1,2-b]pyran) skeleton, Chem. Lett. Vol.37, No.11, pp.1124–1125 (2008)

T. Kotake, S. Hojo, N. Tajima, K. Matsuoka, T. Koyama, and Y. Tsumuraya, A bifunctional enzyme with L-fucokinase and GDP-L-fucose pyrophosphorylase activities salvages free L-fucose in Arabidopsis, J. Biol. Chem., Vol.283, No.13, pp.8125–8135 (2008).

T. Konishi, T. Kotake, D. Soraya, K. Matsuoka, T. Koyama, S. Kaneko, K. Igarashi, M. Samejima, and Y. Tsumuraya, Properties of family 79 β -glucuronidases that hydrolyze β -glucuronosyl and 4-O-methyl-beta-glucuronosyl residues of arabinogalactan-protein Carbohydr. Res., Vol.343, No.7, pp.1191–1201 (2008).

H. Oka, T. Onaga, T. Koyama, C.-T. Guo, Y. Suzuki, Y. Esumi, K. Hatano, D. Terunuma, and K. Matsuoka, Sialyl α (2-3) lactose clusters using carbosilane dendrimer core scaffolds as influenza hemagglutinin blockers, *Bioorg. Med. Chem. Lett.*, Vol.18, No.15, pp.4405–4408 (2008).

K. Hatano, T. Yamazaki, K. Yoshino, N. Ohyama, T. Koyama, K. Matsuoka, and D. Terunuma, Synthesis and lectin-binding activity of luminescent silica particles peripherally functionalized with lactose, *Tetrahedron Lett.*, Vol.49, No.39, pp.5593–5596 (2008).

J.-I. Sakamoto, C. Takita, T. Koyama, K. Hatano, D. Terunuma, and K. Matsuoka, Use of a recycle-type SEC method as a powerful tool for purification of thiosialoside derivatives, *Carbohydr. Res.*, Vol.343, No.16, pp.2735–2739 (2008).

Hiroyuki Oka, Tomotsune Onaga, Tetsuo Koyama, Chao-Tan Guo, Yasuo Suzuki, Yasuaki Esumi, Ken Hatano, Daiyo Terunuma, Koji Matsuoka, Sialyl alpha(2 → 3) lactose clusters using carbosilane dendrimer core scaffolds as influenza hemagglutinin blockers, *Bioorganic & Medicinal Chemistry Letters*, Vol.18, No.15, pp.4405–4408 (2008).

Ken Hatano, Tetsuya Yamazaki, Koji Yoshino, Naoto Ohyama, Tetsuo Koyama, Koji Matsuoka, Daiyo Terunuma, Synthesis and lectin-binding activity of luminescent silica particles peripherallyfunctionalized with lactose, *Tetrahedron Letters*, Vol.49, No.39, pp.5593–5596 (2008).

Jun-Ichi Sakamoto, Chiharu Takita, Tetsuo Koyama, Ken Hatano, Daiyo Terunuma, Koji Matsuoka, Use of a recycle-type SEC method as a powerful tool for purification of thiosialoside derivatives, *Carbohydrate Research*, Vol.343, No.16, pp.2735–2739 (2008).