

《センターより》

平成 29 年度科学分析支援センター機器使用研究業績

教育学部

Matsuoka K, Miyajima R, Karasawa S. Aggregate Formation of Glycyrrhetic Acid 3-O-Glucuronide. *J Surfactants Deterg.* 2017;20(5):1153–9.

Matsuoka K, Yamamoto A. Study on micelle formation of bile salt using nuclear magnetic resonance spectroscopy. *J Oleo Sci.* 2017;66(10):1129–37.

理学部 物理学科

Iizuka R, Numakura R, Michimura S, Katano S, Kosaka M. Magnetic properties of rare-earth sulfide YbAgS₂. *Phys B Condens Matter* (Amsterdam, Netherlands). 2018;536:314-316.

Michimura S, Nishikawa U, Shimizu A, Kosaka M, Numakura R, Iizuka R, et al. Influence of Pt substitution on magnetic properties of multipolar ordering compounds Ce(Pd,Pt)3S₄. *Phys B Condens Matter* (Amsterdam, Netherlands). 2018;536:1-5.

Numakura R, Iizuka R, Michimura S, Katano S, Kosaka M. Single crystal growth and physical properties of the new ternary compound Eu₂Mg₄Si₃. *Phys B Condens Matter* (Amsterdam, Netherlands). 2018;536:262-266.

理学部 基礎化学科

Ishii A, Ikuma K, Nakata N, Nakamura K, Kuribayashi H, Takaoki K. Zirconium and Hafnium Complexes with Cycloheptane- or Cyclononane-Fused [OSO]-Type Bis(phenolato) Ligands: Synthesis, Structure, and Highly Active 1-Hexene Polymerization and Ring-Size Effects of Fused Cycloalkanes on the Activity. *Organometallics*. 2017;36(20):3954–66.

Nakata N, Kato N, Sekizawa N, Ishii A. Si–H Activation of a Primary Silane with a Pt(0) Complex: Synthesis and Structures of Mononuclear (Hydrido)(dihydrosilyl) Platinum(II) Complexes. *Inorganics* 2017;5(4):72.

Fujita M, Furukawa S, Saito M. Efficient Synthesis of 1,4-Bis-heteroatom-substituted Tetraselanylbenzenes via 1,4-Dilithiation of Hexaselanylbenzene and Investigation on Their Electronic Properties. *Chem - An Asian J.* 2017;12(9):954–7.

Furukawa S, Suda Y, Kobayashi J, Kawashima T, Tada T, Fujii S, et al. Triphosphasumanene Trisulfide: High Out-of-Plane Anisotropy and Janus-Type π -Surfaces. *J Am Chem Soc.* 2017;139(16):5787–92.

Kuwabara T, Kurokawa N, Saito M. Reactions of Dilithium Dibenzopentalenides with Cr(CO)₃(CH₃CN)₃: Unexpected Formation of a Cubic Tetramer of an Anionic Hydrodibenzopentalenyl Complex. *Chempluschem.* 2017;82(7):1039–42.

Nakada M, Kuwabara T, Furukawa S, Hada M, Minoura M, Saito M. Synthesis and reactivity of a ruthenocene-type complex bearing an aromatic π -ligand with the heaviest group 14 element. *Chem Sci.* 2017;8(4):3092–7.

Pop L-C, Kurokawa N, Ebata H, Tomizawa K, Tajima T, Saito M. Synthesis and structures of sterically encumbered Group 14 monolithio compounds and unexpected differences in their reactivity. *Eur J Inorg Chem.* 2017;2017(43):4969–75.

Saito M, Akiba T, Furukawa S, Minoura M, Hada M, Yoshikawa HY. Anisotropic Crystals Based on a Main-Group Coordination Polymer with Alignment of Rigid π Skeletons. *Organometallics.* 2017;36(14):2487–90.

Saito M, Suda Y, Furukawa S, Nakae T, Kojima T, Sakaguchi H. Formation of dibenzopentalene-linking polymers under the two-zone CVD and wet conditions. *Chem Lett.* 2017;46(8):1099–101.

Furukawa S, Suda Y, Kobayashi J, Kawashima T, Tada T, Fujii S, et al. Triphosphasumanene Trisulfide: High Out-of-Plane Anisotropy and Janus-Type π -Surfaces. *J Am Chem Soc.* 2017;139(16):5787–92.

Loukanov A, Udon H, Takakura R, Mladenova P, Kobayashi N, Kawamura R, et al. Monitoring and extraction of uranium in polluted acid mine drainage by super-paramagnetic nanoparticles coated with carbon nanodots. *J Radioanal Nucl Chem.* 2017;314(2):1149–59.

Matsuzaki T, Ito H, Chevryeva V, Makky A, Kaufmann S, Okano K, et al. Adsorption of galloyl catechin aggregates significantly modulates membrane mechanics in the absence of biochemical cues. *Phys Chem Chem Phys.* 2017;19(30):19937–47.

Akai K, Futamata M. Gap mode induced photocatalytic oxidation of p-alkyl thiophenol molecules on silver films. *Chem Phys Lett.* 2017;675:63–8.

Futamata M, Akai K, Iida C, Akiba N. Versatile gap mode plasmon under ATR geometry towards single molecule raman, laser trapping and photocatalytic reactions. *Anal Sci.* 2017;33(4):417–26.

Hossain J, Kasahara K, Harada D, Saiful Islam ATM, Ishikawa R, Ueno K, et al. Barium hydroxide hole blocking layer for front- and back-organic/crystalline Si heterojunction solar cells. *J Appl Phys* (Melville, NY, United States). 2017;122(5):055101/1–055101/8.

Ishikawa R, Ueno K, Shirai H. Fabrication of $\{\text{CH}(\text{NH}_2)_2\}_{1-x}\text{Cs}_x\text{PbI}_3$ perovskite thin films by two-step method and its application to thin film solar cells. *Chem Lett*. 2017;46(4):612–5.

Hasegawa T, Yoshitome K, Fujihara T, Santoso M, Abdul Aziz M. Characteristic changes in the aroma profile of patchouli depending on manufacturing process. *J Oleo Sci*. 2017;66(8):863–9.

Hasegawa T, Hayakawa Y, Chueamchaitrakun P, Takahashi A, Nalajima K, Fujihara T. The Aroma Profiles of Thai Green Teas Derived from Two Varieties, Chinese and Assam. *Natural Product Communications*, 2017;12:1317-1319.

Hasegawa T, Takayama R. Study on Aroma Constituents of Trees Forming Forest. *Aroma Research*, 2017;18:214-220.

Sato O, Saito T, Aoki M, Sakai A. Azulene-based tetrathiafulvalenes: preparation and their electron-donating ability. *Heterocycles*. 2017;95(2, Spec. Issue):1254–60.

理学部 分子生物学科

Yoshimi Y, Sugawara Y, Hori C, Igarashi K, Kaneko S, Tsumuraya Y, et al. A protease/peptidase from culture medium of *Flammulina velutipes* that acts on arabinogalactan-protein. *Biosci Biotechnol Biochem*. 2017;81(3):475–81.

Yoshimi Y, Yaguchi K, Kaneko S, Tsumuraya Y, Kotake T. Properties of two fungal endo- β -1,3-galactanases and their synergistic action with an exo- β -1,3-galactanase in degrading arabinogalactan-proteins. *Carbohydr Res*. 2017;453-454:26–35.

Fujishiro T, Terahata T, Kunichika K, Yokoyama N, Maruyama C, Asai K, et al. Zinc-ligand swapping mediated complex formation and sulfur transfer between SufS and SufU for iron-sulfur cluster biogenesis in *Bacillus subtilis*. *J Am Chem Soc*. 2017;139(51):18464–7.

理学部 生体制御学科

Mondal A, Koyama K, Mikami T, Horita T, Takemi S, Tsuda S, et al. Underlying mechanism of the cyclic migrating motor complex in *Suncus murinus*: a change in gastrointestinal pH is the key regulator. *Physiol Rep.* 2017;5(1):n/a.

Ishida Y, Chacrabati R, Ono-Ohmachi A, Gong Z, Ikenoya C, Aizawa S, Nara TY, Morita Y, Kato K, Sakai T, Sakata I. Milk basic protein increases ghrelin secretion and bone mineral density in rodents. *Nutrition*. 2017;39-40:15-19.

Chacrabati R, Gong Z, Ikenoya C, Kondo D, Zigman JM, Sakai T, Sakata I. The effect of glutamate on *ghrelin* release in mice. *Cell Biol Int.* 2017;41(3):320-327.

Nakayama Y, Inomata C, Yuikawa T, Tsuda S, Yamasu K. Comprehensive analysis of target genes in zebrafish embryos reveals gbx2 involvement in neurogenesis. *Dev Biol (Amsterdam, Netherlands)*. 2017;430(1):237–48.

Yoshihara R, Li Z, Ishimori K, Kuwabara K, Hatakeyama S, Tanaka S. Phenotypic analysis of newly isolated short-lifespan *Neurospora crassa* mutant deficient in a high mobility group box protein. *Fungal Genet Biol.* 2017;105:28–36.

工学部 電気電子システム工学科

Ishii K, Yagi S, Yaguchi H. Self-organized growth of cubic InN dot arrays on cubic GaN using MgO (001) vicinal substrates. *Phys Status Solidi B Basic Solid State Phys.* 2017;254(2):n/a.

Matsuoka K, Yagi S, Yaguchi H. Growth of InN/GaN dots on 4H-SiC(0001) 4° off vicinal substrates by molecular beam epitaxy. *J Cryst Growth.* 2017;477:201–6.

M. Sone, N. Igarashi, M. Naruse, H. Myoren, Y. Sasaki, C. Otani, T. Taino, Improving the spatial resolution of superconducting tunnel junction THz wave detectors using a modified LiNbO₃ absorber, *Journal of Physics Conference series*, 2017;871:012069_1-4.

S. Endo, G. Fujii, M. Ukibe, H. Takagi, M. Ohkubo, M. Naruse, H. Myoren, C. Otani, T. Taino, Development of STJ for neutron detector on Si-LBO hybrid substrate by surface-activated room-temperature bonding, *Journal of Physics Conference series*, 2017;871:012070_1-4.

工学部 應用化学科

Yoshida-Hirahara M, Fujiwara S, Kurokawa H. Simple preparation of halogen-substituted α -diimine nickel complexes immobilized into clay interlayer as catalysts for ethylene oligo-/polymerization. *Mod Res Catal.* 2017;6(2):100–20.

Yanase I, Maeda T, Kobayashi H. The effect of addition of a large amount of CeO₂ on the CO₂ adsorption properties of CaO powder. *Chem Eng J (Amsterdam, Netherlands)*. 2017;327:548–54.

Yanase I, Miura J, Kobayashi H. Carbonation and phase transformations of LiMO₂ (M =Fe, Co, Ni) under CO₂ atmosphere. *Mater Chem Phys.* 2017;199:18–22.

Yanase I, Saito Y, Kobayashi H. Solid-state MAS NMR investigations for pentavalent cation-replaced pollucite compounds with a negative thermal expansion coefficient. *J Therm Anal Calorim.* 2017;129(2):1271–6.

Yanase I, Sakai H, Kobayashi H. Fabrication of Zr₂WP₂O₁₂/ZrV_{0.6}P_{1.4}O₇ composite with a nearly zero-thermal-expansion property. *Mater Lett.* 2017;207:221–4.

Yanase I, Sasaki T, Kobayashi H. Effect of orientation of CaO plate-like particle on CO₂ adsorption property. *Powder Technol.* 2017;315:15–21.

Yanase I, Someya K, Kobayashi H. CO₂ absorption and desorption property of porous SiO₂ with Co-MEA complex, *Journal of CO₂ Utilization*. 2017;21:139–144.

Hirose K, Tsuchida M, Asakura H, Wakui K, Yoshimoto K, Iida K, et al. A single-round selection of selective DNA aptamers for mammalian cells by polymer-enhanced capillary transient isotachophoresis. *Anal (Cambridge, United Kingdom)*. 2017;142(21):4030–8.

Kodama K, Nagata J, Kurozumi N, Shitara H, Hirose T. Solvent-induced chirality switching in the enantioseparation of regiosomeric hydroxyphenylpropionic acids via diastereomeric salt formation with (1R,2S)-2-amino-1,2-diphenylethanol. *Tetrahedron: Asymmetry*. 2017;28(3):460–6.

Wang X, Wang L, Zhao Y, Kodama K, Hirose T. Efficient and practical organocatalytic system for the synthesis of cyclic carbonates from carbon dioxide and epoxides: 3-hydroxypyridine/tetra-n-butylammonium iodide. *Tetrahedron*. 2017;73(8):1190–5.

Wang X, Zhao Y, Kodama K, Hirose T. Poly(4-vinylphenol)/tetra-n-butylammonium iodide: Efficient organocatalytic system for synthesis of cyclic carbonates from CO₂ and epoxides. *J Appl Polym Sci.* 2017;134(33):n/a.

Yasutake M, Takatsudo M, Tamura T, Yamada K, Kamiya T, Hirose T. Development of liquid crystal materials having an anthraquinone and bithiophene moieties, and their electrochromic properties. *Electrochim (Tokyo, Japan)*. 2017;85(12):768–74.

Kinoshita H, Ueda A, Fukumoto H, Miura K. Diisobutylaluminum Hydride Promoted Cyclization of 1-Hydrosilyl-4-silyl-1,3-enynes to Polysubstituted Siloles. *Org Lett*. 2017;19(4):882–5.

Kinoshita H, Yaguchi K, Tohjima T, Miura K. Diisobutylaluminum hydride-promoted cyclization of silylated 1,3-dien-5-yne: Application to total synthesis of a 20-norabietane derivative. *Tetrahedron Lett*. 2017;58(16):1607–10.

Nojima Y, Suzuki Y, Yamaguchi S. Weakly Hydrogen-Bonded Water Inside Charged Lipid Monolayer Observed with Heterodyne-Detected Vibrational Sum Frequency Generation Spectroscopy. *J Phys Chem C*. 2017;121(4):2173–80.

工学部 機能材料工学科

Honda Z, Sakaguchi Y, Tashiro M, Hagiwara M, Kida T, Sakai M, et al. Phthalocyanine based metal containing porous carbon sheet. *Appl Phys Lett*. 2017;110(13):133101/1–133101/4.

Honda Z, Anai K, Hagiwara M, Kida T, Okutani A, Sakai M, et al. Surface magnetism of exfoliated α -Co hydroxide nanosheets. *J Phys Chem Solids*. 2017;107:14–7.

Honda Z, Kikuchi S, Hagiwara M, Kida T, Sakai M, Fukuda T, et al. Preparation and magnetic properties of highly nitrogen-containing nano-graphite. *Solid State Sci*. 2017;67:59–63.

Takenouchi A, Otomo T, Niwa K, Sakai M, Saito Y, Kirigane T, et al. Purification of commercial yttrium metal: Removal of fluorine. *J Cryst Growth*. 2017;468:701–4.

Yabuki K, Hirama H, Aoki N, Sakai M, Saito Y, Higuchi K, et al. Fabrication of YH₃ thin film using Pd/Ni co-capping layer: Ni thickness effect. *J Cryst Growth*. 2017;468:714–7.

Yabuki K, Hirama H, Sakai M, Saito Y, Higuchi K, Kitajima A, et al. Low-temperature and low-H₂ pressure synthesis of hydride semiconductor YH₃- δ using Pd/Ni co-capped Y films. *Thin Solid Films*. 2017;624:175–80.

Hossain J, Kasahara K, Harada D, Saiful Islam ATM, Ishikawa R, Ueno K, et al. Barium hydroxide hole blocking layer for front- and back-organic/crystalline Si heterojunction solar cells. *J Appl Phys (Melville, NY, United States)*. 2017;122(5):055101/1–055101/8.

Kasahara K, Hossain J, Harada D, Ichikawa K, Ishikawa R, Shirai H. Crystalline-Si heterojunction with organic thin-layer (HOT) solar cell module using poly(3,4-ethylenedioxothiophene):poly(styrene sulfonate)(PEDOT:PSS). *Sol Energy Mater Sol Cells*. 2018;181:60-70.

Ishikawa R, Ueno K, Shirai H. Fabrication of $\{\text{CH}(\text{NH}_2)_2\}_{1-x}\text{Cs}_x\text{PbI}_3$ perovskite thin films by two-step method and its application to thin film solar cells. *Chem Lett*. 2017;46(4):612–5.

Kobayashi S, Terai T, Yoshikawa Y, Ohkawa R, Ebihara M, Hayashi M, et al. In vitro selection of random peptides against artificial lipid bilayers: a potential tool to immobilize molecules on membranes. *Chem Commun (Cambridge, United Kingdom)*. 2017;53(24):3458–61.

Matsushita T, Arai H, Koyama T, Hatano K, Nemoto N, Matsuoka K. Iodoacetyl-functionalized pullulan: A supplemental enhancer for single-domain antibody-polyclonal antibody sandwich enzyme-linked immunosorbent assay for detection of survivin. *Bioorg Med Chem Lett*. 2017;27(21):4844–8.

Diwan D, Shinkai K, Tetsuka T, Cao B, Arai H, Koyama T, et al. Synthetic assembly of mannose moieties using polymer chemistry and the biological evaluation of its interaction towards concanavalin A. *Molecules*. 2017;22(1):157/1–157/11.

A. Kumari, T. Koyama, K. Hatano, and K. Matsuoka*, “Biological Evaluation of Multivalent-Type N-Acetyl-D-Glucosamine (GlcNAc) Conjugates for Wheat Germ Agglutinin (WGA) by the Surface Plasmon Resonance (SPR) Method”, SOJ Biochem. 2, 7, 2017. [<http://dx.doi.org/10.15226/2376-4589/2/3/00118>]

Matsuoka K, Yagi S, Yaguchi H. Growth of InN/GaN dots on 4H-SiC(0001) 4° off vicinal substrates by molecular beam epitaxy. *J Cryst Growth*. 2017;477:201–6.

Kakizaki K, Takakuwa S, Kamishima K. Crystal orientation and magnetic properties of PdSb added L10-FePt system thin films. *Funtai oyobi Funmatsu Yakin*. 2017;64(7):355–8.

Abdullah Al Mamun M, Kasahara Y, Tasaki T, Fujimori A. Spherulitic formation and characterization of partially fluorinated copolymers and their nanohybrids with functional fillers. *Polym Eng Sci*. 2017;57(2):161–71.

Iizuka M, Nakagawa Y, Ohmura K, Satou E, Fujimori A. Two-dimensional growth of crystalline nanofiber fabricated from Gemini-type amphiphilic diamide derivative inducing the thixotropic property. *J Colloid Interface Sci*. 2017;498:64–75.

Kasahara Y, Guo Y, Tasaki T, Meng Q, Iizuka M, Akasaka S, et al. Nanodispersion in transparent polymer matrix with high melting temperature contributing to the hybridization of heat-resistant organo-modified nanodiamond. *Polym Bull (Heidelberg, Ger.)* 2018;75(9):4145–4163.

Miura S, Shidara Y, Yunoki T, Mamun MA Al, Shibasaki Y, Fujimori A. High-Density Packing of Amorphous Polymer with Bulky Aromatic Rings in Interfacial Molecular Films. *Macromol Chem Phys.* 2017;218(7):n/a.

Ohmura K, Yunoki T, Shidara Y, Iizuka M, Fujimori A. Controlling the phase-separated morphology of a two-dimensional integrated layer of magnetic nanoparticles by surface modifications using immiscible amphiphiles. *Colloids Surfaces, A Physicochem Eng Asp.* 2017;529:462–74.

Shidara Y, Yunoki T, Miura S, Shibasaki Y, Fujimori A. Effect of the isothermal crystallization method on amorphous block copolymers of aromatic polyamides and their packing behavior in two-dimensional films for screening of potential crystallization ability. *Polym Eng Sci.* 2017;Ahead of Print.

Tasaki T, Guo Y, Meng Q, Al Mamun MA, Kasahara Y, Akasaka S, et al. Dependency of Nanodiamond Particle Size and Outermost-Surface Composition on Organo-Modification: Evaluation by Formation of Organized Molecular Films and Nano-hybridization with Organic Polymers. *ACS Appl Mater Interfaces.* 2017;9(16):14379–90.

Zhang X, Shidara Y, Yunoki T, Kasahara Y, Ohmura K, Iizuka M, et al. Nano-dispersion of organo-modified nanofiller in partially fluorinated matrix as the polymer/magnetic nanoparticle composites. *Polym Compos.* 2017;Ahead of Print.

T. Mori, S. Masukawa, T. Kikkawa, A. Fujimori, A. Satoh, K. Matsumoto, M. Jikei, Y. Oishi, Y. Shibasaki, Rapid synthesis and properties of segmented block copolymers based on monodisperse aromatic poly(N-methyl benzamide) and poly(propylene oxide)., *RSC Adv.*, 2017, 7, 33812-33821.

設樂雄作, 藤森厚裕, “高温延伸による結晶性透明樹脂の開発と高屈折性・表面改質ナノ粒子との複合化”, 『光学樹脂の屈折率、複屈折制御技術』, 第5章 第4節, 技術情報協会, 2017, pp.270-277.

工学部 建設工学科

Rajib M, Oguchi CT. Adsorption of ^{133}Cs and ^{87}Sr on pumice tuff: A comparative study between powder and intact solid phase. *Acta Geochim.* 2017;36(2):224–31.

Udagedara, D.T., Oguchi, C.T. and Gunatilake, J.K. Combination of chemical indices and physical properties in the assessment of weathering grades of sillimanite-garnet gneiss in tropical environment. *Bulletin of Engineering Geology and the Environment*, 2017;76(1):145-157.

大澤祐子, 小口千明, Thomachot-Schneider, C., Gommeaux, M., Eyssautier, S. and Fronteau, G.: ベルギー南部・オーバル修道院の建築石材にみられる析出塩類の季節変化と環境要因, 地学雑誌, No.126, 439-453(2017).

Udagedara, D.T., Oguchi, C.T. and Gunatilake, J.K. Evaluation of geomechanical and geochemical properties in weathered metamorphic rocks in tropical environment: a case study from Samanalawewa hydropower project, Sri Lanka, Geosciences Journal, 2017;21: 441-452.

工学部 環境共生学科

Otsuka M, Homma R, Hasegawa Y. Estimation of Phonon and Carrier Thermal Conductivities for Bulk Thermoelectric Materials Using Transport Properties. *J Electron Mater.* 2017;46(5):2752–64.

Otsuka M, Homma R, Hasegawa Y. Temperature Dependence of the Resistivity and Seebeck Coefficient of Individual Single-Crystal Bismuth Nanowires of 345-nm and 594-nm Diameters Encased in a Quartz Template. *J Electron Mater.* 2017;46(5):2976–85.

科学分析支援センター

Ohno K, Hasebe M, Nagasawa A, Fujihara T. Change in Luminescence Induced by Solution-Mediated Phase-Transition of Cyclometalated Platinum(II) Complex with Isoquinoline Carboxylate. *Inorg Chem.* 2017;56(20):12158–68.

Ohno K, Tanuma H, Kusano Y, Kaizaki S, Nagasawa A, Fujihara T. Luminescence of tartrate bridged dinuclear 2,2'-bipyridine platinum(II) complexes: emission color controlled by intra- and inter-molecular interactions in the solid state. *Dalt Trans.* 2017;46(23):7612–8.

Yasutake M, Takatsudo M, Tamura T, Yamada K, Kamiya T, Hirose T. Development of liquid crystal materials having an anthraquinone and bithiophene moieties, and their electrochromic properties. *Electrochem (Tokyo, Japan).* 2017;85(12):768–74.

Iizuka R, Numakura R, Michimura S, Katano S, Kosaka M. Magnetic properties of rare-earth sulfide YbAgS₂. *Phys B Condens Matter (Amsterdam, Netherlands).* 2018;536:314-316.

Michimura S, Nishikawa U, Shimizu A, Kosaka M, Numakura R, Iizuka R, et al. Influence of Pt substitution on magnetic properties of multipolar ordering compounds Ce(Pd,Pt)3S₄. *Phys B Condens Matter (Amsterdam, Netherlands).* 2018;536:1-5

Numakura R, Iizuka R, Michimura S, Katano S, Kosaka M. Single crystal growth and physical properties of the new ternary compound Eu₂Mg₄Si₃. *Phys B Condens Matter (Amsterdam, Netherlands).* 2018;536:262-266.

Takenouchi A, Otomo T, Niwa K, Sakai M, Saito Y, Kirigane T, et al. Purification of commercial yttrium metal: Removal of fluorine. *J Cryst Growth.* 2017;468:701–4.